Vision Research

An International Journal for Functional Aspects of Vision

Author and Subject Index
Volume 43, 2003

ELSEVIER

Supplement to Vision Research

VISION RESEARCH

Founded by THORNE SHIPLEY

Chairman and Editor-in-Chief

Dennis M. Levi, School of Optometry, University of California Berkeley, 350 Minor Hall MC 2020, Berkeley, CA 94720-2020, U.S.A.

***Vision Research* Editorial Office**

Vision Research Editorial Office, c/o Elsevier, 525 B Street, San Diego, CA 92101-4495, U.S.A. E-mail: VR@elsevier.com

Vision Research is a journal devoted to the functional aspects of human, vertebrate and invertebrate vision and welcomes papers that address important issues in basic and/or clinical research.

Senior Editors

WOLFGANG BAEHR, Salt Lake City, UT, U.S.A.
DAVID BURR, Pisa, Italy
CASPER J. ERKELENS, Utrecht, The Netherlands
DANIEL KERSTEN, Minneapolis, MN, U.S.A.
ADAM REEVES, Boston, MA, U.S.A.
STEVEN K. SHEVELL, Chicago, IL, U.S.A.

The Senior Editors are assisted by an Editorial Board consisting of:

EMIKO ADACHI-USAMI, Chiba, Japan
MARTIN S. BANKS, Berkeley, CA, U.S.A.
ROBERT BARLOW, Syracuse, NY, U.S.A.
MICHAEL D'ZMURA, Irvine, CA, U.S.A.
DAVID H. FOSTER, Manchester, U.K.
MARK GEORGESON, Birmingham, U.K.
JAN VAN GISBERGEN, Nijmegen, The Netherlands
MARTIN GIZZI, Edison, NJ, U.S.A.
BARRY LEE, Göttingen, Germany
SUZANNE P. MCKEE, San Francisco, CA, U.S.A.
ANTHONY M. NORCIA, San Francisco, CA, U.S.A.
PIETRO PERONA, Pasadena, CA, U.S.A.
FRANK SCHAEFFEL, Tübingen, Germany
CLIFF SCHOR, Berkeley, CA, U.S.A.
ROGER TOOTELL, Charlestown, MA, U.S.A.
KATHLEEN TURANO, Baltimore, MD, U.S.A.
CHRISTOPHER TYLER, San Francisco, CA, U.S.A.
DAVID WHITAKER, West Yorkshire, U.K.
HUGH WILSON, Toronto, Ontario, Canada

Author enquiries

For enquiries relating to the submission of articles (including electronic submission where available) please visit Elsevier's Author Gateway at http://authors.elsevier.com. The Author Gateway also provides the facility to track accepted articles and set up e-mail alerts to inform you of when an article's status has changed, as well as detailed artwork guidelines, copyright information, frequently asked questions and more. Contact details for questions arising after acceptance of an article, especially those relating to proofs, are provided after registration of an article for publication.

Frequency: Published 28 issues/annum. © 2004 Elsevier Ltd. All rights reserved.
Publication information: *Vision Research* (ISSN 0042-6989). For 2004, Volume 44 is scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from this journal's website (http://www.elsevier.com/locate/visres). Further information is available on this journal and other Elsevier products through Elsevier's website (http://www.elsevier.com). Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by standard mail (surface within Europe, air delivery outside Europe). Priority rates are available upon request. Claims for missing issues should be made within six months of the date of dispatch.

Orders, claims, and journal enquiries: please contact the Customer Service Department at the Regional Sales Office nearest you:

Orlando: Elsevier, Customer Service Department, 6277 Sea Harbor Drive, Orlando, FL 32887-4800, USA; phone: (+1) (877) 8397126 [toll free number for US customers], or (+1) (407) 3454020 [customers outside US]; fax: (+1) (407) 3631354; e-mail: usjcs@elsevier.com. **Amsterdam:** Elsevier, Customer Service Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands; phone: (+31) (20) 4853757; fax: (+31) (20) 4853432; e-mail: nlinfo-f@elsevier.com. **Tokyo:** Elsevier, Customer Service Department, 4F Higashi-Azabu, 1-Chome Bldg, 1-9-15 Higashi-Azabu, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 55615037; fax: (+81) (3) 55615047; e-mail: jp.info@elsevier.com. **Singapore:** Elsevier, Customer Service Department, 3 Killiney Road, #08-01 Winsland House I, Singapore 239519; phone: (+65) 63490222; fax: (+65) 67331510; e-mail: asiainfo@elsevier.com

USA mailing notice: *Vision Research* (ISSN 0042-6989) is published 28 issues/annum, semi-monthly with additional issues in March, June–September and December, in one Volume by Elsevier Ltd. (P.O. Box 211, 1000 AE Amsterdam, The Netherlands). Annual subscription price in the USA US$ 3250.00 (valid in North, Central and South America), including air speed delivery. Periodical postage rate paid at Jamaica, NY 11431.

USA POSTMASTER: Send address changes to: *Vision Research*, Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003.

AIRFREIGHT AND MAILING in the USA by Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003.

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Vision Research
www.elsevier.com/locate/visres

AUTHOR INDEX

ABEL, L.A.
Tkalcevic, L.A. and Abel, L.A. Effects of stimulus size and luminance on oscillopsia in congenital nystagmus 43: 2697
AHMAD, I.
Chacko, D.M., Das, A.V., Zhao, X., James, J., Bhattacharya, S. and Ahmad, I. Transplantation of ocular stem cells: the role of injury in incorporation and differentiation of grafted cells in the retina 43: 937
ALAIS, D.
Nguyen, V.A., Freeman, A.W. and Alais, D. Increasing depth of binocular rivalry suppression along two visual pathways 43: 2003
ALBORZIAN, S.
Reynolds, J.H., Alborzian, S. and Stoner, G.R. Exogenously cued attention triggers competitive selection of surfaces 43: 59
ALDEBASI, Y.H.
Aldebasi, Y.H., Drasdo, N., Morgan, J.E. and North, R.V. Cortical OFF-potentials from the S-cone pathway reveal neural damage in early glaucoma 43: 221
ALLEN, H.A.
Allen, H.A. and Ledgeway, T. Attentional modulation of threshold sensitivity to first-order motion and second-order motion patterns 43: 2927
ALLIK, J.
Kreegipuu, K. and Allik, J. Perceived onset time and position of a moving stimulus 43: 1625
ALLISON, R.S.
Allison, R.S., Rogers, B.J. and Bradshaw, M.F. Geometric and induced effects in binocular stereopsis and motion parallax 43: 1879
AMICK, M.M.
Amick, M.M., Cronin-Golomb, A. and Gilmore, G.C. Visual processing of rapidly presented stimuli is normalized in Parkinson's disease when proximal stimulus strength is enhanced 43: 2827
AMIT, Y.
Amit, Y. and Mascaro, M. An integrated network for invariant visual detection and recognition 43: 2073
AMOAKO-MENSAH, T.
Fuchsjäger-Mayrl, G., Malec, M., Amoako-Mensah, T., Kolodjaschna, J. and Schmetterer, L. Changes in choroidal blood flow during light/dark transitions are not altered by atropine or propranolol in healthy subjects 43: 2185
ANAND, V.
Anand, V., Barral, D.C., Zeng, Y., Brunsmann, F., Maguire, A.M., Seabra, M.C. and Bennett, J. Gene therapy for choroideremia: in vitro rescue mediated by recombinant adenovirus 43: 919
ANDERSEN, R.A.
Nishida, S., Motoyoshi, I., Andersen, R.A. and Shimojo, S. Gaze modulation of visual aftereffects 43: 639
ANDERSON, A.J.
Anderson, A.J. Utility of a dynamic termination criterion in the ZEST adaptive threshold method 43: 165
ANDERSON, N.D.
Jones, D.G., Anderson, N.D. and Murphy, K.M. Orientation discrimination in visual noise using global and local stimuli 43: 1223
ANDERSON, R.S.
Anderson, R.S., Coulter, E., Zlatkova, M.B. and Demirel, S. Short-wavelength acuity: optical factors affecting detection and resolution of blue-yellow sinusoidal gratings in foveal and peripheral vision 43: 101
Vassilev, A., Mihaylova, M.S., Racheva, K., Zlatkova, M. and Anderson, R.S. Spatial summation of S-cone ON and OFF signals: effects of retinal eccentricity 43: 2875

doi:10.1016/j.visres.2004.02.003

Zlatkova, M.B., Coulter, E. and Anderson, R.S. Short-wavelength acuity: blue-yellow and achromatic resolution loss with age 43: 109

ANDRÉS, A.

Ramon, E., Marron, J., del Valle, L., Bosch, L., Andrés, A., Manyosa, J. and Garriga, P. Effect of dodecyl maltoside detergent on rhodopsin stability and function 43: 3055

ANSORGE, U.

Scharlau, I. and Ansorge, U. Direct parameter specification of an attention shift: evidence from perceptual latency priming 43: 1351

ARDEN, G.B.

Arden, G.B., Wolf, J.E. and Messiter, C. Electrical activity in visual cortex associated with combined auditory and visual stimulation in temporal sequences known to be associated with a visual illusion 43: 2469

ARNOLD, D.H.

Arnold, D.H., Durant, S. and Johnston, A. Latency differences and the flash-lag effect 43: 1829

Clifford, C.W.G., Arnold, D.H. and Pearson, J. A paradox of temporal perception revealed by a stimulus oscillating in colour and orientation 43: 2245

Clifford, C.W.G., Arnold, D.H., Smith, S.T. and Pianta, M. Opposing views on orthogonal adaptation: a reply to Westheimer and Gee (2002) 43: 717 (discussion)

ASHBY, J.

Rayner, K., Juhasz, B., Ashby, J. and Clifton, C., Jr. Inhibition of saccade return in reading 43: 1027

ASHOURZADEH, A.

Chase, C., Ashourzadeh, A., Kelly, C., Monfette, S. and Kinsey, K. Can the magnocellular pathway read? Evidence from studies of color 43: 1211

ATCHISON, D.A.

Atchison, D.A., Marcos, S. and Scott, D.H. The influence of the Stiles–Crawford peak location on visual performance 43: 659

ATKINS, J.E.

Atkins, J.E., Jacobs, R.A. and Knill, D.C. Experience-dependent visual cue recalibration based on discrepancies between visual and haptic percepts 43: 2603

AURICCHIO, A.

Auricchio, A. Pseudotyped AAV vectors for constitutive and regulated gene expression in the eye 43: 913

BACH, M.

Kommerell, G., Schmitt, C., Kromeier, M. and Bach, M. Ocular prevalence *versus* ocular dominance 43: 1397

BADCOCK, D.R.

Badcock, D.R., McKendrick, A.M. and Ma-Wyatt, A. Pattern cues disambiguate perceived direction in simple moving stimuli 43: 2291

Edwards, M. and Badcock, D.R. Motion distorts perceived depth 43: 1799

BADDELEY, R.J.

Vincent, B.T. and Baddeley, R.J. Synaptic energy efficiency in retinal processing 43: 1283

BAEHR, W.

Baehr, W., Chader, G., Wu, S.M. and Zrenner, E. 6th Annual Vision Research Conference Report (editorial) 43: 857

Baehr, W., Wu, S.M., Bird, A.C. and Palczewski, K. The retinoid cycle and retina disease (editorial) 43: 2957

BAGNOUD, M.

Sommerhalder, J., Oueghlani, E., Bagnoud, M., Leonards, U., Safran, A.B. and Pelizzone, M. Simulation of artificial vision: I. Eccentric reading of isolated words, and perceptual learning 43: 269

BAI, S.-H.

Paik, S.-S., Park, N.-G., Lee, S.-J., Han, H.-K., Jung, C.-S., Bai, S.-H. and Chun, M.-H. GABA receptors on horizontal cells in the goldfish retina 43: 2101

BAKER, C.L., JR.

Mullen, K.T., Yoshizawa, T. and Baker, C.L., Jr. Luminance mechanisms mediate the motion of red–green isoluminant gratings: the role of "temporal chromatic aberration" 43: 1235

Yoshizawa, T., Mullen, K.T. and Baker, C.L., Jr. Failure of signed chromatic apparent motion with luminance masking 43: 751

BAKER, F.H.
Turano, K.A., Geruschat, D.R. and Baker, F.H. Oculomotor strategies for the direction of gaze tested with a real-world activity 43: 333
BALBOA, R.M.
Balboa, R.M. and Grzywacz, N.M. Power spectra and distribution of contrasts of natural images from different habitats 43: 2527
BARBIERE-HESSE, G.S.
Hammett, S.T., Georgeson, M.A., Bedingham, S. and Barbiere-Hesse, G.S. Motion sharpening and contrast: Gain control precedes compressive non-linearity? 43: 1187
BARBORICA, A.
Opris, I., Barborica, A. and Ferrera, V.P. Comparison of performance on memory-guided saccade and delayed spatial match-to-sample tasks in monkeys 43: 321
BARENHOLTZ, E.
Barenholtz, E. and Feldman, J. Visual comparisons within and between object parts: evidence for a single-part superiority effect 43: 1655
BARNES, G.
Hess, R.F., Barnes, G., Dumoulin, S.O. and Dakin, S.C. How many positions can we perceptually encode, one or many? 43: 1575
BARRAL, D.C.
Anand, V., Barral, D.C., Zeng, Y., Brunsmann, F., Maguire, A.M., Seabra, M.C. and Bennett, J. Gene therapy for choroideremia: in vitro rescue mediated by recombinant adenovirus 43: 919
BARRIS, M.C.
Barris, M.C. Letter to the editor 43: 1719
BATTEN, M.
Kuksa, V., Imanishi, Y., Batten, M., Palczewski, K. and Moise, A.R. Retinoid cycle in the vertebrate retina: experimental approaches and mechanisms of isomerization 43: 2959
BAYKAL, O.
Dane, Ş., Gümüştekin, K., Yazici, A.T. and Baykal, O. Correlation between hand preference and intraocular pressure from right- and left-eyes in right- and left-handers 43: 405
BEARDSLEY, S.A.
Beardsley, S.A., Ward, R.L. and Vaina, L.M. A neural network model of spiral-planar motion tuning in MSTd 43: 577
BEDELL, H.E.
Bedell, H.E., Chung, S.T.L., Ogmen, H. and Patel, S.S. Color and motion: which is the tortoise and which is the hare? 43: 2403
Chung, S.T.L. and Bedell, H.E. Velocity dependence of Vernier and letter acuity for band-pass filtered moving stimuli 43: 669
Patel, S.S., Ukwade, M.T., Stevenson, S.B., Bedell, H.E., Sampath, V. and Ogmen, H. Stereoscopic depth perception from oblique phase disparities 43: 2479
Ukwade, M.T., Bedell, H.E. and Harwerth, R.S. Stereopsis is perturbed by vergence error 43: 181
Ukwade, M.T., Bedell, H.E. and Harwerth, R.S. Stereothresholds with simulated vergence variability and constant error 43: 195
BEDINGHAM, S.
Hammett, S.T., Georgeson, M.A., Bedingham, S. and Barbiere-Hesse, G.S. Motion sharpening and contrast: Gain control precedes compressive non-linearity? 43: 1187
BEERE, J.L.
Shapiro, A.G., Beere, J.L. and Zaidi, Q. Time-course of *S*-cone system adaptation to simple and complex fields 43: 1135
BENNETT, J.
Anand, V., Barral, D.C., Zeng, Y., Brunsmann, F., Maguire, A.M., Seabra, M.C. and Bennett, J. Gene therapy for choroideremia: in vitro rescue mediated by recombinant adenovirus 43: 919
BENTON, C.P.
Curran, W. and Benton, C.P. Speed tuning of direction repulsion describes an inverted U-function 43: 1847
BERMAN, M.A.
Klassen, H., Imfeld, K.L., Ray, J., Young, M.J., Gage, F.H. and Berman, M.A. The immunological properties of adult hippocampal progenitor cells 43: 947

BERTONE, A.
Bertone, A. and Faubert, J. How is complex second-order motion processed? 43: 2591
BESCH, D.
Besch, D., Jägle, H., Scholl, H.P.N., Seeliger, M.W. and Zrenner, E. Inherited multifocal RPE-diseases: mechanisms for local dysfunction in global retinoid cycle gene defects 43: 3095
BEX, P.J.
Bex, P.J. and Dakin, S.C. Motion detection and the coincidence of structure at high and low spatial frequencies 43: 371
Bex, P.J., Dakin, S.C. and Simmers, A.J. The shape and size of crowding for moving targets 43: 2895
Bex, P.J., Simmers, A.J. and Dakin, S.C. Grouping local directional signals into moving contours 43: 2141
Dakin, S.C. and Bex, P.J. Response to Wilson & Wilkinson: Evidence for global processing but no evidence for specialised detectors in the visual processing of Glass patterns 43: 565 (letter)
Fiser, J., Bex, P.J. and Makous, W. Contrast conservation in human vision 43: 2637
Hess, R.F., Pointer, J.S., Simmers, A. and Bex, P. Border distinctness in amblyopia 43: 2255
BHATTACHARYA, S.
Chacko, D.M., Das, A.V., Zhao, X., James, J., Bhattacharya, S. and Ahmad, I. Transplantation of ocular stem cells: the role of injury in incorporation and differentiation of grafted cells in the retina 43: 937
BIRD, A.C.
Baehr, W., Wu, S.M., Bird, A.C. and Palczewski, K. The retinoid cycle and retina disease (editorial) 43: 2957
Robson, A.G., Moreland, J.D., Pauleikhoff, D., Morrissey, T., Holder, G.E., Fitzke, F.W., Bird, A.C. and van Kuijk, F.J.G.M. Macular pigment density and distribution: comparison of fundus autofluorescence with minimum motion photometry 43: 1765
BISIO, G.M.
Cavalleri, P., Sabatini, S.P., Solari, F. and Bisio, G.M. Centric-minded templates for self-motion perception 43: 1473
BITTNER, T.K.
Stewart, A.L., Pinkham, R.S., Bittner, T.K. and Purcell, D.G. Hermite acuity gratings and models of space-variant acuity 43: 1597
BLAKE, R.
Sobel, K.V. and Blake, R. Subjective contours and binocular rivalry suppression 43: 1533
BORST, A.
Borst, A., Reisenman, C. and Haag, J. Adaptation of response transients in fly motion vision. II: Model studies 43: 1309
Reisenman, C., Haag, J., Borst, A. Adaptation of response transients in fly motion vision. I: Experiments 43: 1291
BOSCH, L.
Ramon, E., Marron, J., del Valle, L., Bosch, L., Andrés, A., Manyosa, J. and Garriga, P. Effect of dodecyl maltoside detergent on rhodopsin stability and function 43: 3055
BOWMAKER, J.K.
Parry, J.W.L., Peirson, S.N., Wilkens, H. and Bowmaker, J.K. Multiple photopigments from the Mexican blind cavefish, *Astyanax fasciatus:* a microspectrophotometric study 43: 31
BOYNTON, G.M.
Sàenz, M., Buraĉas, G.T. and Boynton, G.M. Global feature-based attention for motion and color 43: 629
BRADDICK, O.J.
Mason, A.J.S., Braddick, O.J. and Wattam-Bell, J. Motion coherence thresholds in infants—different tasks identify at least two distinct motion systems 43: 1149
BRADSHAW, M.F.
Allison, R.S., Rogers, B.J. and Bradshaw, M.F. Geometric and induced effects in binocular stereopsis and motion parallax 43: 1879
BRAUN, C.
Fahle, M., Quenzer, T., Braun, C. and Spang, K. Feature-specific electrophysiological correlates of texture segregation 43: 7
BREITMEYER, B.G.
Ogmen, H., Breitmeyer, B.G. and Melvin, R. The what and where in visual masking 43: 1337
BREMMER, F.
Frenz, H., Bremmer, F. and Lappe, M. Discrimination of travel distances from 'situated' optic flow 43: 2173

BRENNER, E.
Brenner, E., Ruiz, J.S., Herráiz, E.M., Cornelissen, F.W. and Smeets, J.B.J. Chromatic induction and the layout of colours within a complex scene 43: 1413
BRESSAN, P.
da Pos, O. and Bressan, P. Chromatic induction in neon colour spreading 43: 697
BRODEUR, M.
Brodeur, M. and Debruille, J.B. Visual evoked potentials to line- and luminance-defined triangles 43: 299
BRONSTEIN, A.M.
Shallo-Hoffmann, J. and Bronstein, A.M. Visual motion detection in patients with absent vestibular function 43: 1589
BROOKS, A.
Brooks, A., van der Zwan, R. and Holden, J. An illusion of coherent global motion arising from single brief presentations of a stationary stimulus 43: 2387
BROWN, A.M.
Brown, A.M. and Miracle, J.A. Early binocular vision in human infants: limitations on the generality of the Superposition Hypothesis 43: 1563
BRUNSMANN, F.
Anand, V., Barral, D.C., Zeng, Y., Brunsmann, F., Maguire, A.M., Seabra, M.C. and Bennett, J. Gene therapy for choroideremia: in vitro rescue mediated by recombinant adenovirus 43: 919
BUIATTI, M.
Buiatti, M. and van Vreeswijk, C. Variance normalisation: a key mechanism for temporal adaptation in natural vision? 43: 1895
BÜLTHOFF, H.H.
Knappmeyer, B., Thornton, I.M. and Bülthoff, H.H. The use of facial motion and facial form during the processing of identity 43: 1921
BURAĈAS, G.T.
Sàenz, M., Buraĉas, G.T. and Boynton, G.M. Global feature-based attention for motion and color 43: 629
BURMEISTER, M.
Qiao, X., Pennesi, M., Seong, E., Gao, H., Burmeister, M. and Wu, S.M. Photoreceptor degeneration and *rdl* mutation in the *grizzled/mocha* mouse strain 43: 859
BURSTEDT, M.S.I.
Burstedt, M.S.I., Sandgren, O., Golovleva, I. and Wachtmeister, L. Retinal function in Bothnia dystrophy. An electrophysiological study 43: 2559

CAI, B.
Sparrow, J.R., Fishkin, N., Zhou, J., Cai, B., Jang, Y.P., Krane, S., Itagaki, Y. and Nakanishi, K. A2E, a byproduct of the visual cycle 43: 2983
CALVERT, J.
Manahilov, V., Calvert, J. and Simpson, W.A. Temporal properties of the visual responses to luminance and contrast modulated noise 43: 1855
CASTLES, A.
Williams, M.J., Stuart, G.W., Castles, A. and McAnally, K.I. Contrast sensitivity in subgroups of developmental dyslexia 43: 467
CAUDEK, C.
Domini, F. and Caudek, C. Recovering slant and angular velocity from a linear velocity field: modeling and psychophysics 43: 1753
CAVALLERI, P.
Cavalleri, P., Sabatini, S.P., Solari, F. and Bisio, G.M. Centric-minded templates for self-motion perception 43: 1473
CHACKO, D.M.
Chacko, D.M., Das, A.V., Zhao, X., James, J., Bhattacharya, S. and Ahmad, I. Transplantation of ocular stem cells: the role of injury in incorporation and differentiation of grafted cells in the retina 43: 937
CHADER, G.
Baehr, W., Chader, G., Wu, S.M. and Zrenner, E. 6th Annual Vision Research Conference Report (editorial) 43: 857

CHASE, C.
Chase, C., Ashourzadeh, A., Kelly, C., Monfette, S. and Kinsey, K. Can the magnocellular pathway read? Evidence from studies of color 43: 1211
CHAUDHURI, A.
Liu, C.H. and Chaudhuri, A. Face recognition with perspective transformation 43: 2393
CHEMTOB, S.
Rufiange, M., Dassa, J., Dembinska, O., Koenekoop, R.K., Little, J.M., Polomeno, R.C., Dumont, M., Chemtob, S. and Lachapelle, P. The photopic ERG luminance-response function (photopic hill): method of analysis and clinical application 43: 1405
CHEN, X.
Chen, X. and He, S. Temporal characteristics of binocular rivalry: visual field asymmetries 43: 2207
CHEN, Y.
Chen, Y., Moiseyev, G., Wu, B.X., Ma, J.-x. and Crouch, R.K. Visual cycle retinoid processing proteins are present in HEK293S cells 43: 3037
CHIBA, C.
Oi, H., Chiba, C. and Saito, T. A decay of gap junctions associated with ganglion cell differentiation during retinal regeneration of the adult newt 43: 2847
CHIRIMUUTA, M.
Clatworthy, P.L., Chirimuuta, M., Lauritzen, J.S. and Tolhurst, D.J. Coding of the contrasts in natural images by populations of neurons in primary visual cortex (V1) 43: 1983
CHONG, S.C.
Chong, S.C. and Treisman, A. Representation of statistical properties 43: 393
CHUN, M.-H.
Paik, S.-S., Park, N.-G., Lee, S.-J., Han, H.-K., Jung, C.-S., Bai, S.-H. and Chun, M.-H. GABA receptors on horizontal cells in the goldfish retina 43: 2101
CHUNG, S.T.L.
Bedell, H.E., Chung, S.T.L., Ogmen, H. and Patel, S.S. Color and motion: which is the tortoise and which is the hare? 43: 2403
Chung, S.T.L. and Bedell, H.E. Velocity dependence of Vernier and letter acuity for band-pass filtered moving stimuli 43: 669
CIMMARUSTI, V.
Humayun, M.S., Weiland, J.D., Fujii, G.Y., Greenberg, R., Williamson, R., Little, J., Mech, B., Cimmarusti, V., Van Boemel, G., Dagnelie, G. and de Juan, E., Jr. Visual perception in a blind subject with a chronic microelectronic retinal prosthesis 43: 2573
CLATWORTHY, P.L.
Clatworthy, P.L., Chirimuuta, M., Lauritzen, J.S. and Tolhurst, D.J. Coding of the contrasts in natural images by populations of neurons in primary visual cortex (V1) 43: 1983
CLIFFORD, C.W.G.
Clifford, C.W.G., Arnold, D.H. and Pearson, J. A paradox of temporal perception revealed by a stimulus oscillating in colour and orientation 43: 2245
Clifford, C.W.G., Arnold, D.H., Smith, S.T. and Pianta, M. Opposing views on orthogonal adaptation: a reply to Westheimer and Gee (2002) 43: 717 (discussion)
Clifford, C.W.G., Pearson, J., Forte, J.D. and Spehar, B. Colour and luminance selectivity of spatial and temporal interactions in orientation perception 43: 2885
Spehar, B. and Clifford, C.W.G. When does illusory contour formation depend on contrast polarity? 43: 1915
CLIFTON, C., JR.
Rayner, K., Juhasz, B., Ashby, J. and Clifton, C., Jr. Inhibition of saccade return in reading 43: 1027
CONTI, D.M.
Royden, C.S. and Conti, D.M. A model using MT-like motion-opponent operators explains an illusory transformation in the optic flow field 43: 2811
CONVERSE, C.A.
Semenova, E.M. and Converse, C.A. Comparison between oleic acid and docosahexaenoic acid binding to interphotoreceptor retinoid-binding protein 43: 3063
CORNELISSEN, F.W.
Brenner, E., Ruiz, J.S., Herráiz, E.M., Cornelissen, F.W. and Smeets, J.B.J. Chromatic induction and the layout of colours within a complex scene 43: 1413

COULTER, E.
Anderson, R.S., Coulter, E., Zlatkova, M.B. and Demirel, S. Short-wavelength acuity: optical factors affecting detection and resolution of blue-yellow sinusoidal gratings in foveal and peripheral vision 43: 101
Zlatkova, M.B., Coulter, E. and Anderson, R.S. Short-wavelength acuity: blue-yellow and achromatic resolution loss with age 43: 109
CRAWFORD, J.D.
Khan, A.Z. and Crawford, J.D. Coordinating one hand with two eyes: optimizing for field of view in a pointing task 43: 409
CRONIN-GOLOMB, A.
Amick, M.M., Cronin-Golomb, A. and Gilmore, G.C. Visual processing of rapidly presented stimuli is normalized in Parkinson's disease when proximal stimulus strength is enhanced 43: 2827
CROUCH, R.K.
Chen, Y., Moiseyev, G., Wu, B.X., Ma, J.-x. and Crouch, R.K. Visual cycle retinoid processing proteins are present in HEK293S cells 43: 3037
CSATHÓ., Á.
Csathó., Á., van der Vloed, G. and van der Helm, P.A. Blobs strengthen repetition but weaken symmetry 43: 993
CURRAN, W.
Curran, W. and Benton, C.P. Speed tuning of direction repulsion describes an inverted U-function 43: 1847
CURTIS, R.
Montiani-Ferreira, F., Li, T., Kiupel, M., Howland, H., Hocking, P., Curtis, R. and Petersen-Jones, S. Clinical features of the retinopathy, globe enlarged (*rge*) chick phenotype 43: 2009
CUTZU, F.
Cutzu, F. and Tsotsos, J.K. The selective tuning model of attention: psychophysical evidence for a suppressive annulus around an attended item 43: 205

DA POS, O.
da Pos, O. and Bressan, P. Chromatic induction in neon colour spreading 43: 697
DAGNELIE, G.
Humayun, M.S., Weiland, J.D., Fujii, G.Y., Greenberg, R., Williamson, R., Little, J., Mech, B., Cimmarusti, V., Van Boemel, G., Dagnelie, G. and de Juan, E., Jr. Visual perception in a blind subject with a chronic microelectronic retinal prosthesis 43: 2573
DAKIN, S.C.
Bex, P.J. and Dakin, S.C. Motion detection and the coincidence of structure at high and low spatial frequencies 43: 371
Bex, P.J., Dakin, S.C. and Simmers, A.J. The shape and size of crowding for moving targets 43: 2895
Bex, P.J., Simmers, A.J. and Dakin, S.C. Grouping local directional signals into moving contours 43: 2141
Dakin, S.C. and Bex, P.J. Response to Wilson & Wilkinson: Evidence for global processing but no evidence for specialised detectors in the visual processing of Glass patterns 43: 565 (letter)
Hess, R.F., Barnes, G., Dumoulin, S.O. and Dakin, S.C. How many positions can we perceptually encode, one or many? 43: 1575
DANE, Ş.
Dane, Ş., Gümüştekin, K., Yazici, A.T. and Baykal, O. Correlation between hand preference and intraocular pressure from right- and left-eyes in right- and left-handers 43: 405
DAOUTIS, C.
Sowden, P.T., Özgen, E., Schyns, P.G. and Daoutis, C. Expectancy effects on spatial frequency processing 43: 2759
DARLING, W.G.
Darling, W.G., Pizzimenti, M.A. and Rizzo, M. Unilateral posterior parietal lobe lesions affect representation of visual space 43: 1675
DAS, A.V.
Chacko, D.M., Das, A.V., Zhao, X., James, J., Bhattacharya, S. and Ahmad, I. Transplantation of ocular stem cells: the role of injury in incorporation and differentiation of grafted cells in the retina 43: 937
DASSA, J.
Rufiange, M., Dassa, J., Dembinska, O., Koenekoop, R.K., Little, J.M., Polomeno, R.C., Dumont, M., Chemtob, S. and Lachapelle, P. The photopic ERG luminance-response function (photopic hill): method of analysis and clinical application 43: 1405

DAVIES, N.
Davies, N. and Morland, A. Temporal visual filtering in diabetes mellitus 43: 2377
DAVIS, E.T.
Davis, E.T., Shikano, T., Peterson, S.A. and Michel, R.K. Divided attention and visual search for simple *versus* complex features 43: 2213
DE JUAN, E., JR.
Humayun, M.S., Weiland, J.D., Fujii, G.Y., Greenberg, R., Williamson, R., Little, J., Mech, B., Cimmarusti, V., Van Boemel, G., Dagnelie, G. and de Juan, E., Jr. Visual perception in a blind subject with a chronic microelectronic retinal prosthesis 43: 2573
DE LA ROSA, E.J.
Varela, C., Igartua, I., De la Rosa, E.J. and De la Villa, P. Functional modifications in rod bipolar cells in a mouse model of retinitis pigmentosa 43: 879
DE LA VILLA, P.
Varela, C., Igartua, I., De la Rosa, E.J. and De la Villa, P. Functional modifications in rod bipolar cells in a mouse model of retinitis pigmentosa 43: 879
DE VALOIS, K.K.
Takeuchi, T., De Valois, K.K. and Hardy, J.L. The influence of color on the perception of luminance motion 43: 1159
DE WEERT, C.M.M.
van Lier, R. and de Weert, C.M.M. Intra- and interocular colour-specific activation during dichoptic suppression 43: 1111
DEBRUILLE, J.B.
Brodeur, M. and Debruille, J.B. Visual evoked potentials to line- and luminance-defined triangles 43: 299
DEEGAN, J.F. II
Jacobs, G.H. and Deegan, J.F. II Cone pigment variations in four genera of new world monkeys 43: 227
DEFORD, J.K.
Essock, E.A., DeFord, J.K., Hansen, B.C. and Sinai, M.J. Oblique stimuli are seen best (not worst!) in naturalistic broad-band stimuli: a horizontal effect 43: 1329
DEL VALLE, L.
Ramon, E., Marron, J., del Valle, L., Bosch, L., Andrés, A., Manyosa, J. and Garriga, P. Effect of dodecyl maltoside detergent on rhodopsin stability and function 43: 3055
DELBEKE, J.
Delbeke, J., Oozeer, M. and Veraart, C. Position, size and luminosity of phosphenes generated by direct optic nerve stimulation 43: 1091
DELL'ACQUA, R.
Dell'Acqua, R., Pascali, A., Jolicoeur, P. and Sessa, P. Four-dot masking produces the attentional blink 43: 1907
DEMBINSKA O.
Rufiange, M., Dassa, J., Dembinska, O., Koenekoop, R.K., Little, J.M., Polomeno, R.C., Dumont, M., Chemtob, S. and Lachapelle, P. The photopic ERG luminance-response function (photopic hill): method of analysis and clinical application 43: 1405
DEMIREL, S.
Anderson, R.S., Coulter, E., Zlatkova, M.B. and Demirel, S. Short-wavelength acuity: optical factors affecting detection and resolution of blue-yellow sinusoidal gratings in foveal and peripheral vision 43: 101
DI RUSSO, F.
Di Russo, F., Pitzalis, S. and Spinelli, D. Fixation stability and saccadic latency in élite shooters 43: 1837
DOBBINS, A.C.
Grossmann, J.K. and Dobbins, A.C. Differential ambiguity reduces grouping of metastable objects 43: 359
DOBKINS, K.R.
Gunther, K.L. and Dobkins, K.R. Independence of mechanisms tuned along cardinal and non-cardinal axes of color space: evidence from factor analysis 43: 683
DOBSON, V.
Dobson, V., Miller, J.M., Harvey, E.M. and Mohan, K.M. Amblyopia in astigmatic preschool children 43: 1081
DOMINI, F.
Domini, F. and Caudek, C. Recovering slant and angular velocity from a linear velocity field: modeling and psychophysics 43: 1753

DONG, T.
VanRullen, R. and Dong, T. Attention and scintillation,43: 2191
DONNER, K.
Donner, K. and Fagerholm, P. Visual reaction time: neural conditions for the equivalence of stimulus area and contrast (letter) 43: 2937
DORNER, G.T.
Dorner, G.T., Garhöfer, G., Huemer, K.H., Riva, C.E., Wolzt, M. and Schmetterer, L. Hyperglycemia affects flicker-induced vasodilation in the retina of healthy subjects 43: 1495
DRASDO, N.
Aldebasi, Y.H., Drasdo, N., Morgan, J.E. and North, R.V. Cortical OFF-potentials from the S-cone pathway reveal neural damage in early glaucoma 43: 221
DRIESSEN, C.
Driessen, C., Winkens, H., Haeseleer, F., Palczewski, K. and Janssen, J. Novel targeting strategy for generating mouse models with defects in the retinoid cycle 43: 3075
DUBBELMAN, M.
Dubbelman, M., Van der Heijde, G.L., Weeber, H.A. and Vrensen, G.F.J.M. Changes in the internal structure of the human crystalline lens with age and accommodation 43: 2363
DUKE, P.A.
Duke, P.A. and Wilcox, L.M. Adaptation to vertical disparity induced-depth: implications for disparity processing 43: 135
Howard, I.P. and Duke, P.A. Monocular transparency generates quantitative depth 43: 2615
DUMONT, M.
Rufiange, M., Dassa, J., Dembinska, O., Koenekoop, R.K., Little, J.M., Polomeno, R.C., Dumont, M., Chemtob, S. and Lachapelle, P. The photopic ERG luminance-response function (photopic hill): method of analysis and clinical application 43: 1405
DUMOULIN, S.O.
Hess, R.F., Barnes, G., Dumoulin, S.O. and Dakin, S.C. How many positions can we perceptually encode, one or many? 43: 1575
DURANT, S.
Arnold, D.H., Durant, S. and Johnston, A. Latency differences and the flash-lag effect 43: 1829

EDWARDS, M.
Edwards, M. and Badcock, D.R. Motion distorts perceived depth 43: 1799
EGELHAAF, M.
Lindemann, J.P., Kern, R., Michaelis, C., Meyer, P., van Hateren, J.H. and Egelhaaf, M. *FliMax*, a novel stimulus device for panoramic and highspeed presentation of behaviourally generated optic flow 43: 779
ELLEMBERG, D.
Ellemberg, D., Lavoie, K., Lewis, T.L., Maurer, D., Lepore, F. and Guillemot, J.-P. Longer VEP latencies and slower reaction times to the onset of second-order motion than to the onset of first-order motion 43: 651
ENGBERT, R.
Engbert, R. and Kliegl, R. Microsaccades uncover the orientation of covert attention 43: 1035
ERNST, U.A.
Herzog, M.H., Harms, M., Ernst, U.A., Eurich, C.W., Mahmud, S.H. and Fahle, M. Extending the shine-through effect to classical masking paradigms 43: 2659
ESSOCK, E.A.
Essock, E.A., DeFord, J.K., Hansen, B.C. and Sinai, M.J. Oblique stimuli are seen best (not worst!) in naturalistic broad-band stimuli: a horizontal effect 43: 1329
EURICH, C.W.
Herzog, M.H., Harms, M., Ernst, U.A., Eurich, C.W., Mahmud, S.H. and Fahle, M. Extending the shine-through effect to classical masking paradigms 43: 2659

FAGERHOLM, P.
Donner, K. and Fagerholm, P. Visual reaction time: neural conditions for the equivalence of stimulus area and contrast (letter) 43: 2937

FAHLE, M.
Fahle, M., Quenzer, T., Braun, C. and Spang, K. Feature-specific electrophysiological correlates of texture segregation 43: 7
Herzog, M.H., Harms, M., Ernst, U.A., Eurich, C.W., Mahmud, S.H. and Fahle, M. Extending the shine-through effect to classical masking paradigms 43: 2659
Herzog, M.H., Parish, L., Koch, C. and Fahle, M. Fusion of competing features is not serial 43: 1951
Herzog, M.H., Schmonsees, U. and Fahle, M. Collinear contextual suppression 43: 2915
Herzog, M.H., Schmonsees, U. and Fahle, M. Timing of contextual modulation in the shine-through effect 43: 2039
Kandil, F.I. and Fahle, M. Electrophysiological correlates of purely temporal figure-ground segregation 43: 2583
FALKENBERG, H.K.
Simpson, W.A., Falkenberg, H.K. and Manahilov, V. Sampling efficiency and internal noise for motion detection, discrimination, and summation 43: 2125
FALLAH, M.
Mitchell, J.F., Stoner, G.R., Fallah, M. and Reynolds, J.H. Attentional selection of superimposed surfaces cannot be explained by modulation of the gain of color channels 43: 1323
FALSINI, B.
Strettoi, E., Pignatelli, V., Rossi, C., Porciatti, V. and Falsini, B. Remodeling of second-order neurons in the retina of rd/rd mutant mice 43: 867
FARELL, B.
Farell, B. Detecting disparity in two-dimensional patterns 43: 1009
FARRENS, D.L.
Janz, J.M. and Farrens, D.L. Assessing structural elements that influence Schiff base stability: mutants E113Q and D190N destabilize rhodopsin through different mechanisms 43: 2991
FAUBERT, J.
Bertone, A. and Faubert, J. How is complex second-order motion processed? 43: 2591
FELDMAN, J.
Barenholtz, E. and Feldman, J. Visual comparisons within and between object parts: evidence for a single-part superiority effect 43: 1655
FERRERA, V.P.
Opris, I., Barborica, A. and Ferrera, V.P. Comparison of performance on memory-guided saccade and delayed spatial match-to-sample tasks in monkeys 43: 321
FINDLAY, K.
Simpson, W.A., Findlay, K. and Manahilov, V. Efficiency and internal noise for detection of suprathreshold patterns measured using simple reaction time 43: 1103
FISER, J.
Fiser, J., Bex, P.J. and Makous, W. Contrast conservation in human vision 43: 2637
FISHER, S.K.
Fisher, S.K. and Lewis, G.P. Müller cell and neuronal remodeling in retinal detachment and reattachment and their potential consequences for visual recovery: a review and reconsideration of recent data 43: 887
FISHKIN, N.
Sparrow, J.R., Fishkin, N., Zhou, J., Cai, B., Jang, Y.P., Krane, S., Itagaki, Y. and Nakanishi, K. A2E, a byproduct of the visual cycle 43: 2983
FITZGIBBON, E.J.
Miura, K., Hertle, R.W., FitzGibbon, E.J. and Optican, L.M. Effects of tenotomy surgery on congenital nystagmus waveforms in adult patients. Part I. Wavelet spectral analysis 43: 2345
Miura, K., Hertle, R.W., FitzGibbon, E.J. and Optican, L.M. Effects of tenotomy surgery on congenital nystagmus waveforms in adult patients. Part II. Dynamical systems analysis 43: 2357
Yang, D.-S., FitzGibbon, E.J. and Miles, F.A. Short-latency disparity-vergence eye movements in humans: sensitivity to simulated orthogonal tropias 43: 431
FITZKE, F.W.
Robson, A.G., Moreland, J.D., Pauleikhoff, D., Morrissey, T., Holder, G.E., Fitzke, F.W., Bird, A.C. and van Kuijk, F.J.G.M. Macular pigment density and distribution: comparison of fundus autofluorescence with minimum motion photometry 43: 1765

FLINN, J.
Watamaniuk, S.N.J., Flinn, J. and Stohr, R.E. Segregation from direction differences in dynamic random-dot stimuli 43: 171
FOLTA, K.
Folta, K. Neural fine tuning during Vernier acuity training? 43: 1177
FORTE, J.D.
Clifford, C.W.G., Pearson, J., Forte, J.D. and Spehar, B. Colour and luminance selectivity of spatial and temporal interactions in orientation perception 43: 2885
FREDENBURG, P.M.
Harwerth, R.S., Fredenburg, P.M. and Smith, E.L. III Temporal integration for stereoscopic vision 43: 505
FREEMAN, A.W.
Nguyen, V.A., Freeman, A.W. and Alais, D. Increasing depth of binocular rivalry suppression along two visual pathways 43: 2003
FREEMAN, T.C.A.
Sumnall, J.H., Freeman, T.C.A. and Snowden, R.J. Optokinetic potential and the perception of head-centred speed 43: 1709
FRENNESSON, C.
Nilsson, U.L., Frennesson, C. and Nilsson, S.E.G. Patients with AMD and a large absolute central scotoma can be trained successfully to use eccentric viewing, as demonstrated in a scanning laser ophthalmoscope 43: 1777
FRENZ, H.
Frenz, H., Bremmer, F. and Lappe, M. Discrimination of travel distances from 'situated' optic flow 43: 2173
FRUEH, B.E.
Schulz, D., Iliev, M.E., Frueh, B.E. and Goldblum, D. In vivo pachymetry in normal eyes of rats, mice and rabbits with the optical low coherence reflectometer 43: 723
FUCHSJÄGER-MAYRL, G.
Fuchsjäger-Mayrl, G., Malec, M., Amoako-Mensah, T., Kolodjaschna, J. and Schmetterer, L. Changes in choroidal blood flow during light/dark transitions are not altered by atropine or propranolol in healthy subjects 43: 2185
FUJII, G.Y.
Humayun, M.S., Weiland, J.D., Fujii, G.Y., Greenberg, R., Williamson, R., Little, J., Mech, B., Cimmarusti, V., Van Boemel, G., Dagnelie, G. and de Juan, E., Jr. Visual perception in a blind subject with a chronic microelectronic retinal prosthesis 43: 2573
FULTON, A.B.
Fulton, A.B. and Hansen, R.M. Recovery of the rod photoresponse in infant rats 43: 3081
FURMAN, J.M.
Furman, J.M. and Schor, R.H. Orientation of Listing's plane during static tilt in young and older human subjects 43: 67
FURMAN, M.
Furman, M. and Gur, M. Self-organizing neural network model of motion processing in the visual cortex during smooth pursuit 43: 2155

GABBIANI, F.
Peters, R.J., Gabbiani, F. and Koch, C. Human visual object categorization can be described by models with low memory capacity 43: 2265
GAFFNEY, M.F.
Gaffney, M.F. and Hodos, W. The visual acuity and refractive state of the American kestrel (*Falco sparverius*) 43: 2053
Hodos, W., Potocki, A., Ghim, M.M. and Gaffney, M.F. Temporal modulation of spatial contrast vision in pigeons (*Columba livia*), 43: 761
GAGE, F.H.
Klassen, H., Imfeld, K.L., Ray, J., Young, M.J., Gage, F.H. and Berman, M.A. The immunological properties of adult hippocampal progenitor cells 43: 947
GAO, H.
Qiao, X., Pennesi, M., Seong, E., Gao, H., Burmeister, M. and Wu, S.M. Photoreceptor degeneration and *rdl* mutation in the *grizzled/mocha* mouse strain 43: 859

GARBUTT, S.
Garbutt, S., Han, Y., Kumar, A.N., Harwood, M., Rahman, R. and Leigh, R.J. Disorders of vertical optokinetic nystagmus in patients with ocular misalignment 43: 347
GARHÖFER, G.
Dorner, G.T., Garhöfer, G., Huemer, K.H., Riva, C.E., Wolzt, M. and Schmetterer, L. Hyperglycemia affects flicker-induced vasodilation in the retina of healthy subjects 43: 1495
GARIPIS, N.
Garipis, N. and Hoffmann, K.-P. Visual field defects in albino ferrets (*Mustela putorius furo*) 43: 793
GARRIGA, P.
Ramon, E., Marron, J., del Valle, L., Bosch, L., Andrés, A., Manyosa, J. and Garriga, P. Effect of dodecyl maltoside detergent on rhodopsin stability and function 43: 3055
GEE, A.
Westheimer, G. and Gee, A. Opposing views on orthogonal adaptation: a response to Clifford, Arnold, Smith and Pianta (2003) 43: 721 (discussion)
GEORGESON, M.A.
Hammett, S.T., Georgeson, M.A., Bedingham, S. and Barbiere-Hesse, G.S. Motion sharpening and contrast: Gain control precedes compressive non-linearity? 43: 1187
Schofield, A.J. and Georgeson, M.A. Sensitivity to contrast modulation: the spatial frequency dependence of second-order vision 43: 243
GERUSCHAT, D.R.
Turano, K.A., Geruschat, D.R. and Baker, F.H. Oculomotor strategies for the direction of gaze tested with a real-world activity 43: 333
GHIM, M.M.
Hodos, W., Potocki, A., Ghim, M.M. and Gaffney, M.F. Temporal modulation of spatial contrast vision in pigeons (*Columba livia*) 43: 761
GILLAM, B.J.
Pianta, M.J. and Gillam, B.J. Monocular gap stereopsis: manipulation of the outer edge disparity and the shape of the gap 43: 1937
Pianta, M.J. and Gillam, B.J. Paired and unpaired features can be equally effective in human depth perception 43: 1
GILMARTIN, B.
Tsujimura, S., Wolffsohn, J.S. and Gilmartin, B. Pupil responses associated with coloured afterimages are mediated by the magnocellular pathway 43: 1423
GILMORE, G.C.
Amick, M.M., Cronin-Golomb, A. and Gilmore, G.C. Visual processing of rapidly presented stimuli is normalized in Parkinson's disease when proximal stimulus strength is enhanced 43: 2827
GIRMAN, S.V.
Girman, S.V., Wang, S. and Lund, R.D. Cortical visual functions can be preserved by subretinal RPE cell grafting in RCS rats 43: 1817
GLASSER, A.
Kasthurirangan, S., Vilupuru, A.S. and Glasser, A. Amplitude dependent accommodative dynamics in humans 43: 2945
GOLDBLUM, D.
Schulz, D., Iliev, M.E., Frueh, B.E. and Goldblum, D. In vivo pachymetry in normal eyes of rats, mice and rabbits with the optical low coherence reflectometer 43: 723
GOLOVLEVA, I.
Burstedt, M.S.I., Sandgren, O., Golovleva, I. and Wachtmeister, L. Retinal function in Bothnia dystrophy. An electrophysiological study 43: 2559
GONZALEZ-FERNANDEZ, F.
Gonzalez-Fernandez, F. Interphotoreceptor retinoid-binding protein–an old gene for new eyes 43: 3021
GRAF, E.W.
Graf, E.W., Maxwell, J.S. and Schor, C.M. Comparison of the time courses of concomitant and nonconcomitant vertical phoria adaptation 43: 567
Lages, M., Mamassian, P. and Graf, E.W. Spatial and temporal tuning of motion in depth 43: 2861
GREENBERG, R.
Humayun, M.S., Weiland, J.D., Fujii, G.Y., Greenberg, R., Williamson, R., Little, J., Mech, B., Cimmarusti, V., Van Boemel, G., Dagnelie, G. and de Juan, E., Jr. Visual perception in a blind subject with a chronic microelectronic retinal prosthesis 43: 2573

GROSSBERG, S.
Grossberg, S. and Howe, P.D.L. A laminar cortical model of stereopsis and three-dimensional surface perception 43: 801
GROSSMANN, J.K.
Grossmann, J.K. and Dobbins, A.C. Differential ambiguity reduces grouping of metastable objects 43: 359
GRZYWACZ, N.M.
Balboa, R.M. and Grzywacz, N.M. Power spectra and distribution of contrasts of natural images from different habitats 43: 2527
GUILLEMOT, J.-P.
Ellemberg, D., Lavoie, K., Lewis, T.L., Maurer, D., Lepore, F. and Guillemot, J.-P. Longer VEP latencies and slower reaction times to the onset of second-order motion than to the onset of first-order motion 43: 651
GÜMÜŞTEKIN, K.
Dane, Ş., Gümüştekin, K., Yazici, A.T. and Baykal, O. Correlation between hand preference and intraocular pressure from right- and left-eyes in right- and left-handers 43: 405
GUNTHER, K.L.
Gunther, K.L. and Dobkins, K.R. Independence of mechanisms tuned along cardinal and non-cardinal axes of color space: evidence from factor analysis 43: 683
GUR, M.
Furman, M. and Gur, M. Self-organizing neural network model of motion processing in the visual cortex during smooth pursuit 43: 2155
GURNSEY, R.
Sally, S.L. and Gurnsey, R. Orientation discrimination in foveal and extra-foveal vision: effects of stimulus bandwidth and contrast 43: 1375

HAAG, J.
Borst, A., Reisenman, C. and Haag, J. Adaptation of response transients in fly motion vision. II: Model studies 43: 1309
Reisenman, C., Haag, J., Borst, A. Adaptation of response transients in fly motion vision. I: Experiments 43: 1291
HAEGERSTROM-PORTNOY, G.
Verdon, W.A., Schneck, M.E. and Haegerstrom-Portnoy, G. A comparison of three techniques to estimate the human dark-adapted cone electroretinogram 43: 2089
HAESELEER, F.
Driessen, C., Winkens, H., Haeseleer, F., Palczewski, K. and Janssen, J. Novel targeting strategy for generating mouse models with defects in the retinoid cycle 43: 3075
HAMMETT, S.T.
Hammett, S.T., Georgeson, M.A., Bedingham, S. and Barbiere-Hesse, G.S. Motion sharpening and contrast: Gain control precedes compressive non-linearity? 43: 1187
HAN, H.-K.
Paik, S.-S., Park, N.-G., Lee, S.-J., Han, H.-K., Jung, C.-S., Bai, S.-H. and Chun, M.-H. GABA receptors on horizontal cells in the goldfish retina 43: 2101
HAN, Y.
Garbutt, S., Han, Y., Kumar, A.N., Harwood, M., Rahman, R. and Leigh, R.J. Disorders of vertical optokinetic nystagmus in patients with ocular misalignment 43: 347
HANNACHI, S.E.
Rogé. J., Pébayle, T., Hannachi, S.E. and Muzet, A. Effect of sleep deprivation and driving duration on the useful visual field in younger and older subjects during simulator driving 43: 1465
HANSEN, B.C.
Essock, E.A., DeFord, J.K., Hansen, B.C. and Sinai, M.J. Oblique stimuli are seen best (not worst!) in naturalistic broad-band stimuli: a horizontal effect 43: 1329
HANSEN, R.M.
Fulton, A.B. and Hansen, R.M. Recovery of the rod photoresponse in infant rats 43: 3081
HARDY, J.L.
Takeuchi, T., De Valois, K.K. and Hardy, J.L. The influence of color on the perception of luminance motion 43: 1159
HARMS, M.
Herzog, M.H., Harms, M., Ernst, U.A., Eurich, C.W., Mahmud, S.H. and Fahle, M. Extending the shine-through effect to classical masking paradigms 43: 2659

HARRIS, J.M.
Harris, J.M. and Rushton, S.K. Poor visibility of motion in depth is due to early motion averaging 43: 385
HARVEY, E.M.
Dobson, V., Miller, J.M., Harvey, E.M. and Mohan, K.M. Amblyopia in astigmatic preschool children 43: 1081
HARWERTH, R.S.
Harwerth, R.S., Fredenburg, P.M. and Smith, E.L. III Temporal integration for stereoscopic vision 43: 505
Ukwade, M.T., Bedell, H.E. and Harwerth, R.S. Stereopsis is perturbed by vergence error 43: 181
Ukwade, M.T., Bedell, H.E. and Harwerth, R.S. Stereothresholds with simulated vergence variability and constant error 43: 195
HARWOOD, M.
Garbutt, S., Han, Y., Kumar, A.N., Harwood, M., Rahman, R. and Leigh, R.J. Disorders of vertical optokinetic nystagmus in patients with ocular misalignment 43: 347
HAYASHI, R.
Hayashi, R., Miyawaki, Y., Maeda, T. and Tachi, S. Unconscious adaptation: a new illusion of depth induced by stimulus features without depth 43: 2773
HE, S.
Chen, X. and He, S. Temporal characteristics of binocular rivalry: visual field asymmetries 43: 2207
HECK, M.
Heck, M., Schädel, S.A., Maretzki, D. and Hofmann, K.P. Secondary binding sites of retinoids in opsin: characterization and role in regeneration 43: 3003
HERRÁIZ, E.M.
Brenner, E., Ruiz, J.S., Herráiz, E.M., Cornelissen, F.W. and Smeets, J.B.J. Chromatic induction and the layout of colours within a complex scene 43: 1413
HERTLE, R.W.
Miura, K., Hertle, R.W., FitzGibbon, E.J. and Optican, L.M. Effects of tenotomy surgery on congenital nystagmus waveforms in adult patients. Part I. Wavelet spectral analysis 43: 2345
Miura, K., Hertle, R.W., FitzGibbon, E.J. and Optican, L.M. Effects of tenotomy surgery on congenital nystagmus waveforms in adult patients. Part II. Dynamical systems anlaysis 43: 2357
HERZOG, M.H.
Herzog, M.H., Harms, M., Ernst, U.A., Eurich, C.W., Mahmud, S.H. and Fahle, M. Extending the shine-through effect to classical masking paradigms 43: 2659
Herzog, M.H., Parish, L., Koch, C. and Fahle, M. Fusion of competing features is not serial 43: 1951
Herzog, M.H., Schmonsees, U. and Fahle, M. Collinear contextual suppression 43: 2915
Herzog, M.H., Schmonsees, U. and Fahle, M. Timing of contextual modulation in the shine-through effect 43: 2039
HESS, R.F.
Hess, R.F. and Ledgeway, T. The detection of direction-defined and speed-defined spatial contours: one mechanism or two? 43: 597
Hess, R.F., Barnes, G., Dumoulin, S.O. and Dakin, S.C. How many positions can we perceptually encode, one or many? 43: 1575
Hess, R.F., Liu, C.H. and Wang, Y.-Z. Differential binocular input and local stereopsis 43: 2303
Hess, R.F., Pointer, J.S., Simmers, A. and Bex, P. Border distinctness in amblyopia 43: 2255
Simmers, A.J., Ledgeway, T. Hess, R.F. and McGraw, P.V. Deficits to global motion processing in human amblyopia 43: 729
HITCHCOCK, P.F.
Otteson, D.C. and Hitchcock, P.F. Stem cells in the teleost retina: persistent neurogenesis and injury-induced regeneration 43: 927
HOCKING, P.
Montiani-Ferreira, F., Li, T., Kiupel, M., Howland, H., Hocking, P., Curtis, R. and Petersen-Jones, S. Clinical features of the retinopathy, globe enlarged (*rge*) chick phenotype 43: 2009
HODOS, W.
Gaffney, M.F. and Hodos, W. The visual acuity and refractive state of the American kestrel (*Falco sparverius*) 43: 2053
Hodos, W., Potocki, A., Ghim, M.M. and Gaffney, M.F. Temporal modulation of spatial contrast vision in pigeons (*Columba livia*) 43: 761
HOFER, F.
Schwaninger, A., Ryf, S. and Hofer, F. Configural information is processed differently in perception and recognition of faces 43: 1501

HOFFMANN, K.-P.
Garipis, N. and Hoffmann, K.-P. Visual field defects in albino ferrets (*Mustela putorius furo*) 43: 793
HOFMANN, K.P.
Heck, M., Schädel, S.A., Maretzki, D. and Hofmann, K.P. Secondary binding sites of retinoids in opsin: characterization and role in regeneration 43: 3003
HOLDEN, J.
Brooks, A., van der Zwan, R. and Holden, J. An illusion of coherent global motion arising from single brief presentations of a stationary stimulus 43: 2387
HOLDER, G.E.
Robson, A.G., Moreland, J.D., Pauleikhoff, D., Morrissey, T., Holder, G.E., Fitzke, F.W., Bird, A.C. and van Kuijk, F.J.G.M. Macular pigment density and distribution: comparison of fundus autofluorescence with minimum motion photometry 43: 1765
HOOGE, I.TH.C.
van Loon, E.M., Hooge, I.Th.C. and Van den Berg, A.V. Different visual search strategies in stationary and moving radial patterns 43: 1201
HORIE, T.
Tsuda, M., Kusakabe, T., Iwamoto, H., Horie, T., Nakashima, Y., Nakagawa, M. and Okunou, K. Origin of the vertebrate visual cycle: II. Visual cycle proteins are localized in whole brain including photoreceptor cells of a primitive chordate 43: 3045
HORRIDGE, G.A.
Horridge, G.A. Discrimination of single bars by the honeybee (*Apis mellifera*) 43: 1257
HOWARD, I.P.
Howard, I.P. and Duke, P.A. Monocular transparency generates quantitative depth 43: 2615
HOWE, P.D.L.
Grossberg, S. and Howe, P.D.L. A laminar cortical model of stereopsis and three-dimensional surface perception 43: 801
HOWLAND, H.
Montiani-Ferreira, F., Li, T., Kiupel, M., Howland, H., Hocking, P., Curtis, R. and Petersen-Jones, S. Clinical features of the retinopathy, globe enlarged (*rge*) chick phenotype 43: 2009
HUEMER, K.H.
Dorner, G.T., Garhöfer, G., Huemer, K.H., Riva, C.E., Wolzt, M. and Schmetterer, L. Hyperglycemia affects flicker-induced vasodilation in the retina of healthy subjects 43: 1495
HUMAYUN, M.S.
Humayun, M.S., Weiland, J.D., Fujii, G.Y., Greenberg, R., Williamson, R., Little, J., Mech, B., Cimmarusti, V., Van Boemel, G., Dagnelie, G. and de Juan, E., Jr. Visual perception in a blind subject with a chronic microelectronic retinal prosthesis 43: 2573
HUNG, L.-F.
Kee, C.-s., Hung, L.-F., Qiao, Y. and Smith, E.L. III Astigmatism in infant monkeys reared with cylindrical lenses 43: 2721
HUPÉ, J.-M.
Hupé, J.-M. and Rubin, N. The dynamics of bi-stable alternation in ambiguous motion displays: a fresh look at plaids 43: 531

ICHIKAWA, M.
Ichikawa, M., Saida, S., Osa, A. and Munechika, K. Integration of binocular disparity and monocular cues at near threshold level 43: 2439
IGARTUA, I.
Varela, C., Igartua, I., De la Rosa, E.J. and De la Villa, P. Functional modifications in rod bipolar cells in a mouse model of retinitis pigmentosa 43: 879
ILIEV, M.E.
Schulz, D., Iliev, M.E., Frueh, B.E. and Goldblum, D. In vivo pachymetry in normal eyes of rats, mice and rabbits with the optical low coherence reflectometer 43: 723
IMANISHI, Y.
Kuksa, V., Imanishi, Y., Batten, M., Palczewski, K. and Moise, A.R. Retinoid cycle in the vertebrate retina: experimental approaches and mechanisms of isomerization 43: 2959

IMFELD, K.L.
Klassen, H., Imfeld, K.L., Ray, J., Young, M.J., Gage, F.H. and Berman, M.A. The immunological properties of adult hippocampal progenitor cells 43: 947
IRVING, E.
Tajik-Parvinchi, D.J., Lillakas, L., Irving, E. and Steinbach, M.J. Children's pursuit eye movements: a developmental study 43: 77
ITAGAKI, Y.
Sparrow, J.R., Fishkin, N., Zhou, J., Cai, B., Jang, Y.P., Krane, S., Itagaki, Y. and Nakanishi, K. A2E, a byproduct of the visual cycle 43: 2983
IWAMOTO, H.
Tsuda, M., Kusakabe, T., Iwamoto, H., Horie, T., Nakashima, Y., Nakagawa, M. and Okunou, K. Origin of the vertebrate visual cycle: II. Visual cycle proteins are localized in whole brain including photoreceptor cells of a primitive chordate 43: 3045

JACOBS, G.H.
Jacobs, G.H. and Deegan, J.F. II Cone pigment variations in four genera of new world monkeys 43: 227
JACOBS, R.A.
Atkins, J.E., Jacobs, R.A. and Knill, D.C. Experience-dependent visual cue recalibration based on discrepancies between visual and haptic percepts 43: 2603
JÄGLE, H.
Besch, D., Jägle, H., Scholl, H.P.N., Seeliger, M.W. and Zrenner, E. Inherited multifocal RPE-diseases: mechanisms for local dysfunction in global retinoid cycle gene defects 43: 3095
JAMES, J.
Chacko, D.M., Das, A.V., Zhao, X., James, J., Bhattacharya, S. and Ahmad, I. Transplantation of ocular stem cells: the role of injury in incorporation and differentiation of grafted cells in the retina 43: 937
JANG, Y.P.
Sparrow, J.R., Fishkin, N., Zhou, J., Cai, B., Jang, Y.P., Krane, S., Itagaki, Y. and Nakanishi, K. A2E, a byproduct of the visual cycle 43: 2983
JANSSEN, J.
Driessen, C., Winkens, H., Haeseleer, F., Palczewski, K. and Janssen, J. Novel targeting strategy for generating mouse models with defects in the retinoid cycle 43: 3075
JANZ, J.M.
Janz, J.M. and Farrens, D.L. Assessing structural elements that influence Schiff base stability: mutants E113Q and D190N destabilize rhodopsin through different mechanisms 43: 2991
JARVIS, J.R.
Jarvis, J.R., Prescott, N.B. and Wathes, C.M. A mechanistic inter-species comparison of flicker sensitivity 43: 1723
JOHNSTON, A.
Arnold, D.H., Durant, S. and Johnston, A. Latency differences and the flash-lag effect 43: 1829
JOLICOEUR, P.
Dell'Acqua, R., Pascali, A., Jolicoeur, P. and Sessa, P. Four-dot masking produces the attentional blink 43: 1907
JONES, D.G.
Jones, D.G., Anderson, N.D. and Murphy, K.M. Orientation discrimination in visual noise using global and local stimuli 43: 1223
JUHASZ, B.
Rayner, K., Juhasz, B., Ashby, J. and Clifton, C., Jr. Inhibition of saccade return in reading 43: 1027
JUNG, C.-S.
Paik, S.-S., Park, N.-G., Lee, S.-J., Han, H.-K., Jung, C.-S., Bai, S.-H. and Chun, M.-H. GABA receptors on horizontal cells in the goldfish retina 43: 2101

KANDIL, F.I.
Kandil, F.I. and Fahle, M. Electrophysiological correlates of purely temporal figure-ground segregation 43:2583
KASTHURIRANGAN, S.
Kasthurirangan, S., Vilupuru, A.S. and Glasser, A. Amplitude dependent accommodative dynamics in humans 43: 2945

KAWATO, M.
Nishina, S., Okada, M. and Kawato, M. Spatio-temporal dynamics of depth propagation on uniform region 43: 2493
KEE, C.-S.
Kee, C.-s., Hung, L.-F., Qiao, Y. and Smith, E.L. III Astigmatism in infant monkeys reared with cylindrical lenses 43: 2721
KELLY, C.
Chase, C., Ashourzadeh, A., Kelly, C., Monfette, S. and Kinsey, K. Can the magnocellular pathway read? Evidence from studies of color 43: 1211
KERN, R.
Lindemann, J.P., Kern, R., Michaelis, C., Meyer, P., van Hateren, J.H. and Egelhaaf, M. *FliMax,* a novel stimulus device for panoramic and highspeed presentation of behaviourally generated optic flow 43: 779
KERZEL, D.
Kerzel, D. Mental extrapolation of target position is strongest with weak motion signals and motor responses 43: 2623
KESWANI, R.N.
Nugent, A.K., Keswani, R.N., Woods, R.L. and Peli, E. Contour integration in peripheral vision reduces gradually with eccentricity 43: 2427
KHAN, A.Z.
Khan, A.Z. and Crawford, J.D. Coordinating one hand with two eyes: optimizing for field of view in a pointing task 43: 409
KINGDOM, F.A.A.
Motoyoshi, I. and Kingdom, F.A.A. Orientation opponency in human vision revealed by energy-frequency analysis 43: 2197
KINSEY, K.
Chase, C., Ashourzadeh, A., Kelly, C., Monfette, S. and Kinsey, K. Can the magnocellular pathway read? Evidence from studies of color 43: 1211
KIUPEL, M.
Montiani-Ferreira, F., Li, T., Kiupel, M., Howland, H., Hocking, P., Curtis, R. and Petersen-Jones, S. Clinical features of the retinopathy, globe enlarged (*rge*) chick phenotype 43: 2009
KLASSEN, H.
Klassen, H., Imfeld, K.L., Ray, J., Young, M.J., Gage, F.H. and Berman, M.A. The immunological properties of adult hippocampal progenitor cells 43: 947
Mizumoto, H., Mizumoto, K., Shatos, M.A., Klassen H. and Young, M.J. Retinal transplantation of neural progenitor cells derived from the brain of GFP transgenic mice 43: 1699
KLEIN, S.A.
Levi, D.M., Li, R.W.-H. and Klein, S.A. "Phase capture" in the perception of interpolated shape: cue combination and the influence function 43: 2233
KLIEGL, R.
Engbert, R. and Kliegl, R. Microsaccades uncover the orientation of covert attention 43: 1035
KNAPP-MILLER, J.
Ostroy, S.E., Roberts, A.E., Knapp-Miller, J. and Spisak, J.M. Availability of 11-cis retinal and opsins without chromophore as revealed by small bleaches of rhodopsin in excised albino mouse eyes 43: 3069
KNAPPMEYER, B.
Knappmeyer, B., Thornton, I.M. and Bülthoff, H.H. The use of facial motion and facial form during the processing of identity 43: 1921
KNILL, D.C.
Atkins, J.E., Jacobs, R.A. and Knill, D.C. Experience-dependent visual cue recalibration based on discrepancies between visual and haptic percepts 43: 2603
Knill, D.C. and Saunders, J.A. Do humans optimally integrate stereo and texture information for judgments of surface slant? 43: 2539
Knill, D.C. Mixture models and the probabilistic structure of depth cues 43: 831
KOCH, C.
Herzog, M.H., Parish, L., Koch, C. and Fahle, M. Fusion of competing features is not serial 43: 1951
Peters, R.J., Gabbiani, F. and Koch, C. Human visual object categorization can be described by models with low memory capacity 43: 2265

KOCKI, T.
Rejdak, R., Zarnowski, T., Turski, W.A., Kocki, T., Zagorski, Z., Zrenner, E. and Schuettauf, F. Alterations of kynurenic acid content in the retina in response to retinal ganglion cell damage 43: 497
KOENEKOOP, R.K.
Rufiange, M., Dassa, J., Dembinska, O., Koenekoop, R.K., Little, J.M., Polomeno, R.C., Dumont, M., Chemtob, S. and Lachapelle, P. The photopic ERG luminance-response function (photopic hill): method of analysis and clinical application 43: 1405
KOHLER, K.
Rejdak, R., Zielinska, E., Shenk, Y., Turski, W.A., Okuno, E., Zarnowski, T., Zagorski, Z., Zrenner, E. and Kohler, K. Ontogenic changes of kynurenine aminotransferase I activity and its expression in the chicken retina 43: 1513
KOLODJASCHNA, J.
Fuchsjäger-Mayrl, G., Malec, M., Amoako-Mensah, T., Kolodjaschna, J. and Schmetterer, L. Changes in choroidal blood flow during light/dark transitions are not altered by atropine or propranolol in healthy subjects 43: 2185
KOMMERELL, G.
Kommerell, G., Schmitt, C., Kromeier, M. and Bach, M. Ocular prevalence *versus* ocular dominance 43: 1397
KONDRASHEV, S.L.
Pushchin, I.I. and Kondrashev, S.L. Biplexiform ganglion cells in the retina of the perciform fish *Pholidapus dybowskii* revealed by HRP labeling from the optic nerve and optic tectum 43: 1117
KOWLER, E.
Vishwanath, D. and Kowler, E. Localization of shapes: eye movements and perception compared 43: 1637
KRANE, S.
Sparrow, J.R., Fishkin, N., Zhou, J., Cai, B., Jang, Y.P., Krane, S., Itagaki, Y. and Nakanishi, K. A2E, a byproduct of the visual cycle 43: 2983
KRAUSS, A.
Krauss, A. and Neumeyer, C. Wavelength dependence of the optomotor response in zebrafish (*Danio rerio*) 43: 1273
KREEGIPUU, K.
Kreegipuu, K. and Allik, J. Perceived onset time and position of a moving stimulus 43: 1625
KREMERS, J.
Scholl, H.P.N. and Kremers, J. Alterations of L- and M-cone driven ERGs in cone and cone-rod dystrophies 43: 2333
KROMEIER, M.
Kommerell, G., Schmitt, C., Kromeier, M. and Bach, M. Ocular prevalence *versus* ocular dominance 43: 1397
KUKSA, V.
Kuksa, V., Imanishi, Y., Batten, M., Palczewski, K. and Moise, A.R. Retinoid cycle in the vertebrate retina: experimental approaches and mechanisms of isomerization 43: 2959
KUMADA, T.
Morita, H. and Kumada, T. Effects of pictorially-defined surfaces on visual search 43: 1869
KUMAR, A.N.
Garbutt, S., Han, Y., Kumar, A.N., Harwood, M., Rahman, R. and Leigh, R.J. Disorders of vertical optokinetic nystagmus in patients with ocular misalignment 43: 347
KUPENOVA, P.
Popova, E., Mitova, L., Vitanova, L. and Kupenova, P. Participation of the GABAergic system in the action of 2-amino-4-phosphonobutyrate on the OFF responses of frog retinal ganglion cells 43: 607
KUSAKABE, T.
Tsuda, M., Kusakabe, T., Iwamoto, H., Horie, T., Nakashima, Y., Nakagawa, M. and Okunou, K. Origin of the vertebrate visual cycle: II. Visual cycle proteins are localized in whole brain including photoreceptor cells of a primitive chordate 43: 3045
KUYK, T.K.
Loop, M.S., Shows, J.F., Mangel, S.C. and Kuyk, T.K. Colour thresholds in dichromats and normals 43: 983

LACHAPELLE, P.
Rufiange, M., Dassa, J., Dembinska, O., Koenekoop, R.K., Little, J.M., Polomeno, R.C., Dumont, M., Chemtob, S. and Lachapelle, P. The photopic ERG luminance-response function (photopic hill): method of analysis and clinical application 43: 1405

LAGES, M.
Lages, M., Mamassian, P. and Graf, E.W. Spatial and temporal tuning of motion in depth 43: 2861
LAMME, V.A.F.
Landman, R., Spekreijse, H. and Lamme, V.A.F. Large capacity storage of integrated objects before change blindness 43: 149
LANDMAN, R.
Landman, R., Spekreijse, H. and Lamme, V.A.F. Large capacity storage of integrated objects before change blindness 43: 149
LANDY, M.S.
Oruç, İ., Maloney, L.T. and Landy, M.S. Weighted linear cue combination with possibly correlated error 43: 2451
LANKHEET, M.J.M.
van de Grind, W.A., Lankheet, M.J.M. and Tao, R. A gain-control model relating nulling results to the duration of dynamic motion aftereffects 43: 117
LAPPE, M.
Frenz, H., Bremmer, F. and Lappe, M. Discrimination of travel distances from 'situated' optic flow 43: 2173
LAURITZEN, J.S.
Clatworthy, P.L., Chirimuuta, M., Lauritzen, J.S. and Tolhurst, D.J. Coding of the contrasts in natural images by populations of neurons in primary visual cortex (V1) 43: 1983
LAVIE, V.
Zalish, M. and Lavie, V. Dexanabinol (HU-211) has a beneficial effect on axonal sprouting and survival after rat optic nerve crush injury 43: 237
LAVOIE, K.
Ellemberg, D., Lavoie, K., Lewis, T.L., Maurer, D., Lepore, F. and Guillemot, J.-P. Longer VEP latencies and slower reaction times to the onset of second-order motion than to the onset of first-order motion 43: 651
LEDGEWAY, T.
Allen, H.A. and Ledgeway, T. Attentional modulation of threshold sensitivity to first-order motion and second-order motion patterns 43: 2927
Hess, R.F. and Ledgeway, T. The detection of direction-defined and speed-defined spatial contours: one mechanism or two? 43: 597
Simmers, A.J., Ledgeway, T. Hess, R.F. and McGraw, P.V. Deficits to global motion processing in human amblyopia 43: 729
LEE, C.
Seo, H. and Lee, C. Head-free reading of horizontally and vertically arranged texts (2002) (erratum) 43: 1595
LEE, D.
Lee, D. and Quessy, S. Visual search is facilitated by scene and sequence familiarity in rhesus monkeys 43: 1455
LEE, H.-W.
Lee, H.-W., Legge, G.E. and Ortiz, A. Is word recognition different in central and peripheral vision? 43: 2837
LEE, S.-J.
Paik, S.-S., Park, N.-G., Lee, S.-J., Han, H.-K., Jung, C.-S., Bai, S.-H. and Chun, M.-H. GABA receptors on horizontal cells in the goldfish retina 43: 2101
LEGGE, G.E.
Lee, H.-W., Legge, G.E. and Ortiz, A. Is word recognition different in central and peripheral vision? 43: 2837
LEIGH, R.J.
Garbutt, S., Han, Y., Kumar, A.N., Harwood, M., Rahman, R. and Leigh, R.J. Disorders of vertical optokinetic nystagmus in patients with ocular misalignment 43: 347
LEONARDS, U.
Sommerhalder, J., Oueghlani, E., Bagnoud, M., Leonards, U., Safran, A.B. and Pelizzone, M. Simulation of artificial vision: I. Eccentric reading of isolated words, and perceptual learning 43: 269
LEONOVA, A.
Leonova, A., Pokorny, J. and Smith, V.C. Spatial frequency processing in inferred PC- and MC-pathways 43: 2133
LEPORE, F.
Ellemberg, D., Lavoie, K., Lewis, T.L., Maurer, D., Lepore, F. and Guillemot, J.-P. Longer VEP latencies and slower reaction times to the onset of second-order motion than to the onset of first-order motion 43: 651

LEVI, D.M.
Levi, D.M., Li, R.W.-H. and Klein, S.A. "Phase capture" in the perception of interpolated shape: cue combination and the influence function 43: 2233
LEWIS, G.P.
Fisher, S.K. and Lewis, G.P. Müller cell and neuronal remodeling in retinal detachment and reattachment and their potential consequences for visual recovery: a review and reconsideration of recent data 43: 887
LEWIS, T.L.
Ellemberg, D., Lavoie, K., Lewis, T.L., Maurer, D., Lepore, F. and Guillemot, J.-P. Longer VEP latencies and slower reaction times to the onset of second-order motion than to the onset of first-order motion 43: 651
LI, A.
Li, A. and Zaidi, Q. Observer strategies in perception of 3-D shape from isotropic textures: developable surfaces 43: 2741
LI, L.
Maaswinkel, H. and Li, L. Spatio-temporal frequency characteristics of the optomotor response in zebrafish 43: 21
LI, R.W.-H.
Levi, D.M., Li, R.W.-H. and Klein, S.A. "Phase capture" in the perception of interpolated shape: cue combination and the influence function 43: 2233
LI, T.
Montiani-Ferreira, F., Li, T., Kiupel, M., Howland, H., Hocking, P., Curtis, R. and Petersen-Jones, S. Clinical features of the retinopathy, globe enlarged (*rge*) chick phenotype 43: 2009
LIKOVA, L.T.
Likova, L.T. and Tyler, C.W. Peak localization of sparsely sampled luminance patterns is based on interpolated 3D surface representation 43: 2649
LILLAKAS, L.
Tajik-Parvinchi, D.J., Lillakas, L., Irving, E. and Steinbach, M.J. Children's pursuit eye movements: a developmental study 43: 77
LINDEMANN, J.P.
Lindemann, J.P., Kern, R., Michaelis, C., Meyer, P., van Hateren, J.H. and Egelhaaf, M. *FliMax,* a novel stimulus device for panoramic and highspeed presentation of behaviourally generated optic flow 43: 779
LITTLE, J.M.
Humayun, M.S., Weiland, J.D., Fujii, G.Y., Greenberg, R., Williamson, R., Little, J., Mech, B., Cimmarusti, V., Van Boemel, G., Dagnelie, G. and de Juan, E., Jr. Visual perception in a blind subject with a chronic microelectronic retinal prosthesis 43: 2573
Rufiange, M., Dassa, J., Dembinska, O., Koenekoop, R.K., Little, J.M., Polomeno, R.C., Dumont, M., Chemtob, S. and Lachapelle, P. The photopic ERG luminance-response function (photopic hill): method of analysis and clinical application 43: 1405
LIU, C.H.
Hess, R.F., Liu, C.H. and Wang, Y.-Z. Differential binocular input and local stereopsis 43: 2303
Liu, C.H. and Chaudhuri, A. Face recognition with perspective transformation 43: 2393
LOFFLER, G.
Loffler, G., Wilson, H.R. and Wilkinson, F. Local and global contributions to shape discrimination 43: 519
LOOP, M.S.
Loop, M.S., Shows, J.F., Mangel, S.C. and Kuyk, T.K. Colour thresholds in dichromats and normals 43: 983
LORENZ, B.
Sitorus, R.S., Lorenz, B. and Preising, M.N. Analysis of three genes in Leber congenital amaurosis in Indonesian patients 43: 3087
LUND, R.D.
Girman, S.V., Wang, S. and Lund, R.D. Cortical visual functions can be preserved by subretinal RPE cell grafting in RCS rats 43: 1817

MA, J.-X.
Chen, Y., Moiseyev, G., Wu, B.X., Ma, J.-x. and Crouch, R.K. Visual cycle retinoid processing proteins are present in HEK293S cells 43: 3037
MA-WYATT, A.
Badcock, D.R., McKendrick, A.M. and Ma-Wyatt, A. Pattern cues disambiguate perceived direction in simple moving stimuli 43: 2291

MAASWINKEL, H.
Maaswinkel, H. and Li, L. Spatio-temporal frequency characteristics of the optomotor response in zebrafish 43: 21
MAEDA, T.
Hayashi, R., Miyawaki, Y., Maeda, T. and Tachi, S. Unconscious adaptation: a new illusion of depth induced by stimulus features without depth 43: 2773
MAGUIRE, A.M.
Anand, V., Barral, D.C., Zeng, Y., Brunsmann, F., Maguire, A.M., Seabra, M.C. and Bennett, J. Gene therapy for choroideremia: in vitro rescue mediated by recombinant adenovirus 43: 919
MAHMUD, S.H.
Herzog, M.H., Harms, M., Ernst, U.A., Eurich, C.W., Mahmud, S.H. and Fahle, M. Extending the shine-through effect to classical masking paradigms 43: 2659
MAKOUS, W.
Fiser, J., Bex, P.J. and Makous, W. Contrast conservation in human vision 43: 2637
MALEC, M.
Fuchsjäger-Mayrl, G., Malec, M., Amoako-Mensah, T., Kolodjaschna, J. and Schmetterer, L. Changes in choroidal blood flow during light/dark transitions are not altered by atropine or propranolol in healthy subjects 43: 2185
MALONEY, L.T.
Oruç, İ., Maloney, L.T. and Landy, M.S. Weighted linear cue combination with possibly correlated error 43: 2451
MAMASSIAN, P.
Lages, M., Mamassian, P. and Graf, E.W. Spatial and temporal tuning of motion in depth 43: 2861
Wallace, J.M. and Mamassian, P. The efficiency of speed discrimination for coherent and transparent motion 43: 2795
MANAHILOV, V.
Manahilov, V., Calvert, J. and Simpson, W.A. Temporal properties of the visual responses to luminance and contrast modulated noise 43: 1855
Simpson, W.A., Falkenberg, H.K. and Manahilov, V. Sampling efficiency and internal noise for motion detection, discrimination, and summation 43: 2125
Simpson, W.A., Findlay, K. and Manahilov, V. Efficiency and internal noise for detection of suprathreshold patterns measured using simple reaction time 43: 1103
MANGEL, S.C.
Loop, M.S., Shows, J.F., Mangel, S.C. and Kuyk, T.K. Colour thresholds in dichromats and normals 43: 983
MANYOSA, J.
Ramon, E., Marron, J., del Valle, L., Bosch, L., Andrés, A., Manyosa, J. and Garriga, P. Effect of dodecyl maltoside detergent on rhodopsin stability and function 43: 3055
MARCOS, S.
Atchison, D.A., Marcos, S. and Scott, D.H. The influence of the Stiles–Crawford peak location on visual performance 43: 659
MARETZKI, D.
Heck, M., Schädel, S.A., Maretzki, D. and Hofmann, K.P. Secondary binding sites of retinoids in opsin: characterization and role in regeneration 43: 3003
MARRON, J.
Ramon, E., Marron, J., del Valle, L., Bosch, L., Andrés, A., Manyosa, J. and Garriga, P. Effect of dodecyl maltoside detergent on rhodopsin stability and function 43: 3055
MARTÍNEZ, A.M.
Martínez, A.M. Matching expression variant faces 43: 1047
MARTINI, P.
Stromeyer, C.F. III and Martini, P. Human temporal impulse response speeds up with increased stimulus contrast 43: 285
MARUYA, K.
Maruya, K., Mugishima, Y. and Sato, T. Reversed-phi perception with motion-defined motion stimuli 43: 2517
MASCARO, M.
Amit, Y. and Mascaro, M. An integrated network for invariant visual detection and recognition 43: 2073
MASON, A.J.S.
Mason, A.J.S., Braddick, O.J. and Wattam-Bell, J. Motion coherence thresholds in infants – different tasks identify at least two distinct motion systems 43: 1149

MATSUMIYA, K.
Matsumiya, K. and Uchikawa, K. The role of presaccadic compression of visual space in spatial remapping across saccadic eye movements 43: 1969
MATTHEWS, N.
Matthews, N., Meng, X., Xu, P. and Qian, N. A physiological theory of depth perception from vertical disparity 43: 85
Saffell, T. and Matthews, N. Task-specific perceptual learning on speed and direction discrimination 43: 1365
MAURER, D.
Ellemberg, D., Lavoie, K., Lewis, T.L., Maurer, D., Lepore, F. and Guillemot, J.-P. Longer VEP latencies and slower reaction times to the onset of second-order motion than to the onset of first-order motion 43: 651
MAXWELL, J.S.
Graf, E.W., Maxwell, J.S. and Schor, C.M. Comparison of the time courses of concomitant and nonconcomitant vertical phoria adaptation 43: 567
McANALLY, K.I.
Stuart, G.W., McAnally, K.I. and Meehan, J.W. The overlay interference task and object-selective visual attention 43: 1443
Williams, M.J., Stuart, G.W., Castles, A. and McAnally, K.I. Contrast sensitivity in subgroups of developmental dyslexia 43: 467
McDONALD, S.A.
McDonald, S.A. and Shillcock, R.C. Low-level predictive inference in reading: the influence of transitional probabilities on eye movements 43: 1735
McGRAW, P.V.
Simmers, A.J., Ledgeway, T. Hess, R.F. and McGraw, P.V. Deficits to global motion processing in human amblyopia 43: 729
McILHAGGA, W.
McIlhagga, W. and Pääkkönen, A. Effects of contrast and length on vernier acuity explained with noisy templates 43: 707
McKENDRICK, A.M.
Badcock, D.R., McKendrick, A.M. and Ma-Wyatt, A. Pattern cues disambiguate perceived direction in simple moving stimuli 43: 2291
MECH, B.
Humayun, M.S., Weiland, J.D., Fujii, G.Y., Greenberg, R., Williamson, R., Little, J., Mech, B., Cimmarusti, V., Van Boemel, G., Dagnelie, G. and de Juan, E., Jr. Visual perception in a blind subject with a chronic microelectronic retinal prosthesis 43: 2573
MEEHAN, J.W.
Stuart, G.W., McAnally, K.I. and Meehan, J.W. The overlay interference task and object-selective visual attention 43: 1443
MELMOTH, D.R.
Melmoth, D.R. and Rovamo, J.M. Scaling of letter size and contrast equalises perception across eccentricities and set sizes 43: 769
MELVIN, R.
Ogmen, H., Breitmeyer, B.G. and Melvin, R. The what and where in visual masking 43: 1337
MENG, X.
Matthews, N., Meng, X., Xu, P. and Qian, N. A physiological theory of depth perception from vertical disparity 43: 85
MESSITER, C.
Arden, G.B., Wolf, J.E. and Messiter, C. Electrical activity in visual cortex associated with combined auditory and visual stimulation in temporal sequences known to be associated with a visual illusion 43: 2469
MEYER, P.
Lindemann, J.P., Kern, R., Michaelis, C., Meyer, P., van Hateren, J.H. and Egelhaaf, M. *FliMax,* a novel stimulus device for panoramic and highspeed presentation of behaviourally generated optic flow 43: 779
MICHAELIS, C.
Lindemann, J.P., Kern, R., Michaelis, C., Meyer, P., van Hateren, J.H. and Egelhaaf, M. *FliMax,* a novel stimulus device for panoramic and highspeed presentation of behaviourally generated optic flow 43: 779
MICHEL, R.K.
Davis, E.T., Shikano, T., Peterson, S.A. and Michel, R.K. Divided attention and visual search for simple *versus* complex features 43: 2213

MIHAYLOVA, M.S.
Vassilev, A., Mihaylova, M.S., Racheva, K., Zlatkova, M. and Anderson, R.S. Spatial summation of S-cone ON and OFF signals: effects of retinal eccentricity 43: 2875
MILES, F.A.
Yang, D.-S. and Miles, F.A. Short-latency ocular following in humans is dependent on absolute (rather than relative) binocular disparity 43: 1387
Yang, D.-S., FitzGibbon, E.J. and Miles, F.A. Short-latency disparity-vergence eye movements in humans: sensitivity to simulated orthogonal tropias 43: 431
MILLER, J.M.
Dobson, V., Miller, J.M., Harvey, E.M. and Mohan, K.M. Amblyopia in astigmatic preschool children 43: 1081
MIRACLE, J.A.
Brown, A.M. and Miracle, J.A. Early binocular vision in human infants: limitations on the generality of the Superposition Hypothesis 43: 1563
MITCHELL, J.F.
Mitchell, J.F. and Zipser, D. Sequential memory-guided saccades and target selection: a neural model of the frontal eye fields 43: 2669
Mitchell, J.F., Stoner, G.R., Fallah, M. and Reynolds, J.H. Attentional selection of superimposed surfaces cannot be explained by modulation of the gain of color channels 43: 1323
MITOVA, L.
Popova, E., Mitova, L., Vitanova, L. and Kupenova, P. Participation of the GABAergic system in the action of 2-amino-4-phosphonobutyrate on the OFF responses of frog retinal ganglion cells 43: 607
MIURA, K.
Miura, K., Hertle, R.W., FitzGibbon, E.J. and Optican, L.M. Effects of tenotomy surgery on congenital nystagmus waveforms in adult patients. Part I. Wavelet spectral analysis 43: 2345
Miura, K., Hertle, R.W., FitzGibbon, E.J. and Optican, L.M. Effects of tenotomy surgery on congenital nystagmus waveforms in adult patients. Part II. Dynamical systems analysis 43: 2357
MIYAWAKI, Y.
Hayashi, R., Miyawaki, Y., Maeda, T. and Tachi, S. Unconscious adaptation: a new illusion of depth induced by stimulus features without depth 43: 2773
MIZUMOTO, H.
Mizumoto, H., Mizumoto, K., Shatos, M.A., Klassen H. and Young, M.J. Retinal transplantation of neural progenitor cells derived from the brain of GFP transgenic mice 43: 1699
MIZUMOTO, K.
Mizumoto, H., Mizumoto, K., Shatos, M.A., Klassen H. and Young, M.J. Retinal transplantation of neural progenitor cells derived from the brain of GFP transgenic mice 43: 1699
MOHAN, K.M.
Dobson, V., Miller, J.M., Harvey, E.M. and Mohan, K.M. Amblyopia in astigmatic preschool children 43: 1081
MOISE, A.R.
Kuksa, V., Imanishi, Y., Batten, M., Palczewski, K. and Moise, A.R. Retinoid cycle in the vertebrate retina: experimental approaches and mechanisms of isomerization 43: 2959
MOISEYEV, G.
Chen, Y., Moiseyev, G., Wu, B.X., Ma, J.-x. and Crouch, R.K. Visual cycle retinoid processing proteins are present in HEK293S cells 43: 3037
MONFETTE, S.
Chase, C., Ashourzadeh, A., Kelly, C., Monfette, S. and Kinsey, K. Can the magnocellular pathway read? Evidence from studies of color 43: 1211
MONTIANI-FERREIRA, F.
Montiani-Ferreira, F., Li, T., Kiupel, M., Howland, H., Hocking, P., Curtis, R. and Petersen-Jones, S. Clinical features of the retinopathy, globe enlarged (*rge*) chick phenotype 43: 2009
MORELAND, J.D.
Robson, A.G., Moreland, J.D., Pauleikhoff, D., Morrissey, T., Holder, G.E., Fitzke, F.W., Bird, A.C. and van Kuijk, F.J.G.M. Macular pigment density and distribution: comparison of fundus autofluorescence with minimum motion photometry 43: 1765
MORGAN, J.E.
Aldebasi, Y.H., Drasdo, N., Morgan, J.E. and North, R.V. Cortical OFF-potentials from the S-cone pathway reveal neural damage in early glaucoma 43: 221

MORITA, H.
Morita, H. and Kumada, T. Effects of pictorially-defined surfaces on visual search 43: 1869
MORLAND, A.
Davies, N. and Morland, A. Temporal visual filtering in diabetes mellitus 43: 2377
MORRISSEY, T.
Robson, A.G., Moreland, J.D., Pauleikhoff, D., Morrissey, T., Holder, G.E., Fitzke, F.W., Bird, A.C. and van Kuijk, F.J.G.M. Macular pigment density and distribution: comparison of fundus autofluorescence with minimum motion photometry 43: 1765
MORTENSEN, U.
Mortensen, U. Additive noise, Weibull functions and the approximation of psychometric functions (2002) (corrigendum) 43: 855
MOTOYOSHI, I.
Motoyoshi, I. and Kingdom, F.A.A. Orientation opponency in human vision revealed by energy-frequency analysis 43: 2197
Nishida, S., Motoyoshi, I., Andersen, R.A. and Shimojo, S. Gaze modulation of visual aftereffects 43: 639
MUGISHIMA, Y.
Maruya, K., Mugishima, Y. and Sato, T. Reversed-phi perception with motion-defined motion stimuli 43: 2517
MULLEN, K.T.
Mullen, K.T., Yoshizawa, T. and Baker, C.L., Jr. Luminance mechanisms mediate the motion of red–green isoluminant gratings: the role of "temporal chromatic aberration" 43: 1235
Yoshizawa, T., Mullen, K.T. and Baker, C.L., Jr. Failure of signed chromatic apparent motion with luminance masking 43: 751
MUNECHIKA, K.
Ichikawa, M., Saida, S., Osa, A. and Munechika, K. Integration of binocular disparity and monocular cues at near threshold level 43: 2439
MURAKAMI, I.
Murakami, I. Illusory jitter in a static stimulus surrounded by a synchronously flickering pattern 43: 957
MURPHY, K.M.
Jones, D.G., Anderson, N.D. and Murphy, K.M. Orientation discrimination in visual noise using global and local stimuli 43: 1223
MURRAY, I.J.
Murray, I.J. and Plainis, S. Contrast coding and magno/parvo segregation revealed in reaction time studies 43: 2707
MUSSAP, A.J.
Prins, N., Nottingham, N.K. and Mussap, A.J. The role of local grouping and global orientation contrast in perception of orientation-modulated textures 43: 2315
MUZET, A.
Rogé. J., Pébayle, T., Hannachi, S.E. and Muzet, A. Effect of sleep deprivation and driving duration on the useful visual field in younger and older subjects during simulator driving 43: 1465

NADAL, J.-P.
Turiel, A., Nadal, J.-P. and Parga, N. Orientational minimal redundancy wavelets: from edge detection to perception 43: 1061
NAGY, A.L.
Nagy, A.L. and Thomas, G. Distractor heterogeneity, attention, and color in visual search 43: 1541
NAKAGAWA, M.
Tsuda, M., Kusakabe, T., Iwamoto, H., Horie, T., Nakashima, Y., Nakagawa, M. and Okunou, K. Origin of the vertebrate visual cycle: II. Visual cycle proteins are localized in whole brain including photoreceptor cells of a primitive chordate 43: 3045
NAKAMURA, S.
Nakamura, S. and Shimojo, S. Sustained deviation of gaze direction can affect "inverted vection" induced by the foreground motion 43: 745
NAKANISHI, K.
Sparrow, J.R., Fishkin, N., Zhou, J., Cai, B., Jang, Y.P., Krane, S., Itagaki, Y. and Nakanishi, K. A2E, a byproduct of the visual cycle 43: 2983

NAKASHIMA, Y.
Tsuda, M., Kusakabe, T., Iwamoto, H., Horie, T., Nakashima, Y., Nakagawa, M. and Okunou, K. Origin of the vertebrate visual cycle: II. Visual cycle proteins are localized in whole brain including photoreceptor cells of a primitive chordate 43: 3045
NÄSÄNEN, R.
Ojanpää, H. and Näsänen, R. Utilisation of spatial frequency information in face search 43: 2505
NAWROT, M.
Nawrot, M. Eye movements provide the extra-retinal signal required for the perception of depth from motion parallax 43: 1553
NEUMEYER, C.
Krauss, A. and Neumeyer, C. Wavelength dependence of the optomotor response in zebrafish (*Danio rerio*) 43: 1273
NGUYEN, V.A.
Nguyen, V.A., Freeman, A.W. and Alais, D. Increasing depth of binocular rivalry suppression along two visual pathways 43: 2003
NILSSON, S.E.G.
Nilsson, U.L., Frennesson, C. and Nilsson, S.E.G. Patients with AMD and a large absolute central scotoma can be trained successfully to use eccentric viewing, as demonstrated in a scanning laser ophthalmoscope 43: 1777
NILSSON, U.L.
Nilsson, U.L., Frennesson, C. and Nilsson, S.E.G. Patients with AMD and a large absolute central scotoma can be trained successfully to use eccentric viewing, as demonstrated in a scanning laser ophthalmoscope 43: 1777
NISHIDA, S.
Nishida, S., Motoyoshi, I., Andersen, R.A. and Shimojo, S. Gaze modulation of visual aftereffects 43: 639
NISHIDA, Y.
Oda, S., Ueyama, H., Nishida, Y., Tanabe, S. and Yamade, S. Analysis of L-cone/M-cone visual pigment gene arrays in females by long-range PCR 43: 489
NISHINA, S.
Nishina, S., Okada, M. and Kawato, M. Spatio-temporal dynamics of depth propagation on uniform region 43: 2493
NORTH, R.V.
Aldebasi, Y.H., Drasdo, N., Morgan, J.E. and North, R.V. Cortical OFF-potentials from the S-cone pathway reveal neural damage in early glaucoma 43: 221
NOTTINGHAM, N.K.
Prins, N., Nottingham, N.K. and Mussap, A.J. The role of local grouping and global orientation contrast in perception of orientation-modulated textures 43: 2315
NUGENT, A.K.
Nugent, A.K., Keswani, R.N., Woods, R.L. and Peli, E. Contour integration in peripheral vision reduces gradually with eccentricity 43: 2427

ODA, S.
Oda, S., Ueyama, H., Nishida, Y., Tanabe, S. and Yamade, S. Analysis of L-cone/M-cone visual pigment gene arrays in females by long-range PCR 43: 489
OGMEN, H.
Bedell, H.E., Chung, S.T.L., Ogmen, H. and Patel, S.S. Color and motion: which is the tortoise and which is the hare? 43: 2403
Ogmen, H., Breitmeyer, B.G. and Melvin, R. The what and where in visual masking 43: 1337
Patel, S.S., Ukwade, M.T., Stevenson, S.B., Bedell, H.E., Sampath, V. and Ogmen, H. Stereoscopic depth perception from oblique phase disparities 43: 2479
OGURA, T.
Ogura, T., Satoh, T.-O., Usui, S. and Yamada M. A simulation analysis on mechanisms of damped oscillation in retinal rod photoreceptor cells 43: 2019
OHNISHI, Y.
Yamaji, K., Yoshitomi, T., Usui, S. and Ohnishi, Y. Mechanical properties of the rabbit iris smooth muscles 43: 479
OI, H.
Oi, H., Chiba, C. and Saito, T. A decay of gap junctions associated with ganglion cell differentiation during retinal regeneration of the adult newt 43: 2847

OJANPÄÄ, H.
Ojanpää, H. and Näsänen, R. Utilisation of spatial frequency information in face search 43: 2505
OKADA, M.
Nishina, S., Okada, M. and Kawato, M. Spatio-temporal dynamics of depth propagation on uniform region 43: 2493
OKUNO, E.
Rejdak, R., Zielinska, E., Shenk, Y., Turski, W.A., Okuno, E., Zarnowski, T., Zagorski, Z., Zrenner, E. and Kohler, K. Ontogenic changes of kynurenine aminotransferase I activity and its expression in the chicken retina 43: 1513
OKUNOU, K.
Tsuda, M., Kusakabe, T., Iwamoto, H., Horie, T., Nakashima, Y., Nakagawa, M. and Okunou, K. Origin of the vertebrate visual cycle: II. Visual cycle proteins are localized in whole brain including photoreceptor cells of a primitive chordate 43: 3045
OLZAK, L.A.
Olzak, L.A. and Thomas, J.P. Dual nonlinearities regulate contrast sensitivity in pattern discrimination tasks 43: 1433
OOZEER, M.
Delbeke, J., Oozeer, M. and Veraart, C. Position, size and luminosity of phosphenes generated by direct optic nerve stimulation 43: 1091
OPRIS, I.
Opris, I., Barborica, A. and Ferrera, V.P. Comparison of performance on memory-guided saccade and delayed spatial match-to-sample tasks in monkeys 43: 321
OPTICAN, L.M.
Miura, K., Hertle, R.W., FitzGibbon, E.J. and Optican, L.M. Effects of tenotomy surgery on congenital nystagmus waveforms in adult patients. Part I. Wavelet spectral analysis 43: 2345
Miura, K., Hertle, R.W., FitzGibbon, E.J. and Optican, L.M. Effects of tenotomy surgery on congenital nystagmus waveforms in adult patients. Part II. Dynamical systems anlaysis 43: 2345
ORTIZ, A.
Lee, H.-W., Legge, G.E. and Ortiz, A. Is word recognition different in central and peripheral vision? 43: 2837
ORUÇ, İ.
Oruç, İ., Maloney, L.T. and Landy, M.S. Weighted linear cue combination with possibly correlated error 43: 2451
OSA, A.
Ichikawa, M., Saida, S., Osa, A. and Munechika, K. Integration of binocular disparity and monocular cues at near threshold level 43: 2439
OSTROY, S.E.
Ostroy, S.E., Roberts, A.E., Knapp-Miller, J. and Spisak, J.M. Availability of 11-cis retinal and opsins without chromophore as revealed by small bleaches of rhodopsin in excised albino mouse eyes 43: 3069
OTTESON, D.C.
Otteson, D.C. and Hitchcock, P.F. Stem cells in the teleost retina: persistent neurogenesis and injury-induced regeneration 43: 927
OUEGHLANI, E.
Sommerhalder, J., Oueghlani, E., Bagnoud, M., Leonards, U., Safran, A.B. and Pelizzone, M. Simulation of artificial vision: I. Eccentric reading of isolated words, and perceptual learning 43: 269
ÖZGEN, E.
Sowden, P.T., Özgen, E., Schyns, P.G. and Daoutis, C. Expectancy effects on spatial frequency processing 43: 2759

PÄÄKKÖNEN, A.
McIlhagga, W. and Pääkkönen, A. Effects of contrast and length on vernier acuity explained with noisy templates 43: 707
PAIK, S.-S.
Paik, S.-S., Park, N.-G., Lee, S.-J., Han, H.-K., Jung, C.-S., Bai, S.-H. and Chun, M.-H. GABA receptors on horizontal cells in the goldfish retina 43: 2101
PALCZEWSKI, K.
Baehr, W., Wu, S.M., Bird, A.C. and Palczewski, K. The retinoid cycle and retina disease (editorial) 43: 2957
Driessen, C., Winkens, H., Haeseleer, F., Palczewski, K. and Janssen, J. Novel targeting strategy for generating mouse models with defects in the retinoid cycle 43: 3075

Kuksa, V., Imanishi, Y., Batten, M., Palczewski, K. and Moise, A.R. Retinoid cycle in the vertebrate retina: experimental approaches and mechanisms of isomerization 43: 2959

PARDHAN, S.

Pardhan, S. Binocular recognition summation in the peripheral visual field: contrast and orientation dependence 43: 1249

PARGA, N.

Turiel, A., Nadal, J.-P. and Parga, N. Orientational minimal redundancy wavelets: from edge detection to perception 43: 1061

PARISH, L.

Herzog, M.H., Parish, L., Koch, C. and Fahle, M. Fusion of competing features is not serial 43: 1951

PARK, J.

Park, J., Schlag-Rey, M. and Schlag, J. Spatial localization precedes temporal determination in visual perception 43: 1667

PARK, N.-G.

Paik, S.-S., Park, N.-G., Lee, S.-J., Han, H.-K., Jung, C.-S., Bai, S.-H. and Chun, M.-H. GABA receptors on horizontal cells in the goldfish retina 43: 2101

PARK, T.W.

Park, T.W., Winawer, J. and Wallman, J. Further evidence that chick eyes use the sign of blur in spectacle lens compensation 43: 1519

PARRY, J.W.L.

Parry, J.W.L., Peirson, S.N., Wilkens, H. and Bowmaker, J.K. Multiple photopigments from the Mexican blind cavefish, *Astyanax fasciatus:* a microspectrophotometric study 43: 31

PASCALI, A.

Dell'Acqua, R., Pascali, A., Jolicoeur, P. and Sessa, P. Four-dot masking produces the attentional blink 43: 1907

PATEL, S.S.

Bedell, H.E., Chung, S.T.L., Ogmen, H. and Patel, S.S. Color and motion: which is the tortoise and which is the hare? 43: 2403

Patel, S.S., Ukwade, M.T., Stevenson, S.B., Bedell, H.E., Sampath, V. and Ogmen, H. Stereoscopic depth perception from oblique phase disparities 43: 2479

PAUL, L.

Paul, L. and Schyns, P.G. Attention enhances feature integration 43: 1793

PAULEIKHOFF, D.

Robson, A.G., Moreland, J.D., Pauleikhoff, D., Morrissey, T., Holder, G.E., Fitzke, F.W., Bird, A.C. and van Kuijk, F.J.G.M. Macular pigment density and distribution: comparison of fundus autofluorescence with minimum motion photometry 43: 1765

PEARSON, J.

Clifford, C.W.G., Arnold, D.H. and Pearson, J. A paradox of temporal perception revealed by a stimulus oscillating in colour and orientation 43: 2245

Clifford, C.W.G., Pearson, J., Forte, J.D. and Spehar, B. Colour and luminance selectivity of spatial and temporal interactions in orientation perception 43: 2885

PÉBAYLE, T.

Rogé. J., Pébayle, T., Hannachi, S.E. and Muzet, A. Effect of sleep deprivation and driving duration on the useful visual field in younger and older subjects during simulator driving 43: 1465

PEIRSON, S.N.

Parry, J.W.L., Peirson, S.N., Wilkens, H. and Bowmaker, J.K. Multiple photopigments from the Mexican blind cavefish, *Astyanax fasciatus:* a microspectrophotometric study 43: 31

PELI, E.

Nugent, A.K., Keswani, R.N., Woods, R.L. and Peli, E. Contour integration in peripheral vision reduces gradually with eccentricity 43: 2427

PELIZZONE, M.

Sommerhalder, J., Oueghlani, E., Bagnoud, M., Leonards, U., Safran, A.B. and Pelizzone, M. Simulation of artificial vision: I. Eccentric reading of isolated words, and perceptual learning 43: 269

PENNESI, M.

Qiao, X., Pennesi, M., Seong, E., Gao, H., Burmeister, M. and Wu, S.M. Photoreceptor degeneration and *rdl* mutation in the *grizzled/mocha* mouse strain 43: 859

PEPPERBERG, D.R.
Pepperberg, D.R. Bleaching desensitization: background and current challenges 43: 3011
PETERS, R.J.
Peters, R.J., Gabbiani, F. and Koch, C. Human visual object categorization can be described by models with low memory capacity 43: 2265
PETERSEN-JONES, S.
Montiani-Ferreira, F., Li, T., Kiupel, M., Howland, H., Hocking, P., Curtis, R. and Petersen-Jones, S. Clinical features of the retinopathy, globe enlarged (*rge*) chick phenotype 43: 2009
PETERSON, S.A.
Davis, E.T., Shikano, T., Peterson, S.A. and Michel, R.K. Divided attention and visual search for simple *versus* complex features 43: 2213
PIANTA, M.J.
Clifford, C.W.G., Arnold, D.H., Smith, S.T. and Pianta, M. Opposing views on orthogonal adaptation: a reply to Westheimer and Gee (2002) 43: 717 (discussion)
Pianta, M.J. and Gillam, B.J. Monocular gap stereopsis: manipulation of the outer edge disparity and the shape of the gap 43: 1937
Pianta, M.J. and Gillam, B.J. Paired and unpaired features can be equally effective in human depth perception 43: 1
PIGNATELLI, V.
Strettoi, E., Pignatelli, V., Rossi, C., Porciatti, V. and Falsini, B. Remodeling of second-order neurons in the retina of rd/rd mutant mice 43: 867
PINKHAM, R.S.
Stewart, A.L., Pinkham, R.S., Bittner, T.K. and Purcell, D.G. Hermite acuity gratings and models of space-variant acuity 43: 1597
PINNA, B.
Pinna, B., Werner, J.S. and Spillmann, L. The watercolor effect: a new principle of grouping and figure-ground organization 43: 43
Spillmann, L. and Pinna, B. Reply to Barris 43: 1721
PITZALIS, S.
Di Russo, F., Pitzalis, S. and Spinelli, D. Fixation stability and saccadic latency in élite shooters 43: 1837
PIZZIMENTI, M.A.
Darling, W.G., Pizzimenti, M.A. and Rizzo, M. Unilateral posterior parietal lobe lesions affect representation of visual space 43: 1675
PLAINIS, S.
Murray, I.J. and Plainis, S. Contrast coding and magno/parvo segregation revealed in reaction time studies 43: 2707
PÕDER, E.
Põder, E. Spatial-frequency spectra of printed characters and human visual perception 43: 1507
POINTER, J.S.
Hess, R.F., Pointer, J.S., Simmers, A. and Bex, P. Border distinctness in amblyopia 43: 2255
POKORNY, J.
Leonova, A., Pokorny, J. and Smith, V.C. Spatial frequency processing in inferred PC- and MC-pathways 43: 2133
POLOMENO, R.C.
Rufiange, M., Dassa, J., Dembinska, O., Koenekoop, R.K., Little, J.M., Polomeno, R.C., Dumont, M., Chemtob, S. and Lachapelle, P. The photopic ERG luminance-response function (photopic hill): method of analysis and clinical application 43: 1405
POPOVA, E.
Popova, E., Mitova, L., Vitanova, L. and Kupenova, P. Participation of the GABAergic system in the action of 2-amino-4-phosphonobutyrate on the OFF responses of frog retinal ganglion cells 43: 607
POPPLE, A.V.
Popple, A.V. Context effects on texture border localization bias 43: 739
PORCIATTI, V.
Strettoi, E., Pignatelli, V., Rossi, C., Porciatti, V. and Falsini, B. Remodeling of second-order neurons in the retina of rd/rd mutant mice 43: 867
POTOCKI, A.
Hodos, W., Potocki, A., Ghim, M.M. and Gaffney, M.F. Temporal modulation of spatial contrast vision in pigeons (*Columba livia*) 43: 761

PREISING, M.N.
Sitorus, R.S., Lorenz, B. and Preising, M.N. Analysis of three genes in Leber congenital amaurosis in Indonesian patients 43: 3087
PRESCOTT, N.B.
Jarvis, J.R., Prescott, N.B. and Wathes, C.M. A mechanistic inter-species comparison of flicker sensitivity 43: 1723
PRINS, N.
Prins, N., Nottingham, N.K. and Mussap, A.J. The role of local grouping and global orientation contrast in perception of orientation-modulated textures 43: 2315
PURCELL, D.G.
Stewart, A.L., Pinkham, R.S., Bittner, T.K. and Purcell, D.G. Hermite acuity gratings and models of space-variant acuity 43: 1597
PUSHCHIN, I.I.
Pushchin, I.I. and Kondrashev, S.L. Biplexiform ganglion cells in the retina of the perciform fish *Pholidapus dybowskii* revealed by HRP labeling from the optic nerve and optic tectum 43: 1117

QIAN, N.
Matthews, N., Meng, X., Xu, P. and Qian, N. A physiological theory of depth perception from vertical disparity 43: 85
QIAO, X.
Qiao, X., Pennesi, M., Seong, E., Gao, H., Burmeister, M. and Wu, S.M. Photoreceptor degeneration and *rdl* mutation in the *grizzled/mocha* mouse strain 43: 859
QIAO, Y.
Kee, C.-s., Hung, L.-F., Qiao, Y. and Smith, E.L. III Astigmatism in infant monkeys reared with cylindrical lenses 43: 2721
QUENZER, T.
Fahle, M., Quenzer, T., Braun, C. and Spang, K. Feature-specific electrophysiological correlates of texture segregation 43: 7
QUESSY, S.
Lee, D. and Quessy, S. Visual search is facilitated by scene and sequence familiarity in rhesus monkeys 43: 1455

RACHEVA, K.
Vassilev, A., Mihaylova, M.S., Racheva, K., Zlatkova, M. and Anderson, R.S. Spatial summation of S-cone ON and OFF signals: effects of retinal eccentricity 43: 2875
RAHMAN, R.
Garbutt, S., Han, Y., Kumar, A.N., Harwood, M., Rahman, R. and Leigh, R.J. Disorders of vertical optokinetic nystagmus in patients with ocular misalignment 43: 347
RAMON, E.
Ramon, E., Marron, J., del Valle, L., Bosch, L., Andrés, A., Manyosa, J. and Garriga, P. Effect of dodecyl maltoside detergent on rhodopsin stability and function 43: 3055
RAY, J.
Klassen, H., Imfeld, K.L., Ray, J., Young, M.J., Gage, F.H. and Berman, M.A. The immunological properties of adult hippocampal progenitor cells 43: 947
RAYNER, K.
Rayner, K., Juhasz, B., Ashby, J. and Clifton, C., Jr. Inhibition of saccade return in reading 43: 1027
REISENMAN, C.
Reisenman, C., Haag, J., Borst, A. Adaptation of response transients in fly motion vision. I: Experiments 43: 1291
REJDAK, R.
Rejdak, R., Zarnowski, T., Turski, W.A., Kocki, T., Zagorski, Z., Zrenner, E. and Schuettauf, F. Alterations of kynurenic acid content in the retina in response to retinal ganglion cell damage 43: 497
Rejdak, R., Zielinska, E., Shenk, Y., Turski, W.A., Okuno, E., Zarnowski, T., Zagorski, Z., Zrenner, E. and Kohler, K. Ontogenic changes of kynurenine aminotransferase I activity and its expression in the chicken retina 43: 1513
RESISENMAN, C.
Borst, A., Reisenman, C. and Haag, J. Adaptation of response transients in fly motion vision. II: Model studies 43: 1309
REYNOLDS, J.H.
Mitchell, J.F., Stoner, G.R., Fallah, M. and Reynolds, J.H. Attentional selection of superimposed surfaces cannot be explained by modulation of the gain of color channels 43: 1323

Reynolds, J.H., Alborzian, S. and Stoner, G.R. Exogenously cued attention triggers competitive selection of surfaces 43: 59

RIVA, C.E.

Dorner, G.T., Garhöfer, G., Huemer, K.H., Riva, C.E., Wolzt, M. and Schmetterer, L. Hyperglycemia affects flicker-induced vasodilation in the retina of healthy subjects 43: 1495

RIZZO, M.

Darling, W.G., Pizzimenti, M.A. and Rizzo, M. Unilateral posterior parietal lobe lesions affect representation of visual space 43: 1675

ROBERTS, A.E.

Ostroy, S.E., Roberts, A.E., Knapp-Miller, J. and Spisak, J.M. Availability of 11-cis retinal and opsins without chromophore as revealed by small bleaches of rhodopsin in excised albino mouse eyes 43: 3069

ROBSON, A.G.

Robson, A.G., Moreland, J.D., Pauleikhoff, D., Morrissey, T., Holder, G.E., Fitzke, F.W., Bird, A.C. and van Kuijk, F.J.G.M. Macular pigment density and distribution: comparison of fundus autofluorescence with minimum motion photometry 43: 1765

ROGÉ, J.

Rogé. J., Pébayle, T., Hannachi, S.E. and Muzet, A. Effect of sleep deprivation and driving duration on the useful visual field in younger and older subjects during simulator driving 43: 1465

ROGERS, B.J.

Allison, R.S., Rogers, B.J. and Bradshaw, M.F. Geometric and induced effects in binocular stereopsis and motion parallax 43: 1879

ROSSI, C.

Strettoi, E., Pignatelli, V., Rossi, C., Porciatti, V. and Falsini, B. Remodeling of second-order neurons in the retina of rd/rd mutant mice 43: 867

ROVAMO, J.M.

Melmoth, D.R. and Rovamo, J.M. Scaling of letter size and contrast equalises perception across eccentricities and set sizes 43: 769

ROYDEN, C.S.

Royden, C.S. and Conti, D.M. A model using MT-like motion-opponent operators explains an illusory transformation in the optic flow field 43: 2811

RUBIN, N.

Hupé, J.-M. and Rubin, N. The dynamics of bi-stable alternation in ambiguous motion displays: a fresh look at plaids 43: 531

RUFIANGE, M.

Rufiange, M., Dassa, J., Dembinska, O., Koenekoop, R.K., Little, J.M., Polomeno, R.C., Dumont, M., Chemtob, S. and Lachapelle, P. The photopic ERG luminance-response function (photopic hill): method of analysis and clinical application 43: 1405

RUIZ, J.S.

Brenner, E., Ruiz, J.S., Herráiz, E.M., Cornelissen, F.W. and Smeets, J.B.J. Chromatic induction and the layout of colours within a complex scene 43: 1413

RUSHTON, S.K.

Harris, J.M. and Rushton, S.K. Poor visibility of motion in depth is due to early motion averaging 43: 385

RUSSELL, C.

Russell, C. The roles of Hedgehogs and Fibroblast growth factors in eye development and retinal cell rescue 43: 899

RYF, S.

Schwaninger, A., Ryf, S. and Hofer, F. Configural information is processed differently in perception and recognition of faces 43: 1501

SABATINI, S.P.

Cavalleri, P., Sabatini, S.P., Solari, F. and Bisio, G.M. Centric-minded templates for self-motion perception 43: 1473

SÀENZ, M.

Sàenz, M., Buraĉas, G.T. and Boynton, G.M. Global feature-based attention for motion and color 43: 629

SAFFELL, T.

Saffell, T. and Matthews, N. Task-specific perceptual learning on speed and direction discrimination 43: 1365

SAFRAN, A.B.
Sommerhalder, J., Oueghlani, E., Bagnoud, M., Leonards, U., Safran, A.B. and Pelizzone, M. Simulation of artificial vision: I. Eccentric reading of isolated words, and perceptual learning 43: 269
SAIDA, S.
Ichikawa, M., Saida, S., Osa, A. and Munechika, K. Integration of binocular disparity and monocular cues at near threshold level 43: 2439
SAIKI, J.
Saiki, J. Spatiotemporal characteristics of dynamic feature binding in visual working memory 43: 2107
SAITO, T.
Oi, H., Chiba, C. and Saito, T. A decay of gap junctions associated with ganglion cell differentiation during retinal regeneration of the adult newt 43: 2847
SAKAGUCHI, Y.
Sakaguchi, Y. Visual field anisotropy revealed by perceptual filling-in 43: 2029
SALLY, S.L.
Sally, S.L. and Gurnsey, R. Orientation discrimination in foveal and extra-foveal vision: effects of stimulus bandwidth and contrast 43: 1375
SAMPATH, V.
Patel, S.S., Ukwade, M.T., Stevenson, S.B., Bedell, H.E., Sampath, V. and Ogmen, H. Stereoscopic depth perception from oblique phase disparities 43: 2479
SANDGREN, O.
Burstedt, M.S.I., Sandgren, O., Golovleva, I. and Wachtmeister, L. Retinal function in Bothnia dystrophy. An electrophysiological study 43: 2559
SATO, T.
Maruya, K., Mugishima, Y. and Sato, T. Reversed-phi perception with motion-defined motion stimuli 43: 2517
SATOH, T.-O.
Ogura, T., Satoh, T.-O., Usui, S. and Yamada M. A simulation analysis on mechanisms of damped oscillation in retinal rod photoreceptor cells 43: 2019
SAUNDERS, J.A.
Knill, D.C. and Saunders, J.A. Do humans optimally integrate stereo and texture information for judgments of surface slant? 43: 2539
SCHÄDEL, S.A.
Heck, M., Schädel, S.A., Maretzki, D. and Hofmann, K.P. Secondary binding sites of retinoids in opsin: characterization and role in regeneration 43: 3003
SCHAEFFEL, F.
Seidemann, A. and Schaeffel, F. An evaluation of the lag of accommodation using photorefraction 43: 419
SCHARLAU, I.
Scharlau, I. and Ansorge, U. Direct parameter specification of an attention shift: evidence from perceptual latency priming 43: 1351
SCHLAG, J.
Park, J., Schlag-Rey, M. and Schlag, J. Spatial localization precedes temporal determination in visual perception 43: 1667
SCHLAG-REY, M.
Park, J., Schlag-Rey, M. and Schlag, J. Spatial localization precedes temporal determination in visual perception 43: 1667
SCHMETTERER, L.
Dorner, G.T., Garhöfer, G., Huemer, K.H., Riva, C.E., Wolzt, M. and Schmetterer, L. Hyperglycemia affects flicker-induced vasodilation in the retina of healthy subjects 43: 1495
Fuchsjäger-Mayrl, G., Malec, M., Amoako-Mensah, T., Kolodjaschna, J. and Schmetterer, L. Changes in choroidal blood flow during light/dark transitions are not altered by atropine or propranolol in healthy subjects 43: 2185
SCHMITT, C.
Kommerell, G., Schmitt, C., Kromeier, M. and Bach, M. Ocular prevalence *versus* ocular dominance 43: 1397
SCHMONSEES, U.
Herzog, M.H., Schmonsees, U. and Fahle, M. Collinear contextual suppression 43: 2915
Herzog, M.H., Schmonsees, U. and Fahle, M. Timing of contextual modulation in the shine-through effect 43: 2039

SCHNECK, M.E.
Verdon, W.A., Schneck, M.E. and Haegerstrom-Portnoy, G. A comparison of three techniques to estimate the human dark-adapted cone electroretinogram 43: 2089
SCHOFIELD, A.J.
Schofield, A.J. and Georgeson, M.A. Sensitivity to contrast modulation: the spatial frequency dependence of second-order vision 43: 243
SCHOLL, H.P.N.
Besch, D., Jägle, H., Scholl, H.P.N., Seeliger, M.W. and Zrenner, E. Inherited multifocal RPE-diseases: mechanisms for local dysfunction in global retinoid cycle gene defects 43: 3095
Scholl, H.P.N. and Kremers, J. Alterations of L- and M-cone driven ERGs in cone and cone-rod dystrophies 43: 2333
SCHOR, C.M.
Graf, E.W., Maxwell, J.S. and Schor, C.M. Comparison of the time courses of concomitant and nonconcomitant vertical phoria adaptation 43: 567
SCHOR, R.H.
Furman, J.M. and Schor, R.H. Orientation of Listing's plane during static tilt in young and older human subjects 43: 67
SCHUETTAUF, F.
Rejdak, R., Zarnowski, T., Turski, W.A., Kocki, T., Zagorski, Z., Zrenner, E. and Schuettauf, F. Alterations of kynurenic acid content in the retina in response to retinal ganglion cell damage 43: 497
SCHULZ, D.
Schulz, D., Iliev, M.E., Frueh, B.E. and Goldblum, D. In vivo pachymetry in normal eyes of rats, mice and rabbits with the optical low coherence reflectometer 43: 723
SCHWANINGER, A.
Schwaninger, A., Ryf, S. and Hofer, F. Configural information is processed differently in perception and recognition of faces 43: 1501
SCHWARZER, G.
Schwarzer, G. and Zauner, N. Face processing in 8-month-old infants: evidence for configural and analytical processing 43: 2783
SCHYNS, P.G.
Paul, L. and Schyns, P.G. Attention enhances feature integration 43: 1793
Sowden, P.T., Özgen, E., Schyns, P.G. and Daoutis, C. Expectancy effects on spatial frequency processing 43: 2759
SCOTT, D.H.
Atchison, D.A., Marcos, S. and Scott, D.H. The influence of the Stiles–Crawford peak location on visual performance 43: 659
SEABRA, M.C.
Anand, V., Barral, D.C., Zeng, Y., Brunsmann, F., Maguire, A.M., Seabra, M.C. and Bennett, J. Gene therapy for choroideremia: in vitro rescue mediated by recombinant adenovirus 43: 919
SEELIGER, M.W.
Besch, D., Jägle, H., Scholl, H.P.N., Seeliger, M.W. and Zrenner, E. Inherited multifocal RPE-diseases: mechanisms for local dysfunction in global retinoid cycle gene defects 43: 3095
SEIDEMANN, A.
Seidemann, A. and Schaeffel, F. An evaluation of the lag of accommodation using photorefraction 43: 419
SEMENOVA, E.M.
Semenova, E.M. and Converse, C.A. Comparison between oleic acid and docosahexaenoic acid binding to interphotoreceptor retinoid-binding protein 43: 3063
SEO, H.
Seo, H. and Lee, C. Head-free reading of horizontally and vertically arranged texts (2002) (erratum) 43: 1595
SEONG, E.
Qiao, X., Pennesi, M., Seong, E., Gao, H., Burmeister, M. and Wu, S.M. Photoreceptor degeneration and *rdl* mutation in the *grizzled/mocha* mouse strain 43: 859
SESSA, P.
Dell'Acqua, R., Pascali, A., Jolicoeur, P. and Sessa, P. Four-dot masking produces the attentional blink 43: 1907
SHALLO-HOFFMANN, J.
Shallo-Hoffmann, J. and Bronstein, A.M. Visual motion detection in patients with absent vestibular function 43: 1589

SHAPIRO, A.G.
Shapiro, A.G., Beere, J.L. and Zaidi, Q. Time-course of *S*-cone system adaptation to simple and complex fields 43: 1135
SHATOS, M.A.
Mizumoto, H., Mizumoto, K., Shatos, M.A., Klassen H. and Young, M.J. Retinal transplantation of neural progenitor cells derived from the brain of GFP transgenic mice 43: 1699
SHENK, Y.
Rejdak, R., Zielinska, E., Shenk, Y., Turski, W.A., Okuno, E., Zarnowski, T., Zagorski, Z., Zrenner, E. and Kohler, K. Ontogenic changes of kynurenine aminotransferase I activity and its expression in the chicken retina 43: 1513
SHIKANO, T.
Davis, E.T., Shikano, T., Peterson, S.A. and Michel, R.K. Divided attention and visual search for simple *versus* complex features 43: 2213
SHILLCOCK, R.C.
McDonald, S.A. and Shillcock, R.C. Low-level predictive inference in reading: the influence of transitional probabilities on eye movements 43: 1735
SHIMOJO, S.
Nakamura, S. and Shimojo, S. Sustained deviation of gaze direction can affect "inverted vection" induced by the foreground motion 43: 745
Nishida, S., Motoyoshi, I., Andersen, R.A. and Shimojo, S. Gaze modulation of visual aftereffects 43: 639
SHINOMORI, K.
Shinomori, K. and Werner, J.S. Senescence of the temporal impulse response to a luminous pulse 43: 617
SHOWS, J.F.
Loop, M.S., Shows, J.F., Mangel, S.C. and Kuyk, T.K. Colour thresholds in dichromats and normals 43: 983
SIMMERS, A.J.
Bex, P.J., Dakin, S.C. and Simmers, A.J. The shape and size of crowding for moving targets 43: 2895
Bex, P.J., Simmers, A.J. and Dakin, S.C. Grouping local directional signals into moving contours 43: 2141
Hess, R.F., Pointer, J.S., Simmers, A. and Bex, P. Border distinctness in amblyopia 43: 2255
Simmers, A.J., Ledgeway, T. Hess, R.F. and McGraw, P.V. Deficits to global motion processing in human amblyopia 43: 729
SIMPSON, W.A.
Manahilov, V., Calvert, J. and Simpson, W.A. Temporal properties of the visual responses to luminance and contrast modulated noise 43: 1855
Simpson, W.A., Falkenberg, H.K. and Manahilov, V. Sampling efficiency and internal noise for motion detection, discrimination, and summation 43: 2125
Simpson, W.A., Findlay, K., and Manahilov, V. Efficiency and internal noise for detection of suprathreshold patterns measured using simple reaction time 43: 1103
SINAI, M.J.
Essock, E.A., DeFord, J.K., Hansen, B.C. and Sinai, M.J. Oblique stimuli are seen best (not worst!) in naturalistic broad-band stimuli: a horizontal effect 43: 1329
SITORUS, R.S.
Sitorus, R.S., Lorenz, B. and Preising, M.N. Analysis of three genes in Leber congenital amaurosis in Indonesian patients 43: 3087
SMEETS, J.B.J.
Brenner, E., Ruiz, J.S., Herráiz, E.M., Cornelissen, F.W. and Smeets, J.B.J. Chromatic induction and the layout of colours within a complex scene 43: 1413
SMITH, E.L. III
Harwerth, R.S., Fredenburg, P.M. and Smith, E.L. III Temporal integration for stereoscopic vision 43: 505
Kee, C.-s., Hung, L.-F., Qiao, Y. and Smith, E.L. III Astigmatism in infant monkeys reared with cylindrical lenses 43: 2721
SMITH, S.T.
Clifford, C.W.G., Arnold, D.H., Smith, S.T. and Pianta, M. Opposing views on orthogonal adaptation: a reply to Westheimer and Gee (2002) 43: 717 (discussion)
SMITH, V.C.
Leonova, A., Pokorny, J. and Smith, V.C. Spatial frequency processing in inferred PC- and MC-pathways 43: 2133

SNOWDEN, R.J.
Sumnall, J.H., Freeman, T.C.A. and Snowden, R.J. Optokinetic potential and the perception of head-centred speed 43: 1709
SNYDER, L.H.
Visscher, K., Viets, E. and Snyder, L.H. Effects of training on memory-guided saccade performance 43: 2061
SOBEL, K.V.
Sobel, K.V. and Blake, R. Subjective contours and binocular rivalry suppression 43: 1533
SOLARI, F.
Cavalleri, P., Sabatini, S.P., Solari, F. and Bisio, G.M. Centric-minded templates for self-motion perception 43: 1473
SOMMERHALDER, J.
Sommerhalder, J., Oueghlani, E., Bagnoud, M., Leonards, U., Safran, A.B. and Pelizzone, M. Simulation of artificial vision: I. Eccentric reading of isolated words, and perceptual learning 43: 269
SOWDEN, P.T.
Sowden, P.T., Özgen, E., Schyns, P.G. and Daoutis, C. Expectancy effects on spatial frequency processing 43: 2759
SPANG, K.
Fahle, M., Quenzer, T., Braun, C. and Spang, K. Feature-specific electrophysiological correlates of texture segregation 43: 7
SPARROW, J.R.
Sparrow, J.R., Fishkin, N., Zhou, J., Cai, B., Jang, Y.P., Krane, S., Itagaki, Y. and Nakanishi, K. A2E, a byproduct of the visual cycle 43: 2983
SPEHAR, B.
Clifford, C.W.G., Pearson, J., Forte, J.D. and Spehar, B. Colour and luminance selectivity of spatial and temporal interactions in orientation perception 43: 2885
Spehar, B. and Clifford, C.W.G. When does illusory contour formation depend on contrast polarity? 43: 1915
SPEKREIJSE, H.
Landman, R., Spekreijse, H. and Lamme, V.A.F. Large capacity storage of integrated objects before change blindness 43: 149
SPILLMANN, L.
Pinna, B., Werner, J.S. and Spillmann, L. The watercolor effect: a new principle of grouping and figure-ground organization 43: 43
Spillmann, L. and Pinna, B. Reply to Barris 43: 1721
SPINELLI, D.
Di Russo, F., Pitzalis, S. and Spinelli, D. Fixation stability and saccadic latency in élite shooters 43: 1837
SPISAK, J.M.
Ostroy, S.E., Roberts, A.E., Knapp-Miller, J. and Spisak, J.M. Availability of 11-cis retinal and opsins without chromophore as revealed by small bleaches of rhodopsin in excised albino mouse eyes 43: 3069
STABELL, B.
Stabell, U. and Stabell, B. Effects of light and dark adaptation of rods on specific-hue threshold 43: 2905
STABELL, U.
Stabell, U. and Stabell, B. Effects of light and dark adaptation of rods on specific-hue threshold 43: 2905
STEINBACH, M.J.
Tajik-Parvinchi, D.J., Lillakas, L., Irving, E. and Steinbach, M.J. Children's pursuit eye movements: a developmental study 43: 77
STEVENSON, S.B.
Patel, S.S., Ukwade, M.T., Stevenson, S.B., Bedell, H.E., Sampath, V. and Ogmen, H. Stereoscopic depth perception from oblique phase disparities 43: 2479
STEWART, A.L.
Stewart, A.L., Pinkham, R.S., Bittner, T.K. and Purcell, D.G. Hermite acuity gratings and models of space-variant acuity 43: 1597
STOHR, R.E.
Watamaniuk, S.N.J., Flinn, J. and Stohr, R.E. Segregation from direction differences in dynamic random-dot stimuli 43: 171
STONER, G.R.
Mitchell, J.F., Stoner, G.R., Fallah, M. and Reynolds, J.H. Attentional selection of superimposed surfaces cannot be explained by modulation of the gain of color channels 43: 1323

Reynolds, J.H., Alborzian, S. and Stoner, G.R. Exogenously cued attention triggers competitive selection of surfaces 43: 59
STRETTOI, E.
Strettoi, E., Pignatelli, V., Rossi, C., Porciatti, V. and Falsini, B. Remodeling of second-order neurons in the retina of rd/rd mutant mice 43: 867
STROMEYER, C.F. III
Stromeyer, C.F. III and Martini, P. Human temporal impulse response speeds up with increased stimulus contrast 43: 285
Stromeyer, C.F. III Temporal asymmetry in motion masking: a shortening of the temporal impulse response function 43: 261
STUART, G.W.
Stuart, G.W., McAnally, K.I. and Meehan, J.W. The overlay interference task and object-selective visual attention 43: 1443
Williams, M.J., Stuart, G.W., Castles, A. and McAnally, K.I. Contrast sensitivity in subgroups of developmental dyslexia 43: 467
SUMNALL, J.H.
Sumnall, J.H., Freeman, T.C.A. and Snowden, R.J. Optokinetic potential and the perception of head-centred speed 43: 1709
SUZUKI, S.
Suzuki, S. Attentional selection of overlapped shapes: a study using brief shape aftereffects 43: 549

TACHI, S.
Hayashi, R., Miyawaki, Y., Maeda, T. and Tachi, S. Unconscious adaptation: a new illusion of depth induced by stimulus features without depth 43: 2773
TAJIK-PARVINCHI, D.J.
Tajik-Parvinchi, D.J., Lillakas, L., Irving, E. and Steinbach, M.J. Children's pursuit eye movements: a developmental study 43: 77
TAKEUCHI, T.
Takeuchi, T., De Valois, K.K. and Hardy, J.L. The influence of color on the perception of luminance motion 43: 1159
TANABE, S.
Oda, S., Ueyama, H., Nishida, Y., Tanabe, S. and Yamade, S. Analysis of L-cone/M-cone visual pigment gene arrays in females by long-range PCR 43: 489
TAO, R.
van de Grind, W.A., Lankheet, M.J.M. and Tao, R. A gain-control model relating nulling results to the duration of dynamic motion aftereffects 43: 117
THERMOS, K.
Thermos, K. Functional mapping of somatostatin receptors in the retina: a review 43: 1805
THOMAS, G.
Nagy, A.L. and Thomas, G. Distractor heterogeneity, attention, and color in visual search 43: 1541
THOMAS, J.P.
Olzak, L.A. and Thomas, J.P. Dual nonlinearities regulate contrast sensitivity in pattern discrimination tasks 43: 1433
THORNTON, I.M.
Knappmeyer, B., Thornton, I.M. and Bülthoff, H.H. The use of facial motion and facial form during the processing of identity 43: 1921
TKALCEVIC, L.A.
Tkalcevic, L.A. and Abel, L.A. Effects of stimulus size and luminance on oscillopsia in congenital nystagmus 43: 2697
TOLHURST, D.J.
Clatworthy, P.L., Chirimuuta, M., Lauritzen, J.S. and Tolhurst, D.J. Coding of the contrasts in natural images by populations of neurons in primary visual cortex (V1) 43: 1983
TREISMAN, A.
Chong, S.C. and Treisman, A. Representation of statistical properties 43: 393
TSAI, J.J.
Tsai, J.J. and Victor, J.D. Reading a population code: a multi-scale neural model for representing binocular disparity 43: 445

TSOTSOS, J.K.
Cutzu, F. and Tsotsos, J.K. The selective tuning model of attention: psychophysical evidence for a suppressive annulus around an attended item 43: 205
TSUDA, M.
Tsuda, M., Kusakabe, T., Iwamoto, H., Horie, T., Nakashima, Y., Nakagawa, M. and Okunou, K. Origin of the vertebrate visual cycle: II. Visual cycle proteins are localized in whole brain including photoreceptor cells of a primitive chordate 43: 3045
TSUJIMURA, S.
Tsujimura, S., Wolffsohn, J.S. and Gilmartin, B. Pupil responses associated with coloured afterimages are mediated by the magnocellular pathway 43: 1423
TURANO, K.A.
Turano, K.A., Geruschat, D.R. and Baker, F.H. Oculomotor strategies for the direction of gaze tested with a real-world activity 43: 333
TURIEL, A.
Turiel, A., Nadal, J.-P. and Parga, N. Orientational minimal redundancy wavelets: from edge detection to perception 43: 1061
TURSKI, W.A.
Rejdak, R., Zarnowski, T., Turski, W.A., Kocki, T., Zagorski, Z., Zrenner, E. and Schuettauf, F. Alterations of kynurenic acid content in the retina in response to retinal ganglion cell damage 43: 497
Rejdak, R., Zielinska, E., Shenk, Y., Turski, W.A., Okuno, E., Zarnowski, T., Zagorski, Z., Zrenner, E. and Kohler, K. Ontogenic changes of kynurenine aminotransferase I activity and its expression in the chicken retina 43: 1513
TYLER, C.W.
Likova, L.T. and Tyler, C.W. Peak localization of sparsely sampled luminance patterns is based on interpolated 3D surface representation 43: 2649

UCHIKAWA, K.
Matsumiya, K. and Uchikawa, K. The role of presaccadic compression of visual space in spatial remapping across saccadic eye movements 43: 1969
UEYAMA, H.
Oda, S., Ueyama, H., Nishida, Y., Tanabe, S. and Yamade, S. Analysis of L-cone/M-cone visual pigment gene arrays in females by long-range PCR 43: 489
UKWADE, M.T.
Patel, S.S., Ukwade, M.T., Stevenson, S.B., Bedell, H.E., Sampath, V. and Ogmen, H. Stereoscopic depth perception from oblique phase disparities 43: 2479
Ukwade, M.T., Bedell, H.E. and Harwerth, R.S. Stereopsis is perturbed by vergence error 43: 181
Ukwade, M.T., Bedell, H.E. and Harwerth, R.S. Stereothresholds with simulated vergence variability and constant error 43: 195
ULLMAN, S.
Zur, D. and Ullman, S. Filling-in of retinal scotomas 43: 971
USUI, S.
Ogura, T., Satoh, T.-O., Usui, S. and Yamada M. A simulation analysis on mechanisms of damped oscillation in retinal rod photoreceptor cells 43: 2019
Yamaji, K., Yoshitomi, T., Usui, S. and Ohnishi, Y. Mechanical properties of the rabbit iris smooth muscles 43: 479

VAINA, L.M.
Beardsley, S.A., Ward, R.L. and Vaina, L.M. A neural network model of spiral-planar motion tuning in MSTd 43: 577
VAN BOEMEL, G.
Humayun, M.S., Weiland, J.D., Fujii, G.Y., Greenberg, R., Williamson, R., Little, J., Mech, B., Cimmarusti, V., Van Boemel, G., Dagnelie, G. and de Juan, E., Jr. Visual perception in a blind subject with a chronic microelectronic retinal prosthesis 43: 2573
VAN DAM, L.C.J.
van Ee, R. and van Dam, L.C.J. The influence of cyclovergence on unconstrained stereoscopic matching 43: 307

VAN DE GRIND, W.A.
van de Grind, W.A., Lankheet, M.J.M. and Tao, R. A gain-control model relating nulling results to the duration of dynamic motion aftereffects 43: 117
van de Grind, W.A., Verstraten, F.A.J. and van der Smagt, M.J. Influence of viewing distance on aftereffects of moving random pixel arrays 43: 2413
VAN DEN BERG, A.V.
van Loon, E.M., Hooge, I.Th.C. and Van den Berg, A.V. Different visual search strategies in stationary and moving radial patterns 43: 1201
VAN DER HEIJDE, G.L.
Dubbelman, M., Van der Heijde, G.L., Weeber, H.A. and Vrensen, G.F.J.M. Changes in the internal structure of the human crystalline lens with age and accommodation 43: 2363
VAN DER HELM, P.A.
Csathó, Á., van der Vloed, G. and van der Helm, P.A. Blobs strengthen repetition but weaken symmetry 43: 993
VAN DER SMAGT, M.J.
van de Grind, W.A., Verstraten, F.A.J. and van der Smagt, M.J. Influence of viewing distance on aftereffects of moving random pixel arrays 43: 2413
VAN DER VLOED, G.
Csathó, Á., van der Vloed, G. and van der Helm, P.A. Blobs strengthen repetition but weaken symmetry 43: 993
VAN DER ZWAN, R.
Brooks, A., van der Zwan, R. and Holden, J. An illusion of coherent global motion arising from single brief presentations of a stationary stimulus 43: 2387
VAN EE, R.
van Ee, R. and van Dam, L.C.J. The influence of cyclovergence on unconstrained stereoscopic matching 43: 307
VAN HATEREN, J.H.
Lindemann, J.P., Kern, R., Michaelis, C., Meyer, P., van Hateren, J.H. and Egelhaaf, M. *FliMax*, a novel stimulus device for panoramic and highspeed presentation of behaviourally generated optic flow 43: 779
VAN KUIJK, F.J.G.M.
Robson, A.G., Moreland, J.D., Pauleikhoff, D., Morrissey, T., Holder, G.E., Fitzke, F.W., Bird, A.C. and van Kuijk, F.J.G.M. Macular pigment density and distribution: comparison of fundus autofluorescence with minimum motion photometry 43: 1765
VAN LIER, R.
van Lier, R. and de Weert, C.M.M. Intra- and interocular colour-specific activation during dichoptic suppression 43: 1111
VAN LOON, E.M.
van Loon, E.M., Hooge, I.Th.C. and Van den Berg, A.V. Different visual search strategies in stationary and moving radial patterns 43: 1201
VAN VREESWIJK, C.
Buiatti, M. and van Vreeswijk, C. Variance normalisation: a key mechanism for temporal adaptation in natural vision? 43: 1895
VANRULLEN, R.
VanRullen, R. and Dong, T. Attention and scintillation 43: 2191
VARELA, C.
Varela, C., Igartua, I., De la Rosa, E.J. and De la Villa, P. Functional modifications in rod bipolar cells in a mouse model of retinitis pigmentosa 43: 879
VASSILEV, A.
Vassilev, A. Visual reaction time to grating onset: reply to Donner and Fagerholm (letter) 43: 2941
Vassilev, A., Mihaylova, M.S., Racheva, K., Zlatkova, M. and Anderson, R.S. Spatial summation of S-cone ON and OFF signals: effects of retinal eccentricity 43: 2875
VERAART, C.
Delbeke, J., Oozeer, M. and Veraart, C. Position, size and luminosity of phosphenes generated by direct optic nerve stimulation 43: 1091
VERDON, W.A.
Verdon, W.A., Schneck, M.E. and Haegerstrom-Portnoy, G. A comparison of three techniques to estimate the human dark-adapted cone electroretinogram 43: 2089

VERSTRATEN, F.A.J.
van de Grind, W.A., Verstraten, F.A.J. and van der Smagt, M.J. Influence of viewing distance on aftereffects of moving random pixel arrays 43: 2413
VICTOR, J.D.
Tsai, J.J. and Victor, J.D. Reading a population code: a multi-scale neural model for representing binocular disparity 43: 445
VIETS, E.
Visscher, K., Viets, E. and Snyder, L.H. Effects of training on memory-guided saccade performance 43: 2061
VILUPURU, A.S.
Kasthurirangan, S., Vilupuru, A.S. and Glasser, A. Amplitude dependent accommodative dynamics in humans 43: 2945
VINCENT, B.T.
Vincent, B.T. and Baddeley, R.J. Synaptic energy efficiency in retinal processing 43: 1283
VISHWANATH, D.
Vishwanath, D. and Kowler, E. Localization of shapes: eye movements and perception compared 43: 1637
VISSCHER, K.
Visscher, K., Viets, E. and Snyder, L.H. Effects of training on memory-guided saccade performance 43: 2061
VITANOVA, L.
Popova, E., Mitova, L., Vitanova, L. and Kupenova, P. Participation of the GABAergic system in the action of 2-amino-4-phosphonobutyrate on the OFF responses of frog retinal ganglion cells 43: 607
VRENSEN, G.F.J.M.
Dubbelman, M., Van der Heijde, G.L., Weeber, H.A. and Vrensen, G.F.J.M. Changes in the internal structure of the human crystalline lens with age and accommodation 43: 2363

WACHTMEISTER, L.
Burstedt, M.S.I., Sandgren, O., Golovleva, I. and Wachtmeister, L. Retinal function in Bothnia dystrophy. An electrophysiological study 43: 2559
WALLACE, J.M.
Wallace, J.M. and Mamassian, P. The efficiency of speed discrimination for coherent and transparent motion 43: 2795
WALLMAN, J.
Park, T.W., Winawer, J. and Wallman, J. Further evidence that chick eyes use the sign of blur in spectacle lens compensation 43: 1519
WANG, S.
Girman, S.V., Wang, S. and Lund, R.D. Cortical visual functions can be preserved by subretinal RPE cell grafting in RCS rats 43: 1817
WANG, Y.-Z.
Hess, R.F., Liu, C.H. and Wang, Y.-Z. Differential binocular input and local stereopsis 43: 2303
WARD, R.L.
Beardsley, S.A., Ward, R.L. and Vaina, L.M. A neural network model of spiral-planar motion tuning in MSTd 43: 577
WATAMANIUK, S.N.J.
Watamaniuk, S.N.J., Flinn, J. and Stohr, R.E. Segregation from direction differences in dynamic random-dot stimuli 43: 171
WATHES, C.M.
Jarvis, J.R., Prescott, N.B. and Wathes, C.M. A mechanistic inter-species comparison of flicker sensitivity 43: 1723
WATTAM-BELL, J.
Mason, A.J.S., Braddick, O.J. and Wattam-Bell, J. Motion coherence thresholds in infants—different tasks identify at least two distinct motion systems 43: 1149
Wattam-Bell, J. Motion processing asymmetries and stereopsis in infants 43: 1961
WEEBER, H.A.
Dubbelman, M., Van der Heijde, G.L., Weeber, H.A. and Vrensen, G.F.J.M. Changes in the internal structure of the human crystalline lens with age and accommodation 43: 2363
WEILAND, J.D.
Humayun, M.S., Weiland, J.D., Fujii, G.Y., Greenberg, R., Williamson, R., Little, J., Mech, B., Cimmarusti, V., Van Boemel, G., Dagnelie, G. and de Juan, E., Jr. Visual perception in a blind subject with a chronic microelectronic retinal prosthesis 43: 2573

WERNER, A.
Werner, A. The spatial tuning of chromatic adaptation 43: 1611
WERNER, J.S.
Pinna, B., Werner, J.S. and Spillmann, L. The watercolor effect: a new principle of grouping and figure-ground organization 43: 43
Shinomori, K. and Werner, J.S. Senescence of the temporal impulse response to a luminous pulse 43: 617
WESTHEIMER, G.
Westheimer, G. and Gee, A. Opposing views on orthogonal adaptation: a response to Clifford, Arnold, Smith and Pianta (2003) 43: 721 (discussion)
Westheimer, G. Meridional anisotropy in visual processing: implications for the neural site of the oblique effect 43: 2281
Westheimer, G. The distribution of preferred orientations in the peripheral visual field 43: 53
WILCOX, L.M.
Duke, P.A. and Wilcox, L.M. Adaptation to vertical disparity induced-depth: implications for disparity processing 43: 135
WILKENS, H.
Parry, J.W.L., Peirson, S.N., Wilkens, H. and Bowmaker, J.K. Multiple photopigments from the Mexican blind cavefish, *Astyanax fasciatus:* a microspectrophotometric study 43: 31
WILKINSON, F.
Loffler, G., Wilson, H.R. and Wilkinson, F. Local and global contributions to shape discrimination 43: 519
Wilson, H.R. and Wilkinson, F. Further evidence for global orientation processing in circular Glass patterns 43: 563 (letter)
WILLIAMS, M.J.
Williams, M.J., Stuart, G.W., Castles, A. and McAnally, K.I. Contrast sensitivity in subgroups of developmental dyslexia 43: 467
WILLIAMSON, R.
Humayun, M.S., Weiland, J.D., Fujii, G.Y., Greenberg, R., Williamson, R., Little, J., Mech, B., Cimmarusti, V., Van Boemel, G., Dagnelie, G. and de Juan, E., Jr. Visual perception in a blind subject with a chronic microelectronic retinal prosthesis 43: 2573
WILSON, H.R.
Loffler, G., Wilson, H.R. and Wilkinson, F. Local and global contributions to shape discrimination 43: 519
Wilson, H.R. and Wilkinson, F. Further evidence for global orientation processing in circular Glass patterns 43: 563 (letter)
WINAWER, J.
Park, T.W., Winawer, J. and Wallman, J. Further evidence that chick eyes use the sign of blur in spectacle lens compensation 43: 1519
WINKENS, H.
Driessen, C., Winkens, H., Haeseleer, F., Palczewski, K. and Janssen, J. Novel targeting strategy for generating mouse models with defects in the retinoid cycle 43: 3075
WOLF, J.E.
Arden, G.B., Wolf, J.E. and Messiter, C. Electrical activity in visual cortex associated with combined auditory and visual stimulation in temporal sequences known to be associated with a visual illusion 43: 2469
WOLFFSOHN, J.S.
Tsujimura, S., Wolffsohn, J.S. and Gilmartin, B. Pupil responses associated with coloured afterimages are mediated by the magnocellular pathway 43: 1423
WOLZT, M.
Dorner, G.T., Garhöfer, G., Huemer, K.H., Riva, C.E., Wolzt, M. and Schmetterer, L. Hyperglycemia affects flicker-induced vasodilation in the retina of healthy subjects 43: 1495
WOODS, R.L.
Nugent, A.K., Keswani, R.N., Woods, R.L. and Peli, E. Contour integration in peripheral vision reduces gradually with eccentricity 43: 2427
WU, B.X.
Chen, Y., Moiseyev, G., Wu, B.X., Ma, J.-x. and Crouch, R.K. Visual cycle retinoid processing proteins are present in HEK293S cells 43: 3037
WU, S.M.
Baehr, W., Chader, G., Wu, S.M. and Zrenner, E. 6th Annual Vision Research Conference Report (editorial) 43: 857

Baehr, W., Wu, S.M., Bird, A.C. and Palczewski, K. The retinoid cycle and retina disease (editorial) 43: 2957
Qiao, X., Pennesi, M., Seong, E., Gao, H., Burmeister, M. and Wu, S.M. Photoreceptor degeneration and *rdl* mutation in the *grizzled/mocha* mouse strain 43: 859

XU, P.
Matthews, N., Meng, X., Xu, P. and Qian, N. A physiological theory of depth perception from vertical disparity 43: 85

YAMADA, M.
Ogura, T., Satoh, T.-O., Usui, S. and Yamada M. A simulation analysis on mechanisms of damped oscillation in retinal rod photoreceptor cells 43: 2019
YAMADE, S.
Oda, S., Ueyama, H., Nishida, Y., Tanabe, S. and Yamade, S. Analysis of L-cone/M-cone visual pigment gene arrays in females by long-range PCR 43: 489
YAMAJI, K.
Yamaji, K., Yoshitomi, T., Usui, S. and Ohnishi, Y. Mechanical properties of the rabbit iris smooth muscles 43: 479
YANG, D.-S.
Yang, D.-S. and Miles, F.A. Short-latency ocular following in humans is dependent on absolute (rather than relative) binocular disparity 43: 1387
Yang, D.-S., FitzGibbon, E.J. and Miles, F.A. Short-latency disparity-vergence eye movements in humans: sensitivity to simulated orthogonal tropias 43: 431
YAZICI, A.T.
Dane, Ş., Gümüştekin, K., Yazici, A.T. and Baykal, O. Correlation between hand preference and intraocular pressure from right- and left-eyes in right- and left-handers 43: 405
YOSHITOMI, T.
Yamaji, K., Yoshitomi, T., Usui, S. and Ohnishi, Y. Mechanical properties of the rabbit iris smooth muscles 43: 479
YOSHIZAWA, T.
Mullen, K.T., Yoshizawa, T. and Baker, C.L., Jr. Luminance mechanisms mediate the motion of red–green isoluminant gratings: the role of "temporal chromatic aberration," 43: 1235
Yoshizawa, T., Mullen, K.T. and Baker, C.L., Jr. Failure of signed chromatic apparent motion with luminance masking 43: 751
YOUNG, M.J.
Klassen, H., Imfeld, K.L., Ray, J., Young, M.J., Gage, F.H. and Berman, M.A. The immunological properties of adult hippocampal progenitor cells 43: 947
Mizumoto, H., Mizumoto, K., Shatos, M.A., Klassen H. and Young, M.J. Retinal transplantation of neural progenitor cells derived from the brain of GFP transgenic mice 43: 1699

ZAGORSKI, Z.
Rejdak, R., Zarnowski, T., Turski, W.A., Kocki, T., Zagorski, Z., Zrenner, E. and Schuettauf, F. Alterations of kynurenic acid content in the retina in response to retinal ganglion cell damage 43: 497
Rejdak, R., Zielinska, E., Shenk, Y., Turski, W.A., Okuno, E., Zarnowski, T., Zagorski, Z., Zrenner, E. and Kohler, K. Ontogenic changes of kynurenine aminotransferase I activity and its expression in the chicken retina 43: 1513
ZAIDI, Q.
Li, A. and Zaidi, Q. Observer strategies in perception of 3-D shape from isotropic textures: developable surfaces 43: 2741
Shapiro, A.G., Beere, J.L. and Zaidi, Q. Time-course of *S*-cone system adaptation to simple and complex fields 43: 1135
ZALISH, M.
Zalish, M. and Lavie, V. Dexanabinol (HU-211) has a beneficial effect on axonal sprouting and survival after rat optic nerve crush injury 43: 237
ZARNOWSKI, T.
Rejdak, R., Zarnowski, T., Turski, W.A., Kocki, T., Zagorski, Z., Zrenner, E. and Schuettauf, F. Alterations of kynurenic acid content in the retina in response to retinal ganglion cell damage 43: 497
Rejdak, R., Zielinska, E., Shenk, Y., Turski, W.A., Okuno, E., Zarnowski, T., Zagorski, Z., Zrenner, E. and Kohler, K. Ontogenic changes of kynurenine aminotransferase I activity and its expression in the chicken retina 43: 1513

ZAUNER, N.
Schwarzer, G. and Zauner, N. Face processing in 8-month-old infants: evidence for configural and analytical processing 43: 2783
ZENG, Y.
Anand, V., Barral, D.C., Zeng, Y., Brunsmann, F., Maguire, A.M., Seabra, M.C. and Bennett, J. Gene therapy for choroideremia: in vitro rescue mediated by recombinant adenovirus 43: 919
ZHANG, X.
Zhang, X. Simultaneously recording local luminance responses, spatial and temporal interactions in the visual system with *m*-sequences 43: 1689
ZHAO, X.
Chacko, D.M., Das, A.V., Zhao, X., James, J., Bhattacharya, S. and Ahmad, I. Transplantation of ocular stem cells: the role of injury in incorporation and differentiation of grafted cells in the retina 43: 937
ZHOU, J.
Sparrow, J.R., Fishkin, N., Zhou, J., Cai, B., Jang, Y.P., Krane, S., Itagaki, Y. and Nakanishi, K. A2E, a byproduct of the visual cycle 43: 2983
ZIELINSKA, E.
Rejdak, R., Zielinska, E., Shenk, Y., Turski, W.A., Okuno, E., Zarnowski, T., Zagorski, Z., Zrenner, E. and Kohler, K. Ontogenic changes of kynurenine aminotransferase I activity and its expression in the chicken retina 43: 1513
ZIPSER, D.
Mitchell, J.F. and Zipser, D. Sequential memory-guided saccades and target selection: a neural model of the frontal eye fields 43: 2669
ZLATKOVA, M.B.
Anderson, R.S., Coulter, E., Zlatkova, M.B. and Demirel, S. Short-wavelength acuity: optical factors affecting detection and resolution of blue-yellow sinusoidal gratings in foveal and peripheral vision 43: 101
Vassilev, A., Mihaylova, M.S., Racheva, K., Zlatkova, M. and Anderson, R.S. Spatial summation of S-cone ON and OFF signals: effects of retinal eccentricity 43: 2875
Zlatkova, M.B., Coulter, E. and Anderson, R.S. Short-wavelength acuity: blue-yellow and achromatic resolution loss with age 43: 109
ZRENNER, E.
Baehr, W., Chader, G., Wu, S.M. and Zrenner, E. 6th Annual Vision Research Conference Report (editorial) 43: 857
Besch, D., Jägle, H., Scholl, H.P.N., Seeliger, M.W. and Zrenner, E. Inherited multifocal RPE-diseases: mechanisms for local dysfunction in global retinoid cycle gene defects 43: 3095
Rejdak, R., Zarnowski, T., Turski, W.A., Kocki, T., Zagorski, Z., Zrenner, E. and Schuettauf, F. Alterations of kynurenic acid content in the retina in response to retinal ganglion cell damage 43: 497
Rejdak, R., Zielinska, E., Shenk, Y., Turski, W.A., Okuno, E., Zarnowski, T., Zagorski, Z., Zrenner, E. and Kohler, K. Ontogenic changes of kynurenine aminotransferase I activity and its expression in the chicken retina 43: 1513
ZUR, D.
Zur, D. and Ullman, S. Filling-in of retinal scotomas 43: 971

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Vision Research
www.elsevier.com/locate/visres

SUBJECT INDEX

ABERRATION
Amblyopia in astigmatic preschool children 43: 1081
Astigmatism in infant monkeys reared with cylindrical lenses 43: 2721
Comparison of the time courses of concomitant and nonconcomitant vertical phoria adaptation 43: 567
Disorders of vertical optokinetic nystagmus in patients with ocular misalignment 43: 347
Effects of stimulus size and luminance on oscillopsia in congenital nystagmus 43: 2697
Effects of tenotomy surgery on congenital nystagmus waveforms in adult patients. Part I. Wavelet spectral analysis 43: 2345
Effects of tenotomy surgery on congenital nystagmus waveforms in adult patients. Part II. Dynamical systems analysis 43: 2357
Meridional anisotropy in visual processing: implications for the neural site of the oblique effect 43: 2281
Short-latency disparity-vergence eye movements in humans: sensitivity to simulated orthogonal tropias 43: 431
Visual field anisotropy revealed by perceptual filling-in 43: 2029
Visual motion detection in patients with absent vestibular function 43: 1589

ABSOLUTE THRESHOLD. *see* DETECTION THRESHOLD

ACCOMMODATION
Amplitude dependent accommodative dynamics in humans 43: 2945
An evaluation of the lag of accommodation using photorefraction 43: 419
Changes in the internal structure of the human crystalline lens with age and accommodation 43: 2363

ACUITY (*see also* HYPERACUITY; STEREOPSIS)
Hermite acuity gratings and models of space-variant acuity 43: 1597
The influence of the Stiles–Crawford peak location on visual performance 43: 659
The shape and size of crowding for moving targets 43: 2895
Short-wavelength acuity: blue–yellow and achromatic resolution loss with age 43: 109
Short-wavelength acuity: optical factors affecting detection and resolution of blue–yellow sinusoidal gratings in foveal and peripheral vision 43: 101
The visual acuity and refractive state of the American kestrel (*Falco sparverius*) 43: 2053

ADAPTATION
Adaptation of response transients in fly motion vision. I: Experiments 43: 1291
Adaptation of response transients in fly motion vision. II: Model studies 43: 1309
Adaptation to vertical disparity induced-depth: implications for disparity processing 43: 135
Attentional selection of overlapped shapes: a study using brief shape aftereffects 43: 549
Colour and luminance selectivity of spatial and temporal interactions in orientation perception 43: 2885
Contour integration in peripheral vision reduces gradually with eccentricity 43: 2427
Opposing views on orthogonal adaptation: a reply to Westheimer and Gee (2002) 43: 717 (discussion)
Opposing views on orthogonal adaptation: a response to Clifford, Arnold, Smith and Pianta (2003) 43: 721 (discussion)
Unconscious adaptation: a new illusion of depth induced by stimulus features without depth 43: 2773
Variance normalisation: a key mechanism for temporal adaptation in natural vision? 43: 1895

ADAPTATION, CHROMATIC
The spatial tuning of chromatic adaptation 43: 1611
Time-course of S-cone system adaptation to simple and complex fields 43: 1135

doi:10.1016/j.visres.2004.02.004

ADAPTATION, DARK

Availability of 11-cis retinal and opsins without chromophore as revealed by small bleaches of rhodopsin in excised albino mouse eyes 43: 3069
Bleaching desensitization: background and current challenges 43: 3011
A comparison of three techniques to estimate the human dark-adapted cone electroretinogram 43: 2089
Effects of light and dark adaptation of rods on specific-hue threshold 43: 2905

ADAPTATION, LIGHT

Effects of light and dark adaptation of rods on specific-hue threshold 43: 2905

ADAPTATION, OCULOMOTOR

Comparison of the time courses of concomitant and nonconcomitant vertical phoria adaptation 43: 567

ADAPTATION, POST-RECEPTORAL

Gaze modulation of visual aftereffects 43: 639
Time-course of S-cone system adaptation to simple and complex fields 43: 1135

AFTEREFFECTS (*see also* ILLUSION)

Adaptation to vertical disparity induced-depth: implications for disparity processing 43: 135
Attentional selection of overlapped shapes: a study using brief shape aftereffects 43: 549
Colour and luminance selectivity of spatial and temporal interactions in orientation perception 43: 2885
A gain-control model relating nulling results to the duration of dynamic motion aftereffects 43: 117
Gaze modulation of visual aftereffects 43: 639
Influence of viewing distance on aftereffects of moving random pixel arrays 43: 2413
Paired and unpaired features can be equally effective in human depth perception 43: 1
Pupil responses associated with coloured afterimages are mediated by the magnocellular pathway 43: 1423
Unconscious adaptation: a new illusion of depth induced by stimulus features without depth 43: 2773

AFTERIMAGES. *see* AFTEREFFECTS

AGING

A2E, a byproduct of the visual cycle 43: 2983
Changes in the internal structure of the human crystalline lens with age and accommodation 43: 2363
Effect of sleep deprivation and driving duration on the useful visual field in younger and older subjects during simulator driving 43: 1465
Macular pigment density and distribution: comparison of fundus autofluorescence with minimum motion photometry 43: 1765
Orientation of Listing's plane during static tilt in young and older human subjects 43: 67
Senescence of the temporal impulse response to a luminous pulse 43: 617
Short-wavelength acuity: blue–yellow and achromatic resolution loss with age 43: 109

ALIGNMENT. *see* HYPERACUITY

AMBLYOPIA

Amblyopia in astigmatic preschool children 43: 1081
Border distinctness in amblyopia 43: 2255
Deficits to global motion processing in human amblyopia 43: 729
Disorders of vertical optokinetic nystagmus in patients with ocular misalignment 43: 347

ANTIBODIES. *see* IMMUNOCHEMISTRY

APPARENT MOTION. *see* MOTION PERCEPTION, APPARENT MOTION

ATTENTION

An integrated network for invariant visual detection and recognition 43: 2073
Attention and scintillation 43: 2191
Attention enhances feature integration 43: 1793
Attentional modulation of threshold sensitivity to first-order motion and second-order motion patterns 43: 2927
Attentional selection of overlapped shapes: a study using brief shape aftereffects 43: 549
Attentional selection of superimposed surfaces cannot be explained by modulation of the gain of color channels 43: 1323
Direct parameter specification of an attention shift: evidence from perceptual latency priming 43: 1351
Distractor heterogeneity, attention, and color in visual search 43: 1541
Divided attention and visual search for simple versus complex features 43: 2213
Effects of pictorially-defined surfaces on visual search 43: 1869
Exogenously cued attention triggers competitive selection of surfaces 43: 59
Expectancy effects on spatial frequency processing 43: 2759
Four-dot masking produces the attentional blink 43: 1907
Global feature-based attention for motion and color 43: 629
Large capacity storage of integrated objects before change blindness 43: 149
Microsaccades uncover the orientation of covert attention 43: 1035
The overlay interference task and object-selective visual attention 43: 1443
The selective tuning model of attention: psychophysical evidence for a suppressive annulus around an attended item 43: 205
Spatial localization precedes temporal determination in visual perception 43: 1667
Spatiotemporal characteristics of dynamic feature binding in visual working memory 43: 2107
Visual comparisons within and between object parts: evidence for a single-part superiority effect 43: 1655

ATTENTIONAL BLINK

Exogenously cued attention triggers competitive selection of surfaces 43: 59
Four-dot masking produces the attentional blink 43: 1907

AVIAN VISION

Clinical features of the retinopathy, globe enlarged (*rge*) chick phenotype 43: 2009
Further evidence that chick eyes use the sign of blur in spectacle lens compensation 43: 1519
Ontogenic changes of kynurenine aminotransferase I activity and its expression in the chicken retina 43: 1513
The visual acuity and refractive state of the American kestrel (*Falco sparverius*) 43: 2053

BAYESIAN METHOD/TECHNIQUE

Utility of a dynamic termination criterion in the ZEST adaptive threshold method 43: 165

BINDING

Attention enhances feature integration 43: 1793
Comparison between oleic acid and docosahexaenoic acid binding to interphotoreceptor retinoid-binding protein 43: 3063
Fusion of competing features is not serial 43: 1951
Interphotoreceptor retinoid-binding protein–an old gene for new eyes 43: 3021
Origin of the vertebrate visual cycle: II. Visual cycle proteins are localized in whole brain including photoreceptor cells of a primitive chordate 43: 3045
A paradox of temporal perception revealed by a stimulus oscillating in colour and orientation 43: 2245
Secondary binding sites of retinoids in opsin: characterization and role in regeneration 43: 3003
Spatiotemporal characteristics of dynamic feature binding in visual working memory 43: 2107
Visual cycle retinoid processing proteins are present in HEK293S cells 43: 3037

BINOCULAR RIVALRY (*see also* VISUAL FIELD, SUPPRESSION)

Increasing depth of binocular rivalry suppression along two visual pathways 43: 2003
Intra- and interocular colour-specific activation during dichoptic suppression 43: 1111

Subjective contours and binocular rivalry suppression 43: 1533
Temporal characteristics of binocular rivalry: visual field asymmetries 43: 2207

BINOCULAR SUMMATION. *see* SUMMATION, BINOCULAR

BINOCULAR VISION
Coordinating one hand with two eyes: optimizing for field of view in a pointing task 43: 409
Detecting disparity in two-dimensional patterns 43: 1009
Differential binocular input and local stereopsis 43: 2303
Early binocular vision in human infants: limitations on the generality of the Superposition Hypothesis 43: 1563
Geometric and induced effects in binocular stereopsis and motion parallax 43: 1879
The influence of cyclovergence on unconstrained stereoscopic matching 43: 307
Integration of binocular disparity and monocular cues at near threshold level 43: 2439
Monocular gap stereopsis: manipulation of the outer edge disparity and the shape of the gap 43: 1937
Monocular transparency generates quantitative depth 43: 2615
Paired and unpaired features can be equally effective in human depth perception 43: 1
A physiological theory of depth perception from vertical disparity 43: 85
Poor visibility of motion in depth is due to early motion averaging 43: 385
Reading a population code: a multi-scale neural model for representing binocular disparity 43: 445
Short-latency ocular following in humans is dependent on absolute (rather than relative) binocular disparity 43: 1387
Spatial and temporal tuning of motion in depth 43: 2861
Temporal integration for stereoscopic vision 43: 505
Unconscious adaptation: a new illusion of depth induced by stimulus features without depth 43: 2773
Visual field defects in albino ferrets (*Mustela putorius furo*) 43: 793

BIPOLAR CELLS
Functional modifications in rod bipolar cells in a mouse model of retinitis pigmentosa 43: 879
Remodeling of second-order neurons in the retina of rd/rd mutant mice 43: 867

BLEACHING (*see also* ADAPTATION, DARK)
Availability of 11-cis retinal and opsins without chromophore as revealed by small bleaches of rhodopsin in excised albino mouse eyes 43: 3069
Bleaching desensitization: background and current challenges 43: 3011

BLINKING
Four-dot masking produces the attentional blink 43: 1907

BRIGHTNESS PERCEPTION
Visual perception in a blind subject with a chronic microelectronic retinal prosthesis 43: 2573

BROCA-SULZER EFFECT. *see* BRIGHTNESS PERCEPTION

CELLS. *see* BIPOLAR CELLS; CORTEX; GANGLION CELLS; NEUROCHEMISTRY; TRANSPLANTATION

CHANGE BLINDNESS
Large capacity storage of integrated objects before change blindness 43: 149

CHANNELS
Attentional selection of superimposed surfaces cannot be explained by modulation of the gain of color channels 43: 1323
Contrast conservation in human vision 43: 2637
A decay of gap junctions associated with ganglion cell differentiation during retinal regeneration of the adult newt 43: 2847
Expectancy effects on spatial frequency processing 43: 2759
Secondary binding sites of retinoids in opsin: characterization and role in regeneration 43: 3003

CHOROID

Changes in choroidal blood flow during light/dark transitions are not altered by atropine or propranolol in healthy subjects 43: 2185

Gene therapy for choroideremia: in vitro rescue mediated by recombinant adenovirus 43: 919

CHROMATIC ABERRATION. *see* ABERRATION

CHROMATIC ADAPTATION. *see* ADAPTATION, CHROMATIC

CHROMATIC CONTRAST. *see* COLOR CONTRAST

CHROMATIC INDUCTION. *see* COLOR CONTRAST

CLINICAL APPLICATIONS

Macular pigment density and distribution: comparison of fundus autofluorescence with minimum motion photometry 43: 1765

Patients with AMD and a large absolute central scotoma can be trained successfully to use eccentric viewing, as demonstrated in a scanning laser ophthalmoscope 43: 1777

The photopic ERG luminance-response function (photopic hill): method of analysis and clinical application 43: 1405

COGNITION

Visual processing of rapidly presented stimuli is normalized in Parkinson's disease when proximal stimulus strength is enhanced 43: 2827

COHERENCE

The dynamics of bi-stable alternation in ambiguous motion displays: a fresh look at plaids 43: 531

COLOR APPEARANCE

Color and motion: which is the tortoise and which is the hare? 43: 2403

Cone pigment variations in four genera of new world monkeys 43: 227

Distractor heterogeneity, attention, and color in visual search 43: 1541

Failure of signed chromatic apparent motion with luminance masking 43: 751

Global feature-based attention for motion and color 43: 629

Intra- and interocular colour-specific activation during dichoptic suppression 43: 1111

Letter to the editor 43: 1719 (letter)

A paradox of temporal perception revealed by a stimulus oscillating in colour and orientation 43: 2245

Reply to Barris 43: 1721

Short-wavelength acuity: optical factors affecting detection and resolution of blue–yellow sinusoidal gratings in foveal and peripheral vision 43: 101

The spatial tuning of chromatic adaptation 43: 1611

COLOR BLINDNESS. *see* DICHROMACY

COLOR CODING

Effects of light and dark adaptation of rods on specific-hue threshold 43: 2905

COLOR CONTRAST

Chromatic induction and the layout of colours within a complex scene 43: 1413

Chromatic induction in neon colour spreading 43: 697

Independence of mechanisms tuned along cardinal and non-cardinal axes of color space: evidence from factor analysis 43: 683

Luminance mechanisms mediate the motion of red–green isoluminant gratings: the role of "temporal chromatic aberration" 43: 1235

COLOR DISCRIMINATION
Colour thresholds in dichromats and normals 43: 983

COLOR OPPONENCY
Chromatic induction and the layout of colours within a complex scene 43: 1413
The influence of color on the perception of luminance motion 43: 1159

COLOR SELECTIVITY
Attentional selection of superimposed surfaces cannot be explained by modulation of the gain of color channels 43: 1323
Colour and luminance selectivity of spatial and temporal interactions in orientation perception 43: 2885

CONES
Alterations of L- and M-cone driven ERGs in cone and cone-rod dystrophies 43: 2333
Analysis of L-cone/M-cone visual pigment gene arrays in females by long-range PCR 43: 489
A comparison of three techniques to estimate the human dark-adapted cone electroretinogram 43: 2089
Cone pigment variations in four genera of new world monkeys 43: 227
Cortical OFF-potentials from the S-cone pathway reveal neural damage in early glaucoma 43: 221
Effects of light and dark adaptation of rods on specific-hue threshold 43: 2905
Independence of mechanisms tuned along cardinal and non-cardinal axes of color space: evidence from factor analysis 43: 683
The influence of color on the perception of luminance motion 43: 1159
Multiple photopigments from the Mexican blind cavefish, *Astyanax fasciatus*: a microspectrophotometric study 43: 31
Short-wavelength acuity: blue-yellow and achromatic resolution loss with age 43: 109
Spatial summation of S-cone ON and OFF signals: effects of retinal eccentricity 43: 2875
Time-course of S-cone system adaptation to simple and complex fields 43: 1135
Wavelength dependence of the optomotor response in zebrafish (*Danio rerio*) 43: 1273

CONTOUR PERCEPTION
Border distinctness in amblyopia 43: 2255
Contour integration in peripheral vision reduces gradually with eccentricity 43: 2427
The detection of direction-defined and speed-defined spatial contours: one mechanism or two? 43: 597
The distribution of preferred orientations in the peripheral visual field 43: 53
Grouping local directional signals into moving contours 43: 2141
Mixture models and the probabilistic structure of depth cues 43: 831
Motion detection and the coincidence of structure at high and low spatial frequencies 43: 371
Motion sharpening and contrast: Gain control precedes compressive non-linearity? 43: 1187
Orientational minimal redundancy wavelets: from edge detection to perception 43: 1061
"Phase capture" in the perception of interpolated shape: cue combination and the influence function 43: 2233
Subjective contours and binocular rivalry suppression 43: 1533
Visual evoked potentials to line- and luminance-defined triangles 43: 299

CONTRAST DISCRIMINATION
Contrast conservation in human vision 43: 2637
Effects of contrast and length on vernier acuity explained with noisy templates 43: 707

CONTRAST PERCEPTION
Binocular recognition summation in the peripheral visual field: contrast and orientation dependence 43: 1249

CONTRAST SENSITIVITY
Border distinctness in amblyopia 43: 2255
Coding of the contrasts in natural images by populations of neurons in primary visual cortex (V1) 43: 1983
Contrast sensitivity in subgroups of developmental dyslexia 43: 467
Deficits to global motion processing in human amblyopia 43: 729

Dual nonlinearities regulate contrast sensitivity in pattern discrimination tasks 43: 1433
Hermite acuity gratings and models of space-variant acuity 43: 1597
Human temporal impulse response speeds up with increased stimulus contrast 43: 285
The influence of the Stiles–Crawford peak location on visual performance 43: 659
Oblique stimuli are seen best (not worst!) in naturalistic broad-band stimuli: a horizontal effect 43: 1329
Optokinetic potential and the perception of head-centred speed 43: 1709
Power spectra and distribution of contrasts of natural images from different habitats 43: 2527
Scaling of letter size and contrast equalises perception across eccentricities and set sizes 43: 769
Sensitivity to contrast modulation: the spatial frequency dependence of second-order vision 43: 243
Spatial frequency processing in inferred PC- and MC-pathways 43: 2133
Temporal modulation of spatial contrast vision in pigeons (*Columba livia*) 43: 761
Visual processing of rapidly presented stimuli is normalized in Parkinson's disease when proximal stimulus strength is enhanced 43: 2827
When does illusory contour formation depend on contrast polarity? 43: 1915

CORNEA
Astigmatism in infant monkeys reared with cylindrical lenses 43: 2721
In vivo pachymetry in normal eyes of rats, mice and rabbits with the optical low coherence reflectometer 43: 723
Transplantation of ocular stem cells: the role of injury in incorporation and differentiation of grafted cells in the retina 43: 937

CORTEX
Changes in the internal structure of the human crystalline lens with age and accommodation 43: 2363
Coding of the contrasts in natural images by populations of neurons in primary visual cortex (V1) 43: 1983
Cortical visual functions can be preserved by subretinal RPE cell grafting in RCS rats 43: 1817
Electrical activity in visual cortex associated with combined auditory and visual stimulation in temporal sequences known to be associated with a visual illusion 43: 2469
Exogenously cued attention triggers competitive selection of surfaces 43: 59
A laminar cortical model of stereopsis and three-dimensional surface perception 43: 801
Meridional anisotropy in visual processing: implications for the neural site of the oblique effect 43: 2281
Motion processing asymmetries and stereopsis in infants 43: 1961
A paradox of temporal perception revealed by a stimulus oscillating in colour and orientation 43: 2245
Self-organizing neural network model of motion processing in the visual cortex during smooth pursuit 43: 2155

CORTICAL MAGNIFICATION
Visual field anisotropy revealed by perceptual filling-in 43: 2029

CURVATURE
Visual comparisons within and between object parts: evidence for a single-part superiority effect 43: 1655

DARK ADAPTATION. *see* ADAPTATION, DARK

DEPTH PERCEPTION
Adaptation to vertical disparity induced-depth: implications for disparity processing 43: 135
Experience-dependent visual cue recalibration based on discrepancies between visual and haptic percepts 43: 2603
Eye movements provide the extra-retinal signal required for the perception of depth from motion parallax 43: 1553
Integration of binocular disparity and monocular cues at near threshold level 43: 2439
A laminar cortical model of stereopsis and three-dimensional surface perception 43: 801
Mixture models and the probabilistic structure of depth cues 43: 831
Monocular gap stereopsis: manipulation of the outer edge disparity and the shape of the gap 43: 1937
Monocular transparency generates quantitative depth 43: 2615
Motion distorts perceived depth 43: 1799
Paired and unpaired features can be equally effective in human depth perception 43: 1
Peak localization of sparsely sampled luminance patterns is based on interpolated 3D surface representation 43: 2649
A physiological theory of depth perception from vertical disparity 43: 85

Poor visibility of motion in depth is due to early motion averaging 43: 385
Reading a population code: a multi-scale neural model for representing binocular disparity 43: 445
Spatio-temporal dynamics of depth propagation on uniform region 43: 2493
Stereoscopic depth perception from oblique phase disparities 43: 2479
Unconscious adaptation: a new illusion of depth induced by stimulus features without depth 43: 2773
Weighted linear cue combination with possibly correlated error 43: 2451

DETECTION THRESHOLD
Colour thresholds in dichromats and normals 43: 983
Position, size and luminosity of phosphenes generated by direct optic nerve stimulation 43: 1091
Utility of a dynamic termination criterion in the ZEST adaptive threshold method 43: 165

DEUTERANOPIA. *see* DICHROMACY

DEVELOPMENT
Amblyopia in astigmatic preschool children 43: 1081
Children's pursuit eye movements: a developmental study 43: 77
Early binocular vision in human infants: limitations on the generality of the Superposition Hypothesis 43: 1563
Face processing in 8-month-old infants: evidence for configural and analytical processing 43: 2783
Motion coherence thresholds in infants—different tasks identify at least two distinct motion systems 43: 1149
Motion processing asymmetries and stereopsis in infants 43: 1961
Recovery of the rod photoresponse in infant rats 43: 3081
The roles of Hedgehogs and Fibroblast growth factors in eye development and retinal cell rescue 43: 899

DICHROMACY
Colour thresholds in dichromats and normals 43: 983

DIPLOPIA. *see* BINOCULAR VISION

DIRECTIONAL SENSITIVITY. *see* MOTION PERCEPTION, DIRECTIONAL SENSITIVITY

DISPARITY. *see* BINOCULAR VISION; STEREOPSIS

DRUG THERAPY
Changes in choroidal blood flow during light/dark transitions are not altered by atropine or propranolol in healthy subjects 43: 2185
Dexanabinol (HU-211) has a beneficial effect on axonal sprouting and survival after rat optic nerve crush injury 43: 237

DYSLEXIA
Can the magnocellular pathway read? Evidence from studies of color 43: 1211
Contrast sensitivity in subgroups of developmental dyslexia 43: 467

ECCENTRICITY. *see* PERIPHERAL VISION

EDGE DETECTION. *see* CONTOUR PERCEPTION

ELECTRORETINOGRAM
Alterations of L- and M-cone driven ERGs in cone and cone-rod dystrophies 43: 2333
Clinical features of the retinopathy, globe enlarged (*rge*) chick phenotype 43: 2009
A comparison of three techniques to estimate the human dark-adapted cone electroretinogram 43: 2089
Participation of the GABAergic system in the action of 2-amino-4-phosphonobutyrate on the OFF responses of frog retinal ganglion cells 43: 607
The photopic ERG luminance-response function (photopic hill): method of analysis and clinical application 43: 1405

Photoreceptor degeneration and *rdl* mutation in the *grizzled/mocha* mouse strain 43: 859
Remodeling of second-order neurons in the retina of rd/rd mutant mice 43: 867
Retinal function in Bothnia dystrophy. An electrophysiological study 43: 2559
Simultaneously recording local luminance responses, spatial and temporal interactions in the visual system with *m*-sequences 43: 1689
The visual acuity and refractive state of the American kestrel (*Falco sparverius*) 43: 2053

EMMETROPIZATION

Further evidence that chick eyes use the sign of blur in spectacle lens compensation 43: 1519

EVOKED POTENTIALS

Cortical OFF-potentials from the S-cone pathway reveal neural damage in early glaucoma 43: 221
Electrical activity in visual cortex associated with combined auditory and visual stimulation in temporal sequences known to be associated with a visual illusion 43: 2469
Electrophysiological correlates of purely temporal figure-ground segregation 43: 2583
Feature-specific electrophysiological correlates of texture segregation 43: 7
Longer VEP latencies and slower reaction times to the onset of second-order motion than to the onset of first-order motion 43: 651
Simultaneously recording local luminance responses, spatial and temporal interactions in the visual system with *m*-sequences 43: 1689
Visual evoked potentials to line- and luminance-defined triangles 43: 299
Visual reaction time: neural conditions for the equivalence of stimulus area and contrast (letter) 43: 2937
Visual reaction time to grating onset: reply to Donner and Fagerholm (letter) 43: 2941

EYE DOMINANCE

Coordinating one hand with two eyes: optimizing for field of view in a pointing task 43: 409
Correlation between hand preference and intraocular pressure from right- and left-eyes in right- and left-handers 43: 405
Ocular prevalence *versus* ocular dominance 43: 1397

EYE-HAND COORDINATION

Coordinating one hand with two eyes: optimizing for field of view in a pointing task 43: 409

EYE MOVEMENTS

Effects of tenotomy surgery on congenital nystagmus waveforms in adult patients. Part I. Wavelet spectral analysis 43: 2345
Effects of tenotomy surgery on congenital nystagmus waveforms in adult patients. Part II. Dynamical systems analysis 43: 2357
Eye movements provide the extra-retinal signal required for the perception of depth from motion parallax 43: 1553
Illusory jitter in a static stimulus surrounded by a synchronously flickering pattern 43: 957
Sustained deviation of gaze direction can affect "inverted vection" induced by the foreground motion 43: 745
Utilisation of spatial frequency information in face search 43: 2505

EYE MOVEMENTS, DIRECTIONAL SENSITIVITY

Oculomotor strategies for the direction of gaze tested with a real-world activity 43: 333

EYE MOVEMENTS, OPTOKINETIC

Disorders of vertical optokinetic nystagmus in patients with ocular misalignment 43: 347
Motion coherence thresholds in infants—different tasks identify at least two distinct motion systems 43: 1149
Motion processing asymmetries and stereopsis in infants 43: 1961
Optokinetic potential and the perception of head-centred speed 43: 1709
Short-latency ocular following in humans is dependent on absolute (rather than relative) binocular disparity 43: 1387

EYE MOVEMENTS, SACCADIC

Comparison of performance on memory-guided saccade and delayed spatial match-to-sample tasks in monkeys 43: 321
Different visual search strategies in stationary and moving radial patterns 43: 1201
Effects of training on memory-guided saccade performance 43: 2061
Fixation stability and saccadic latency in élite shooters 43: 1837
Head-free reading of horizontally and vertically arranged texts (2002) (erratum) 43: 1595
Inhibition of saccade return in reading 43: 1027
Localization of shapes: eye movements and perception compared 43: 1637
Low-level predictive inference in reading: the influence of transitional probabilities on eye movements 43: 1735
Microsaccades uncover the orientation of covert attention 43: 1035
Oculomotor strategies for the direction of gaze tested with a real-world activity 43: 333
The role of presaccadic compression of visual space in spatial remapping across saccadic eye movements 43: 1969
Sequential memory-guided saccades and target selection: a neural model of the frontal eye fields 43: 2669
Spatial localization precedes temporal determination in visual perception 43: 1667

EYE MOVEMENTS, SMOOTH PURSUIT

Centric-minded templates for self-motion perception 43: 1473
Children's pursuit eye movements: a developmental study 43: 77
Optokinetic potential and the perception of head-centred speed 43: 1709
Self-organizing neural network model of motion processing in the visual cortex during smooth pursuit 43: 2155

EYE MOVEMENTS, VERGENCE

Comparison of the time courses of concomitant and nonconcomitant vertical phoria adaptation 43: 567
Short-latency disparity-vergence eye movements in humans: sensitivity to simulated orthogonal tropias 43: 431
Stereopsis is perturbed by vergence error 43: 181
Stereothresholds with simulated vergence variability and constant error 43: 195

EYE MOVEMENTS, VESTIBULO-OCULAR

Orientation of Listing's plane during static tilt in young and older human subjects 43: 67
Visual motion detection in patients with absent vestibular function 43: 1589

FACE RECOGNITION

An integrated network for invariant visual detection and recognition 43: 2073
Configural information is processed differently in perception and recognition of faces 43: 1501
Face processing in 8-month-old infants: evidence for configural and analytical processing 43: 2783
Face recognition with perspective transformation 43: 2393
Human visual object categorization can be described by models with low memory capacity 43: 2265
Matching expression variant faces 43: 1047
Scaling of letter size and contrast equalises perception across eccentricities and set sizes 43: 769
The use of facial motion and facial form during the processing of identity 43: 1921
Utilisation of spatial frequency information in face search 43: 2505

FEATURE DETECTION (*see also* SEGMENTATION)

Face recognition with perspective transformation 43: 2393
Fusion of competing features is not serial 43: 1951
Global feature-based attention for motion and color 43: 629
Human visual object categorization can be described by models with low memory capacity 43: 2265
Motion detection and the coincidence of structure at high and low spatial frequencies 43: 371
Spatiotemporal characteristics of dynamic feature binding in visual working memory 43: 2107

FIGURE-GROUND SEGREGATION

Electrophysiological correlates of purely temporal figure-ground segregation 43: 2583
Feature-specific electrophysiological correlates of texture segregation 43: 7
Visual evoked potentials to line- and luminance-defined triangles 43: 299
The watercolor effect: a new principle of grouping and figure-ground organization 43: 43

FILLING-IN. *see* VISUAL FIELD, FILLING-IN

FISH VISION

Biplexiform ganglion cells in the retina of the perciform fish *Pholidapus dybowskii* revealed by HRP labeling from the optic nerve and optic tectum 43: 1117
GABA receptors on horizontal cells in the goldfish retina 43: 2101
Multiple photopigments from the Mexican blind cavefish, *Astyanax fasciatus*: a microspectrophotometric study 43: 31
The roles of Hedgehogs and Fibroblast growth factors in eye development and retinal cell rescue 43: 899
Spatio-temporal frequency characteristics of the optomotor response in zebrafish 43: 21
Stem cells in the teleost retina: persistent neurogenesis and injury-induced regeneration 43: 927
Wavelength dependence of the optomotor response in zebrafish (*Danio rerio*) 43: 1273

FIXATION

Fixation stability and saccadic latency in élite shooters 43: 1837
Illusory jitter in a static stimulus surrounded by a synchronously flickering pattern 43: 957
Low-level predictive inference in reading: the influence of transitional probabilities on eye movements 43: 1735
Ocular prevalence versus ocular dominance 43: 1397
Stereopsis is perturbed by vergence error 43: 181

FLICKER

Hyperglycemia affects flicker-induced vasodilation in the retina of healthy subjects 43: 1495
Illusory jitter in a static stimulus surrounded by a synchronously flickering pattern 43: 957
A mechanistic inter-species comparison of flicker sensitivity 43: 1723

FORM PERCEPTION

An integrated network for invariant visual detection and recognition 43: 2073
Attentional selection of overlapped shapes: a study using brief shape aftereffects 43: 549
Effects of pictorially-defined surfaces on visual search 43: 1869
Local and global contributions to shape discrimination 43: 519
Localization of shapes: eye movements and perception compared 43: 1637
Meridional anisotropy in visual processing: implications for the neural site of the oblique effect 43: 2281
Observer strategies in perception of 3-D shape from isotropic textures: developable surfaces 43: 2741
"Phase capture" in the perception of interpolated shape: cue combination and the influence function 43: 2233
The spatial tuning of chromatic adaptation 43: 1611
Visual comparisons within and between object parts: evidence for a single-part superiority effect 43: 1655
Visual perception in a blind subject with a chronic microelectronic retinal prosthesis 43: 2573
When does illusory contour formation depend on contrast polarity? 43: 1915

FOVEA

The distribution of preferred orientations in the peripheral visual field 43: 53
Orientation discrimination in foveal and extra-foveal vision: effects of stimulus bandwidth and contrast 43: 1375
Short-wavelength acuity: optical factors affecting detection and resolution of blue-yellow sinusoidal gratings in foveal and peripheral vision 43: 101

GAIN CONTROL

Chromatic induction and the layout of colours within a complex scene 43: 1413
Dual nonlinearities regulate contrast sensitivity in pattern discrimination tasks 43: 1433
A gain-control model relating nulling results to the duration of dynamic motion aftereffects 43: 117
Independence of mechanisms tuned along cardinal and non-cardinal axes of color space: evidence from factor analysis 43: 683
Motion sharpening and contrast: Gain control precedes compressive non-linearity? 43: 1187
Temporal asymmetry in motion masking: a shortening of the temporal impulse response function 43: 261

GANGLION CELLS

Alterations of kynurenic acid content in the retina in response to retinal ganglion cell damage 43: 497
Biplexiform ganglion cells in the retina of the perciform fish *Pholidapus dybowskii* revealed by HRP labeling from the optic nerve and optic tectum 43: 1117
A decay of gap junctions associated with ganglion cell differentiation during retinal regeneration of the adult newt 43: 2847
Participation of the GABAergic system in the action of 2-aminio-4-phosphonobutyrate on the OFF responses of frog retinal ganglion cells 43: 607
Synaptic energy efficiency in retinal processing 43: 1283

GAP JUNCTION

A decay of gap junctions associated with ganglion cell differentiation during retinal regeneration of the adult newt 43: 2847

GAZE

Gaze modulation of visual aftereffects 43: 639
Oculomotor strategies for the direction of gaze tested with a real-world activity 43: 333
Sustained deviation of gaze direction can affect "inverted vection" induced by the foreground motion 43: 745

GENE THERAPY

Gene therapy for choroideremia: in vitro rescue mediated by recombinant adenovirus 43: 919

GENES

A2E, a byproduct of the visual cycle 43: 2983
Analysis of L-cone/M-cone visual pigment gene arrays in females by long-range PCR 43: 489
Analysis of three genes in Leber congenital amaurosis in Indonesian patients 43: 3087
Assessing structural elements that influence Schiff base stability: mutants E113Q and D190N destabilize rhodopsin through different mechanisms 43: 2991
Clinical features of the retinopathy, globe enlarged (*rge*) chick phenotype 43: 2009
Effects of stimulus size and luminance on oscillopsia in congenital nystagmus 43: 2697
Effects of tenotomy surgery on congenital nystagmus waveforms in adult patients. Part I. Wavelet spectral analysis 43: 2345
Effects of tenotomy surgery on congenital nystagmus waveforms in adult patients. Part II. Dynamical systems analysis 43: 2357
Inherited multifocal RPE-diseases: mechanisms for local dysfunction in global retinoid cycle gene defects 43: 3095
Interphotoreceptor retinoid-binding protein–an old gene for new eyes 43: 3021
Multiple photopigments from the Mexican blind cavefish, *Astyanax fasciatus*: a microspectrophotometric study 43: 31
Novel targeting strategy for generating mouse models with defects in the retinoid cycle 43: 3075
Origin of the vertebrate visual cycle: II. Visual cycle proteins are localized in whole brain including photoreceptor cells of a primitive chordate 43: 3045
Photoreceptor degeneration and *rdl* mutation in the *grizzled/mocha* mouse strain 43: 859
Pseudotyped AAV vectors for constitutive and regulated gene expression in the eye 43: 913
Retinal transplantation of neural progenitor cells derived from the brain of GFP transgenic mice 43: 1699
Retinoid cycle in the vertebrate retina: experimental approaches and mechanisms of isomerization 43: 2959
Visual cycle retinoid processing proteins are present in HEK293S cells 43: 3037
Visual field defects in albino ferrets (*Mustela putorius furo*) 43: 793

GESTALT

The watercolor effect: a new principle of grouping and figure-ground organization 43: 43

GROUPING

Collinear contextual suppression 43: 2915
Differential ambiguity reduces grouping of metastable objects 43: 359

Grouping local directional signals into moving contours 43: 2141
The role of local grouping and global orientation contrast in perception of orientation-modulated textures 43: 2315
The watercolor effect: a new principle of grouping and figure-ground organization 43: 43

HANDEDNESS
Correlation between hand preference and intraocular pressure from right- and left-eyes in right- and left-handers 43: 405

HEAD MOVEMENTS
Head-free reading of horizontally and vertically arranged texts (2002) (erratum) 43: 1595
Visual motion detection in patients with absent vestibular function 43: 1589

HEADING PERCEPTION
Centric-minded templates for self-motion perception 43: 1473
A model using MT-like motion-opponent operators explains an illusory transformation in the optic flow field 43: 2811

HISTOCHEMISTRY. *see* NEUROCHEMISTRY

HORIZONTAL CELLS
GABA receptors on horizontal cells in the goldfish retina 43: 2101
Remodeling of second-order neurons in the retina of rd/rd mutant mice 43: 867

HYPERACUITY
Effects of contrast and length on vernier acuity explained with noisy templates 43: 707
Extending the shine-through effect to classical masking paradigms 43: 2659
Neural fine tuning during Vernier acuity training? 43: 1177
Orientation discrimination in foveal and extra-foveal vision: effects of stimulus bandwidth and contrast 43: 1375
Velocity dependence of Vernier and letter acuity for band-pass filtered moving stimuli 43: 669

ILLUSION (*see also* AFTEREFFECTS)
An illusion of coherent global motion arising from single brief presentations of a stationary stimulus 43: 2387
Attention and scintillation 43: 2191
Chromatic induction in neon colour spreading 43: 697
Colour and luminance selectivity of spatial and temporal interactions in orientation perception 43: 2885
Configural information is processed differently in perception and recognition of faces 43: 1501
Electrical activity in visual cortex associated with combined auditory and visual stimulation in temporal sequences known to be associated with a visual illusion 43: 2469
Illusory jitter in a static stimulus surrounded by a synchronously flickering pattern 43: 957
Latency differences and the flash-lag effect 43: 1829
The watercolor effect: a new principle of grouping and figure-ground organization 43: 43
When does illusory contour formation depend on contrast polarity? 43: 1915

ILLUSORY CONTOURS. *see* ILLUSION

IMMUNOCHEMISTRY
The immunological properties of adult hippocampal progenitor cells 43: 947
Origin of the vertebrate visual cycle: II. Visual cycle proteins are localized in whole brain including photoreceptor cells of a primitive chordate 43: 3045

INCREMENT THRESHOLD
Spatial summation of S-cone ON and OFF signals: effects of retinal eccentricity 43: 2875

INJURY
Alterations of kynurenic acid content in the retina in response to retinal ganglion cell damage 43: 497
Dexanabinol (HU-211) has a beneficial effect on axonal sprouting and survival after rat optic nerve crush injury 43: 237
Stem cells in the teleost retina: persistent neurogenesis and injury-induced regeneration 43: 927
Transplantation of ocular stem cells: the role of injury in incorporation and differentiation of grafted cells in the retina 43: 937

INSECT VISION
Adaptation of response transients in fly motion vision. I: Experiments 43: 1291
Adaptation of response transients in fly motion vision. II: Model studies 43: 1309
Discrimination of single bars by the honeybee (*Apis mellifera*) 43: 1257

INTEROCULAR TRANSFER. *see* AFTEREFFECTS

INTRAOCULAR PRESSURE
Correlation between hand preference and intraocular pressure from right- and left-eyes in right- and left-handers 43: 405

IRIS
Mechanical properties of the rabbit iris smooth muscles 43: 479

LATENCY. *see* REACTION TIME

LATERAL INHIBITION
The selective tuning model of attention: psychophysical evidence for a suppressive annulus around an attended item 43: 205

LATERAL INTERACTIONS
Correlation between hand preference and intraocular pressure from right- and left-eyes in right- and left-handers 43: 405
Timing of contextual modulation in the shine-through effect 43: 2039

LENS
Astigmatism in infant monkeys reared with cylindrical lenses 43: 2721
Changes in the internal structure of the human crystalline lens with age and accommodation 43: 2363
Further evidence that chick eyes use the sign of blur in spectacle lens compensation 43: 1519

LETTER RECOGNITION
Scaling of letter size and contrast equalises perception across eccentricities and set sizes 43: 769
Spatial-frequency spectra of printed characters and human visual perception 43: 1507
Velocity dependence of Vernier and letter acuity for band-pass filtered moving stimuli 43: 669
Visual processing of rapidly presented stimuli is normalized in Parkinson's disease when proximal stimulus strength is enhanced 43: 2827

LIGHT ADAPTATION. *see* ADAPTATION, LIGHT

LISTING'S LAW
Orientation of Listing's plane during static tilt in young and older human subjects 43: 67

LOW VISION
Is word recognition different in central and peripheral vision? 43: 2837

LUMINANCE
Effects of stimulus size and luminance on oscillopsia in congenital nystagmus 43: 2697
Human temporal impulse response speeds up with increased stimulus contrast 43: 285

The photopic ERG luminance-response function (photopic hill): method of analysis and clinical application 43: 1405
Senescence of the temporal impulse response to a luminous pulse 43: 617
Sensitivity to contrast modulation: the spatial frequency dependence of second-order vision 43: 243
The spatial tuning of chromatic adaptation 43: 1611
Task-specific perceptual learning on speed and direction discrimination 43: 1365
Temporal asymmetry in motion masking: a shortening of the temporal impulse response function 43: 261
Temporal properties of the visual responses to luminance and contrast modulated noise 43: 1855

MACULAR PIGMENT

Macular pigment density and distribution: comparison of fundus autofluorescence with minimum motion photometry 43: 1765

MAGNOCELLULAR PATHWAYS. *see* PATHWAYS, MAGNOCELLULAR AND PARVOCELLULAR

MASKING

Direct parameter specification of an attention shift: evidence from perceptual latency priming 43: 1351
Dual nonlinearities regulate contrast sensitivity in pattern discrimination tasks 43: 1433
Extending the shine-through effect to classical masking paradigms 43: 2659
Failure of signed chromatic apparent motion with luminance masking 43: 751
Four-dot masking produces the attentional blink 43: 1907
Neural fine tuning during Vernier acuity training? 43: 1177
Spatial-frequency spectra of printed characters and human visual perception 43: 1507
Temporal asymmetry in motion masking: a shortening of the temporal impulse response function 43: 261
Timing of contextual modulation in the shine-through effect 43: 2039
The what and where in visual masking 43: 1337

McCOLLOUGH EFFECT. *see* AFTEREFFECTS

MEMORY. *see* COGNITION

MEMORY PERFORMANCE

Comparison of performance on memory-guided saccade and delayed spatial match-to-sample tasks in monkeys 43: 321
Effects of training on memory-guided saccade performance 43: 2061
Large capacity storage of integrated objects before change blindness 43: 149
Mental extrapolation of target position is strongest with weak motion signals and motor responses 43: 2623
Sequential memory-guided saccades and target selection: a neural model of the frontal eye fields 43: 2669
Visual search is facilitated by scene and sequence familiarity in rhesus monkeys 43: 1455

MENTAL IMAGERY

Mental extrapolation of target position is strongest with weak motion signals and motor responses 43: 2623

METACONTRAST. *see* MASKING

MONOCULAR VISION

Visual field defects in albino ferrets (*Mustela putorius furo*) 43: 793

MOTION PERCEPTION

Adaptation of response transients in fly motion vision. I: Experiments 43: 1291
Adaptation of response transients in fly motion vision. II: Model studies 43: 1309
Color and motion: which is the tortoise and which is the hare? 43: 2403
Deficits to global motion processing in human amblyopia 43: 729
The dynamics of bi-stable alternation in ambiguous motion displays: a fresh look at plaids 43: 531

Feature-specific electrophysiological correlates of texture segregation 43: 7
A gain-control model relating nulling results to the duration of dynamic motion aftereffects 43: 117
Geometric and induced effects in binocular stereopsis and motion parallax 43: 1879
Grouping local directional signals into moving contours 43: 2141
How is complex second-order motion processed? 43: 2591
Illusory jitter in a static stimulus surrounded by a synchronously flickering pattern 43: 957
Increasing depth of binocular rivalry suppression along two visual pathways 43: 2003
The influence of color on the perception of luminance motion 43: 1159
Influence of viewing distance on aftereffects of moving random pixel arrays 43: 2413
Latency differences and the flash-lag effect 43: 1829
Longer VEP latencies and slower reaction times to the onset of second-order motion than to the onset of first-order motion 43: 651
Luminance mechanisms mediate the motion of red-green isoluminant gratings: the role of "temporal chromatic aberration" 43: 1235
Mental extrapolation of target position is strongest with weak motion signals and motor responses 43: 2623
Motion detection and the coincidence of structure at high and low spatial frequencies 43: 371
Motion distorts perceived depth 43: 1799
Motion sharpening and contrast: Gain control precedes compressive non-linearity? 43: 1187
Perceived onset time and position of a moving stimulus 43: 1625
Reversed-phi perception with motion-defined motion stimuli 43: 2517
Self-organizing neural network model of motion processing in the visual cortex during smooth pursuit 43: 2155
The shape and size of crowding for moving targets 43: 2895
Short-latency ocular following in humans is dependent on absolute (rather than relative) binocular disparity 43: 1387
Spatio-temporal frequency characteristics of the optomotor response in zebrafish 43: 21
Sustained deviation of gaze direction can affect "inverted vection" induced by the foreground motion 43: 745
Temporal asymmetry in motion masking: a shortening of the temporal impulse response function 43: 261
The use of facial motion and facial form during the processing of identity 43: 1921
Visual motion detection in patients with absent vestibular function 43: 1589
Visual perception in a blind subject with a chronic microelectronic retinal prosthesis 43: 2573
Wavelength dependence of the optomotor response in zebrafish (*Danio rerio*) 43: 1273
Wavelength dependence of the optomotor response in zebrafish (*Danio rerio*) 43: 1273

MOTION PERCEPTION, APPARENT MOTION

An illusion of coherent global motion arising from single brief presentations of a stationary stimulus 43: 2387
Failure of signed chromatic apparent motion with luminance masking 43: 751

MOTION PERCEPTION, DIRECTIONAL SENSITIVITY

Attentional modulation of threshold sensitivity to first-order motion and second-order motion patterns 43: 2927
The detection of direction-defined and speed-defined spatial contours: one mechanism or two? 43: 597
Different visual search strategies in stationary and moving radial patterns 43: 1201
The efficiency of speed discrimination for coherent and transparent motion 43: 2795
Global feature-based attention for motion and color 43: 629
Motion coherence thresholds in infants—different tasks identify at least two distinct motion systems 43: 1149
Motion processing asymmetries and stereopsis in infants 43: 1961
Pattern cues disambiguate perceived direction in simple moving stimuli 43: 2291
Sampling efficiency and internal noise for motion detection, discrimination, and summation 43: 2125
Segregation from direction differences in dynamic random-dot stimuli 43: 171
Speed tuning of direction repulsion describes an inverted U-function 43: 1847
Task-specific perceptual learning on speed and direction discrimination 43: 1365

MOTION PERCEPTION, MOTION-IN-DEPTH

Eye movements provide the extra-retinal signal required for the perception of depth from motion parallax 43: 1553
Poor visibility of motion in depth is due to early motion averaging 43: 385
Spatial and temporal tuning of motion in depth 43: 2861

MOTION PERCEPTION, OPTIC FLOW

Centric-minded templates for self-motion perception 43: 1473
Different visual search strategies in stationary and moving radial patterns 43: 1201
Discrimination of travel distances from 'situated' optic flow 43: 2173
FliMax, a novel stimulus device for panoramic and highspeed presentation of behaviourally generated optic flow 43: 779
A model using MT-like motion-opponent operators explains an illusory transformation in the optic flow field 43: 2811
A neural network model of spiral-planar motion tuning in MSTd 43: 577
Recovering slant and angular velocity from a linear velocity field: modeling and psychophysics 43: 1753

MOTION PERCEPTION, SPEED SENSITIVITY

The detection of direction-defined and speed-defined spatial contours: one mechanism or two? 43: 597
The efficiency of speed discrimination for coherent and transparent motion 43: 2795
Optokinetic potential and the perception of head-centred speed 43: 1709
Segregation from direction differences in dynamic random-dot stimuli 43: 171
Task-specific perceptual learning on speed and direction discrimination 43: 1365
Velocity dependence of Vernier and letter acuity for band-pass filtered moving stimuli 43: 669

MYOPIA

An evaluation of the lag of accommodation using photorefraction 43: 419
Further evidence that chick eyes use the sign of blur in spectacle lens compensation 43: 1519

NATURAL IMAGES

Coding of the contrasts in natural images by populations of neurons in primary visual cortex (V1) 43: 1983
Contrast conservation in human vision 43: 2637
FliMax, a novel stimulus device for panoramic and highspeed presentation of behaviourally generated optic flow 43: 779
Oblique stimuli are seen best (not worst!) in naturalistic broad-band stimuli: a horizontal effect 43: 1329
Orientational minimal redundancy wavelets: from edge detection to perception 43: 1061
Power spectra and distribution of contrasts of natural images from different habitats 43: 2527
Representation of statistical properties 43: 393
Variance normalisation: a key mechanism for temporal adaptation in natural vision? 43: 1895

NEURAL NETWORKS

A neural network model of spiral-planar motion tuning in MSTd 43: 577
The selective tuning model of attention: psychophysical evidence for a suppressive annulus around an attended item 43: 205
Self-organizing neural network model of motion processing in the visual cortex during smooth pursuit 43: 2155
Sequential memory-guided saccades and target selection: a neural model of the frontal eye fields 43: 2669

NEUROCHEMISTRY

Alterations of kynurenic acid content in the retina in response to retinal ganglion cell damage 43: 497
Functional mapping of somatostatin receptors in the retina: a review 43: 1805
Functional modifications in rod bipolar cells in a mouse model of retinitis pigmentosa 43: 879
GABA receptors on horizontal cells in the goldfish retina 43: 2101
Ontogenic changes of kynurenine aminotransferase I activity and its expression in the chicken retina 43: 1513
Participation of the GABAergic system in the action of 2-aminio-4-phosphonobutyrate on the OFF responses of frog retinal ganglion cells 43: 607

NEURODEGENERATIVE DISEASES. *see* PATHOLOGY

NEUROGENESIS

The roles of Hedgehogs and Fibroblast growth factors in eye development and retinal cell rescue 43: 899
Stem cells in the teleost retina: persistent neurogenesis and injury-induced regeneration 43: 927

NEURONAL REMODELING

Müller cell and neuronal remodeling in retinal detachment and reattachment and their potential consequences for visual recovery: a review and reconsideration of recent data 43: 887

Remodeling of second-order neurons in the retina of rd/rd mutant mice 43: 867

NEUROTRANSMITTER. *see* NEUROCHEMISTRY

NOISE

Additive noise, Weibull functions and the approximation of psychometric functions (2002) (corrigendum) 43: 855

Effects of contrast and length on vernier acuity explained with noisy templates 43: 707

Efficiency and internal noise for detection of suprathreshold patterns measured using simple reaction time 43: 1103

Luminance mechanisms mediate the motion of red-green isoluminant gratings: the role of "temporal chromatic aberration" 43: 1235

Orientation discrimination in visual noise using global and local stimuli 43: 1223

Sampling efficiency and internal noise for motion detection, discrimination, and summation 43: 2125

Sensitivity to contrast modulation: the spatial frequency dependence of second-order vision 43: 243

Spatial-frequency spectra of printed characters and human visual perception 43: 1507

Temporal properties of the visual responses to luminance and contrast modulated noise 43: 1855

OBJECT RECOGNITION

An integrated network for invariant visual detection and recognition 43: 2073

Human visual object categorization can be described by models with low memory capacity 43: 2265

Peak localization of sparsely sampled luminance patterns is based on interpolated 3D surface representation 43: 2649

Spatiotemporal characteristics of dynamic feature binding in visual working memory 43: 2107

OCCLUSION

Monocular gap stereopsis: manipulation of the outer edge disparity and the shape of the gap 43: 1937

Monocular transparency generates quantitative depth 43: 2615

Paired and unpaired features can be equally effective in human depth perception 43: 1

OCULAR DIMENSIONS

Further evidence that chick eyes use the sign of blur in spectacle lens compensation 43: 1519

OCULAR DOMINANCE

Correlation between hand preference and intraocular pressure from right- and left-eyes in right- and left-handers 43: 405

Ocular prevalence *versus* ocular dominance 43: 1397

OCULOMOTOR ADAPTATION. *see* ADAPTATION, OCULOMOTOR

OCULOMOTOR ANATOMY

Effects of tenotomy surgery on congenital nystagmus waveforms in adult patients. Part I. Wavelet spectral analysis 43: 2345

Effects of tenotomy surgery on congenital nystagmus waveforms in adult patients. Part II. Dynamical systems analysis 43: 2357

Mechanical properties of the rabbit iris smooth muscles 43: 479

ON–OFF PATHWAYS. *see* PATHWAYS, ON–OFF

OPTIC FLOW. *see* MOTION PERCEPTION, OPTIC FLOW

OPTIC NERVE

Biplexiform ganglion cells in the retina of the perciform fish *Pholidapus dybowskii* revealed by HRP labeling from the optic nerve and optic tectum 43: 1117

Dexanabinol (HU-211) has a beneficial effect on axonal sprouting and survival after rat optic nerve crush injury 43: 237
Position, size and luminosity of phosphenes generated by direct optic nerve stimulation 43: 1091

OPTIC TECTUM

Biplexiform ganglion cells in the retina of the perciform fish *Pholidapus dybowskii* revealed by HRP labeling from the optic nerve and optic tectum 43: 1117

OPTICAL QUALITY

The influence of the Stiles–Crawford peak location on visual performance 43: 659

OPTOKINETIC EYE MOVEMENTS. *see* EYE MOVEMENTS, OPTOKINETIC

OPTOMOTOR RESPONSE

Spatio-temporal frequency characteristics of the optomotor response in zebrafish 43: 21

ORIENTATION DISCRIMINATION

The distribution of preferred orientations in the peripheral visual field 43: 53
Expectancy effects on spatial frequency processing 43: 2759
Opposing views on orthogonal adaptation: a reply to Westheimer and Gee (2002) 43: 717 (discussion)
Opposing views on orthogonal adaptation: a response to Clifford, Arnold, Smith and Pianta (2003) 43: 721 (discussion)
Orientation discrimination in foveal and extra-foveal vision: effects of stimulus bandwidth and contrast 43: 1375
Orientation discrimination in visual noise using global and local stimuli 43: 1223

ORIENTATION OPPONENCY

Orientation opponency in human vision revealed by energy-frequency analysis 43: 2197

ORIENTATION PERCEPTION

Binocular recognition summation in the peripheral visual field: contrast and orientation dependence 43: 1249
Colour and luminance selectivity of spatial and temporal interactions in orientation perception 43: 2885
Different visual search strategies in stationary and moving radial patterns 43: 1201
The distribution of preferred orientations in the peripheral visual field 43: 53
Do humans optimally integrate stereo and texture information for judgments of surface slant? 43: 2539
Evidence for global processing but no evidence for specialised detectors in the visual processing of Glass patterns 43: 565 (letter)
Further evidence for global orientation processing in circular Glass patterns 43: 563 (letter)
Latency differences and the flash-lag effect 43: 1829
Meridional anisotropy in visual processing: implications for the neural site of the oblique effect 43: 2281
Oblique stimuli are seen best (not worst!) in naturalistic broad-band stimuli: a horizontal effect 43: 1329
Observer strategies in perception of 3-D shape from isotropic textures: developable surfaces 43: 2741
Pattern cues disambiguate perceived direction in simple moving stimuli 43: 2291
The role of local grouping and global orientation contrast in perception of orientation-modulated textures 43: 2315
Unilateral posterior parietal lobe lesions affect representation of visual space 43: 1675
Weighted linear cue combination with possibly correlated error 43: 2451

PARVOCELLULAR PATHWAYS. *see* PATHWAYS, MAGNOCELLULAR AND PARVOCELLULAR

PATHOLOGY

A2E, a byproduct of the visual cycle 43: 2983
Alterations of L- and M-cone driven ERGs in cone and cone-rod dystrophies 43: 2333
Analysis of three genes in Leber congenital amaurosis in Indonesian patients 43: 3087
Clinical features of the retinopathy, globe enlarged (*rge*) chick phenotype 43: 2009
A comparison of three techniques to estimate the human dark-adapted cone electroretinogram 43: 2089

Cortical OFF-potentials from the S-cone pathway reveal neural damage in early glaucoma 43: 221
Cortical visual functions can be preserved by subretinal RPE cell grafting in RCS rats 43: 1817
Disorders of vertical optokinetic nystagmus in patients with ocular misalignment 43: 347
Effect of dodecyl maltoside detergent on rhodopsin stability and function 43: 3055
Functional modifications in rod bipolar cells in a mouse model of retinitis pigmentosa 43: 879
Gene therapy for choroideremia: in vitro rescue mediated by recombinant adenovirus 43: 919
Hyperglycemia affects flicker-induced vasodilation in the retina of healthy subjects 43: 1495
Inherited multifocal RPE-diseases: mechanisms for local dysfunction in global retinoid cycle gene defects 43: 3095
Macular pigment density and distribution: comparison of fundus autofluorescence with minimum motion photometry 43: 1765
Novel targeting strategy for generating mouse models with defects in the retinoid cycle 43: 3075
Patients with AMD and a large absolute central scotoma can be trained successfully to use eccentric viewing as demonstrated in a scanning laser ophthalmoscope 43: 1777
The photopic ERG luminance-response function (photopic hill): method of analysis and clinical application 43: 1405
Pseudotyped AAV vectors for constitutive and regulated gene expression in the eye 43: 913
Retinal function in Bothnia dystrophy. An electrophysiological study 43: 2559
The retinoid cycle and retina disease (editorial) 43: 2957
Temporal visual filtering in diabetes mellitus 43: 2377
Unilateral posterior parietal lobe lesions affect representation of visual space 43: 1675
Visual processing of rapidly presented stimuli is normalized in Parkinson's disease when proximal stimulus strength is enhanced 43: 2827

PATHWAYS

Cortical OFF-potentials from the S-cone pathway reveal neural damage in early glaucoma 43: 221
Increasing depth of binocular rivalry suppression along two visual pathways 43: 2003
The what and where in visual masking 43: 1337

PATHWAYS, LUMINANCE AND CHROMATIC

Failure of signed chromatic apparent motion with luminance masking 43: 751
Independence of mechanisms tuned along cardinal and non-cardinal axes of color space: evidence from factor analysis 43: 683
The influence of color on the perception of luminance motion 43: 1159
Luminance mechanisms mediate the motion of red-green isoluminant gratings: the role of "temporal chromatic aberration" 43: 1235

PATHWAYS, MAGNOCELLULAR AND PARVOCELLULAR

Can the magnocellular pathway read? Evidence from studies of color 43: 1211
Contrast coding and magno/parvo segregation revealed in reaction time studies 43: 2707
Contrast sensitivity in subgroups of developmental dyslexia 43: 467
The influence of color on the perception of luminance motion 43: 1159
Pupil responses associated with coloured afterimages are mediated by the magnocellular pathway 43: 1423
Spatial frequency processing in inferred PC- and MC-pathways 43: 2133
Temporal visual filtering in diabetes mellitus 43: 2377

PATHWAYS, ON–OFF

An illusion of coherent global motion arising from single brief presentations of a stationary stimulus 43: 2387
Cortical OFF-potentials from the S-cone pathway reveal neural damage in early glaucoma 43: 221
Participation of the GABAergic system in the action of 2-amino-4-phosphonobutyrate on the OFF responses of frog retinal ganglion cells 43: 607
Spatial summation of S-cone ON and OFF signals: effects of retinal eccentricity 43: 2875

PATHWAYS, SHORT-WAVELENGTH-SENSITIVITY

Short-wavelength acuity: blue–yellow and achromatic resolution loss with age 43: 109
Short-wavelength acuity: optical factors affecting detection and resolution of blue–yellow sinusoidal gratings in foveal and peripheral vision 43: 101

PATTERN RECOGNITION

Dual nonlinearities regulate contrast sensitivity in pattern discrimination tasks 43: 1433
Feature-specific electrophysiological correlates of texture segregation 43: 7
Local and global contributions to shape discrimination 43: 519

PERCEPTUAL LEARNING

An integrated network for invariant visual detection and recognition 43: 2073
Discrimination of single bars by the honeybee (*Apis mellifera*) 43: 1257
Effects of training on memory-guided saccade performance 43: 2061
Experience-dependent visual cue recalibration based on discrepancies between visual and haptic percepts 43: 2603
Fixation stability and saccadic latency in élite shooters 43: 1837
Neural fine tuning during Vernier acuity training? 43: 1177
Orientational minimal redundancy wavelets: from edge detection to perception 43: 1061
Simulation of artificial vision: I. Eccentric reading of isolated words, and perceptual learning 43: 269
Task-specific perceptual learning on speed and direction discrimination 43: 1365

PERIPHERAL VISION

Binocular recognition summation in the peripheral visual field: contrast and orientation dependence 43: 1249
Contour integration in peripheral vision reduces gradually with eccentricity 43: 2427
The distribution of preferred orientations in the peripheral visual field 43: 53
Is word recognition different in central and peripheral vision? 43: 2837
Orientation discrimination in foveal and extra-foveal vision: effects of stimulus bandwidth and contrast 43: 1375
The shape and size of crowding for moving targets 43: 2895
Short-wavelength acuity: blue-yellow and achromatic resolution loss with age 43: 109
Short-wavelength acuity: optical factors affecting detection and resolution of blue-yellow sinusoidal gratings in foveal and peripheral vision 43: 101

PHASE SENSITIVITY

"Phase capture" in the perception of interpolated shape: cue combination and the influence function 43: 2233
Stereoscopic depth perception from oblique phase disparities 43: 2479

PHOTOCHEMISTRY

A2E, a byproduct of the visual cycle 43: 2983
Assessing structural elements that influence Schiff base stability: mutants E113Q and D190N destabilize rhodopsin through different mechanisms 43: 2991
Availability of 11-cis retinal and opsins without chromophore as revealed by small bleaches of rhodopsin in excised albino mouse eyes 43: 3069
Bleaching desensitization: background and current challenges 43: 3011
Comparison between oleic acid and docosahexaenoic acid binding to interphotoreceptor retinoid-binding protein 43: 3063
Effect of dodecyl maltoside detergent on rhodopsin stability and function 43: 3055
Interphotoreceptor retinoid-binding protein–an old gene for new eyes 43: 3021
Novel targeting strategy for generating mouse models with defects in the retinoid cycle 43: 3075
Origin of the vertebrate visual cycle: II. Visual cycle proteins are localized in whole brain including photoreceptor cells of a primitive chordate 43: 3045
Recovery of the rod photoresponse in infant rats 43: 3081
The retinoid cycle and retina disease (editorial) 43: 2957
Retinoid cycle in the vertebrate retina: experimental approaches and mechanisms of isomerization 43: 2959
Secondary binding sites of retinoids in opsin: characterization and role in regeneration 43: 3003
A simulation analysis on mechanisms of damped oscillation in retinal rod photoreceptor cells 43: 2019
Visual cycle retinoid processing proteins are present in HEK293S cells 43: 3037

PHOTOPIC VISION

The photopic ERG luminance-response function (photopic hill): method of analysis and clinical application 43: 1405

PHOTOPIGMENTS

Cone pigment variations in four genera of new world monkeys 43: 227
Multiple photopigments from the Mexican blind cavefish, *Astyanax fasciatus*: a microspectrophotometric study 43: 31
The retinoid cycle and retina disease (editorial) 43: 2957
Retinoid cycle in the vertebrate retina: experimental approaches and mechanisms of isomerization 43: 2959

PHOTORECEPTORS (*see also* CONES; RODS)

A2E, a byproduct of the visual cycle 43: 2983
Assessing structural elements that influence Schiff base stability: mutants E113Q and D190N destabilize rhodopsin through different mechanisms 43: 2991
Availability of 11-cis retinal and opsins without chromophore as revealed by small bleaches of rhodopsin in excised albino mouse eyes 43: 3069
Bleaching desensitization: background and current challenges 43: 3011
Comparison between oleic acid and docosahexaenoic acid binding to interphotoreceptor retinoid-binding protein 43: 3063
Cortical visual functions can be preserved by subretinal RPE cell grafting in RCS rats 43: 1817
Effect of dodecyl maltoside detergent on rhodopsin stability and function 43: 3055
Interphotoreceptor retinoid-binding protein–an old gene for new eyes 43: 3021
Müller cell and neuronal remodeling in retinal detachment and reattachment and their potential consequences for visual recovery: a review and reconsideration of recent data 43: 887
Origin of the vertebrate visual cycle: II. Visual cycle proteins are localized in whole brain including photoreceptor cells of a primitive chordate 43: 3045
Photoreceptor degeneration and *rdl* mutation in the *grizzled/mocha* mouse strain 43: 859
Recovery of the rod photoresponse in infant rats 43: 3081
The retinoid cycle and retina disease (editorial) 43: 2957
Retinoid cycle in the vertebrate retina: experimental approaches and mechanisms of isomerization 43: 2959
Secondary binding sites of retinoids in opsin: characterization and role in regeneration 43: 3003
A simulation analysis on mechanisms of damped oscillation in retinal rod photoreceptor cells 43: 2019
Temporal visual filtering in diabetes mellitus 43: 2377
Visual cycle retinoid processing proteins are present in HEK293S cells 43: 3037

PIGMENT EPITHELIUM

A2E, a byproduct of the visual cycle 43: 2983
Analysis of L-cone/M-cone visual pigment gene arrays in females by long-range PCR 43: 489
Functional mapping of somatostatin receptors in the retina: a review 43: 1805
Inherited multifocal RPE-diseases: mechanisms for local dysfunction in global retinoid cycle gene defects 43: 3095
Novel targeting strategy for generating mouse models with defects in the retinoid cycle 43: 3075
Retinal function in Bothnia dystrophy. An electrophysiological study 43: 2559
Visual cycle retinoid processing proteins are present in HEK293S cells 43: 3037

PLASTICITY

Müller cell and neuronal remodeling in retinal detachment and reattachment and their potential consequences for visual recovery: a review and reconsideration of recent data 43: 887

POPULATION CODE

Reading a population code: a multi-scale neural model for representing binocular disparity 43: 445

POST-RECEPTORAL ADAPTATION. *see* ADAPTATION, POST-RECEPTORAL

PROSTHESIS

Position, size and luminosity of phosphenes generated by direct optic nerve stimulation 43: 1091
Visual perception in a blind subject with a chronic microelectronic retinal prosthesis 43: 2573

PROTANOPIA. *see* DICHROMACY

PUPIL
Mechanical properties of the rabbit iris smooth muscles 43: 479
Pupil responses associated with coloured afterimages are mediated by the magnocellular pathway 43: 1423

REACTION TIME
Color and motion: which is the tortoise and which is the hare? 43: 2403
Contrast coding and magno/parvo segregation revealed in reaction time studies 43: 2707
Direct parameter specification of an attention shift: evidence from perceptual latency priming 43: 1351
Efficiency and internal noise for detection of suprathreshold patterns measured using simple reaction time 43: 1103
Fixation stability and saccadic latency in élite shooters 43: 1837
Longer VEP latencies and slower reaction times to the onset of second-order motion than to the onset of first-order motion 43: 651
The overlay interference task and object-selective visual attention 43: 1443
Visual reaction time: neural conditions for the equivalence of stimulus area and contrast (letter) 43: 2937
Visual reaction time to grating onset: reply to Donner and Fagerholm (letter) 43: 2941
The what and where in visual masking 43: 1337

READING
An evaluation of the lag of accommodation using photorefraction 43: 419
Can the magnocellular pathway read? Evidence from studies of color 43: 1211
Contrast sensitivity in subgroups of developmental dyslexia 43: 467
Head-free reading of horizontally and vertically arranged texts (2002) (erratum) 43: 1595
Inhibition of saccade return in reading 43: 1027
Is word recognition different in central and peripheral vision? 43: 2837
Low-level predictive inference in reading: the influence of transitional probabilities on eye movements 43: 1735
Patients with AMD and a large absolute central scotoma can be trained successfully to use eccentric viewing, as demonstrated in a scanning laser ophthalmoscope 43: 1777
Simulation of artificial vision: I. Eccentric reading of isolated words, and perceptual learning 43: 269

RECEPTIVE FIELD (*see also specific cell type*)
Coding of the contrasts in natural images by populations of neurons in primary visual cortex (V1) 43: 1983
Power spectra and distribution of contrasts of natural images from different habitats 43: 2527
Synaptic energy efficiency in retinal processing 43: 1283
Temporal visual filtering in diabetes mellitus 43: 2377

RECEPTOR POTENTIAL. *see* CONES; ELECTRORETINOGRAM; PHOTORECEPTORS; RODS

REFRACTION
Amplitude dependent accommodative dynamics in humans 43: 2945
An evaluation of the lag of accommodation using photorefraction 43: 419
Astigmatism in infant monkeys reared with cylindrical lenses 43: 2721
Further evidence that chick eyes use the sign of blur in spectacle lens compensation 43: 1519
The visual acuity and refractive state of the American kestrel (*Falco sparverius*) 43: 2053

RETINA
A2E, a byproduct of the visual cycle 43: 2983
Alterations of kynurenic acid content in the retina in response to retinal ganglion cell damage 43: 497
Analysis of three genes in Leber congenital amaurosis in Indonesian patients 43: 3087
Assessing structural elements that influence Schiff base stability: mutants E113Q and D190N destabilize rhodopsin through different mechanisms 43: 2991

Biplexiform ganglion cells in the retina of the perciform fish *Pholidapus dybowskii* revealed by HRP labeling from the optic nerve and optic tectum 43: 1117
Clinical features of the retinopathy, globe enlarged (*rge*) chick phenotype 43: 2009
A decay of gap junctions associated with ganglion cell differentiation during retinal regeneration of the adult newt 43: 2847
Filling-in of retinal scotomas 43: 971
Functional mapping of somatostatin receptors in the retina: a review 43: 1805
Functional modifications in rod bipolar cells in a mouse model of retinitis pigmentosa 43: 879
GABA receptors on horizontal cells in the goldfish retina 43: 2101
Gene therapy for choroideremia: in vitro rescue mediated by recombinant adenovirus 43: 919
Hyperglycemia affects flicker-induced vasodilation in the retina of healthy subjects 43: 1495
Müller cell and neuronal remodeling in retinal detachment and reattachment and their potential consequences for visual recovery: a review and reconsideration of recent data 43: 887
Ontogenic changes of kynurenine aminotransferase I activity and its expression in the chicken retina 43: 1513
Participation of the GABAergic system in the action of 2-amino-4-phosphonobutyrate on the OFF responses of frog retinal ganglion cells 43: 607
The photopic ERG luminance-response function (photopic hill): method of analysis and clinical application 43: 1405
Pseudotyped AAV vectors for constitutive and regulated gene expression in the eye 43: 913
Remodeling of second-order neurons in the retina of rd/rd mutant mice 43: 867
Retinal function in Bothnia dystrophy. An electrophysiological study 43: 2559
Retinal transplantation of neural progenitor cells derived from the brain of GFP transgenic mice 43: 1699
The roles of Hedgehogs and Fibroblast growth factors in eye development and retinal cell rescue 43: 899
Short-latency disparity-vergence eye movements in humans: sensitivity to simulated orthogonal tropias 43: 431
Spatial summation of S-cone ON and OFF signals: effects of retinal eccentricity 43: 2875
Stem cells in the teleost retina: persistent neurogenesis and injury-induced regeneration 43: 927
Synaptic energy efficiency in retinal processing 43: 1283
Transplantation of ocular stem cells: the role of injury in incorporation and differentiation of grafted cells in the retina 43: 937

RETINAL DISEASE. *see* PATHOLOGY

RETINOID CYCLE

Availability of 11-cis retinal and opsins without chromophore as revealed by small bleaches of rhodopsin in excised albino mouse eyes 43: 3069
Bleaching desensitization: background and current challenges 43: 3011
Comparison between oleic acid and docosahexaenoic acid binding to interphotoreceptor retinoid-binding protein 43: 3063
Inherited multifocal RPE-diseases: mechanisms for local dysfunction in global retinoid cycle gene defects 43: 3095
Interphotoreceptor retinoid-binding protein–an old gene for new eyes 43: 3021
Novel targeting strategy for generating mouse models with defects in the retinoid cycle 43: 3075
Origin of the vertebrate visual cycle: II. Visual cycle proteins are localized in whole brain including photoreceptor cells of a primitive chordate 43: 3045
The retinoid cycle and retina disease (editorial) 43: 2957
Retinoid cycle in the vertebrate retina: experimental approaches and mechanisms of isomerization 43: 2959
Secondary binding sites of retinoids in opsin: characterization and role in regeneration 43: 3003
Visual cycle retinoid processing proteins are present in HEK293S cells 43: 3037

ROD-CONE INTERACTION. *see* CONES; RODS

RODS

Alterations of L- and M-cone driven ERGs in cone and cone-rod dystrophies 43: 2333
Effects of light and dark adaptation of rods on specific-hue threshold 43: 2905
Functional modifications in rod bipolar cells in a mouse model of retinitis pigmentosa 43: 879
Recovery of the rod photoresponse in infant rats 43: 3081
A simulation analysis on mechanisms of damped oscillation in retinal rod photoreceptor cells 43: 2019

SACCADES. *see* EYE MOVEMENTS, SACCADIC

SCOTOMA
Filling-in of retinal scotomas 43: 971
Patients with AMD and a large absolute central scotoma can be trained successfully to use eccentric viewing, as demonstrated in a scanning laser ophthalmoscope 43: 1777

SEARCH. *see* VISUAL SEARCH

SEGMENTATION
Context effects on texture border localization bias 43: 739
The dynamics of bi-stable alternation in ambiguous motion displays: a fresh look at plaids 43: 531
Short-latency ocular following in humans is dependent on absolute (rather than relative) binocular disparity 43: 1387

SHAPE PERCEPTION. *see* FORM PERCEPTION

SHORT-WAVELENGTH-SENSITIVITY PATHWAYS. *see* PATHWAYS, SHORT-WAVELENGTH-SENSITIVITY

SIZE PERCEPTION
Representation of statistical properties 43: 393
Scaling of letter size and contrast equalises perception across eccentricities and set sizes 43: 769

SLEEP DEPRIVATION
Effect of sleep deprivation and driving duration on the useful visual field in younger and older subjects during simulator driving 43: 1465

SMOOTH PURSUIT EYE MOVEMENTS. *see* EYE MOVEMENTS, SMOOTH PURSUIT

SPATIAL FREQUENCY (*see also* PHASE SENSITIVITY)
Blobs strengthen repetition but weaken symmetry 43: 993
Contrast coding and magno/parvo segregation revealed in reaction time studies 43: 2707
Differential binocular input and local stereopsis 43: 2303
Expectancy effects on spatial frequency processing 43: 2759
Grouping local directional signals into moving contours 43: 2141
Motion detection and the coincidence of structure at high and low spatial frequencies 43: 371
Optokinetic potential and the perception of head-centred speed 43: 1709
Reading a population code: a multi-scale neural model for representing binocular disparity 43: 445
The role of local grouping and global orientation contrast in perception of orientation-modulated textures 43: 2315
Spatial and temporal tuning of motion in depth 43: 2861
Spatial frequency processing in inferred PC- and MC-pathways 43: 2133
Spatial-frequency spectra of printed characters and human visual perception 43: 1507
Spatio-temporal frequency characteristics of the optomotor response in zebrafish 43: 21
Temporal modulation of spatial contrast vision in pigeons (*Columba livia*) 43: 761
Utilisation of spatial frequency information in face search 43: 2505
Velocity dependence of Vernier and letter acuity for band-pass filtered moving stimuli 43: 669
Visual reaction time: neural conditions for the equivalence of stimulus area and contrast (letter) 43: 2937
Visual reaction time to grating onset: reply to Donner and Fagerholm (letter) 43: 2941

SPATIAL LOCALIZATION
Divided attention and visual search for simple versus complex features 43: 2213
How many positions can we perceptually encode, one or many? 43: 1575
Localization of shapes: eye movements and perception compared 43: 1637

Motion distorts perceived depth 43: 1799
Peak localization of sparsely sampled luminance patterns is based on interpolated 3D surface representation 43: 2649
Spatial localization precedes temporal determination in visual perception 43: 1667

SPATIAL SUMMATION. *see* SUMMATION, SPATIAL

SPATIAL VISION (*see also* PHASE SENSITIVITY)
Comparison of performance on memory-guided saccade and delayed spatial match-to-sample tasks in monkeys 43: 321
The detection of direction-defined and speed-defined spatial contours: one mechanism or two? 43: 597
Extending the shine-through effect to classical masking paradigms 43: 2659
Hermite acuity gratings and models of space-variant acuity 43: 1597
Orientation discrimination in foveal and extra-foveal vision: effects of stimulus bandwidth and contrast 43: 1375
A paradox of temporal perception revealed by a stimulus oscillating in colour and orientation 43: 2245
The selective tuning model of attention: psychophysical evidence for a suppressive annulus around an attended item 43: 205
The spatial tuning of chromatic adaptation 43: 1611

SPEED SENSITIVITY. *see* MOTION PERCEPTION, SPEED SENSITIVITY

SPHERICAL ABERRATION. *see* ABERRATION

STABILIZED VISION
The role of presaccadic compression of visual space in spatial remapping across saccadic eye movements 43: 1969

STEM CELLS
The immunological properties of adult hippocampal progenitor cells 43: 947
Retinal transplantation of neural progenitor cells derived from the brain of GFP transgenic mice 43: 1699
Transplantation of ocular stem cells: the role of injury in incorporation and differentiation of grafted cells in the retina 43: 937

STEREOPSIS
Adaptation to vertical disparity induced-depth: implications for disparity processing 43: 135
Detecting disparity in two-dimensional patterns 43: 1009
Differential binocular input and local stereopsis 43: 2303
Do humans optimally integrate stereo and texture information for judgments of surface slant? 43: 2539
Early binocular vision in human infants: limitations on the generality of the Superposition Hypothesis 43: 1563
Experience-dependent visual cue recalibration based on discrepancies between visual and haptic percepts 43: 2603
Geometric and induced effects in binocular stereopsis and motion parallax 43: 1879
The influence of cyclovergence on unconstrained stereoscopic matching 43: 307
A laminar cortical model of stereopsis and three-dimensional surface perception 43: 801
Monocular gap stereopsis: manipulation of the outer edge disparity and the shape of the gap 43: 1937
Monocular transparency generates quantitative depth 43: 2615
Motion processing asymmetries and stereopsis in infants 43: 1961
Ocular prevalence *versus* ocular dominance 43: 1397
Paired and unpaired features can be equally effective in human depth perception 43: 1
Peak localization of sparsely sampled luminance patterns is based on interpolated 3D surface representation 43: 2649
A physiological theory of depth perception from vertical disparity 43: 85
Reading a population code: a multi-scale neural model for representing binocular disparity 43: 445
Stereopsis is perturbed by vergence error 43: 181
Stereoscopic depth perception from oblique phase disparities 43: 2479
Stereothresholds with simulated vergence variability and constant error 43: 195

Temporal integration for stereoscopic vision 43: 505
Unconscious adaptation: a new illusion of depth induced by stimulus features without depth 43: 2773

STILES-CRAWFORD EFFECT
The influence of the Stiles–Crawford peak location on visual performance 43: 659

STRABISMUS (*see also* AMBLYOPIA)
Disorders of vertical optokinetic nystagmus in patients with ocular misalignment 43: 347
Temporal integration for stereoscopic vision 43: 505

SUM POTENTIALS
Feature-specific electrophysiological correlates of texture segregation 43: 7

SUMMATION
Evidence for global processing but no evidence for specialised detectors in the visual processing of Glass patterns 43: 565 (letter)
Further evidence for global orientation processing in circular Glass patterns 43: 563 (letter)
Independence of mechanisms tuned along cardinal and non-cardinal axes of color space: evidence from factor analysis 43: 683
Orientation discrimination in visual noise using global and local stimuli 43: 1223

SUMMATION, BINOCULAR
Binocular recognition summation in the peripheral visual field: contrast and orientation dependence 43: 1249

SUMMATION, SPATIAL
Effects of contrast and length on vernier acuity explained with noisy templates 43: 707
Further evidence for global orientation processing in circular Glass patterns 43: 563 (letter)
Response to Wilson & Wilkinson: Evidence for global processing but no evidence for specialised detectors in the visual processing of Glass patterns 43: 565 (letter)
Sampling efficiency and internal noise for motion detection, discrimination, and summation 43: 2125
Spatial summation of S-cone ON and OFF signals: effects of retinal eccentricity 43: 2875

SUMMATION, TEMPORAL
Temporal integration for stereoscopic vision 43: 505

SUPPRESSION. *see* BINOCULAR RIVALRY; VISUAL FIELD, SUPPRESSION

SURFACE PERCEPTION
Effects of pictorially-defined surfaces on visual search 43: 1869
Exogenously cued attention triggers competitive selection of surfaces 43: 59
A laminar cortical model of stereopsis and three-dimensional surface perception 43: 801
Mixture models and the probabilistic structure of depth cues 43: 831
Visual evoked potentials to line- and luminance-defined triangles 43: 299

SYMMETRY PERCEPTION
Blobs strengthen repetition but weaken symmetry 43: 993

TECHNIQUES
Analysis of L-cone/M-cone visual pigment gene arrays in females by long-range PCR 43: 489
A comparison of three techniques to estimate the human dark-adapted cone electroretinogram 43: 2089
In vivo pachymetry in normal eyes of rats, mice and rabbits with the optical low coherence reflectometer 43: 723
Patients with AMD and a large absolute central scotoma can be trained successfully to use eccentric viewing, as demonstrated in a scanning laser ophthalmoscope 43: 1777
Utility of a dynamic termination criterion in the ZEST adaptive threshold method 43: 165

TEMPORAL FREQUENCY

Spatial and temporal tuning of motion in depth 43: 2861
Spatio-temporal frequency characteristics of the optomotor response in zebrafish 43: 21
Temporal modulation of spatial contrast vision in pigeons (*Columba livia*) 43: 761
Velocity dependence of Vernier and letter acuity for band-pass filtered moving stimuli 43: 669

TEMPORAL IMPULSE

Human temporal impulse response speeds up with increased stimulus contrast 43: 285
Senescence of the temporal impulse response to a luminous pulse 43: 617
Temporal asymmetry in motion masking: a shortening of the temporal impulse response function 43: 261

TEMPORAL INTEGRATION

Temporal integration for stereoscopic vision 43: 505
Temporal properties of the visual responses to luminance and contrast modulated noise 43: 1855
Timing of contextual modulation in the shine-through effect 43: 2039
Variance normalisation: a key mechanism for temporal adaptation in natural vision? 43: 1895

TEMPORAL SEQUENCES

Electrical activity in visual cortex associated with combined auditory and visual stimulation in temporal sequences known to be associated with a visual illusion 43: 2469
Spatial localization precedes temporal determination in visual perception 43: 1667

TEMPORAL SUMMATION. *see* SUMMATION, TEMPORAL

TEXTURE PERCEPTION

Context effects on texture border localization bias 43: 739
Do humans optimally integrate stereo and texture information for judgments of surface slant? 43: 2539
Feature-specific electrophysiological correlates of texture segregation 43: 7
Mixture models and the probabilistic structure of depth cues 43: 831
Observer strategies in perception of 3-D shape from isotropic textures: developable surfaces 43: 2741
Orientation opponency in human vision revealed by energy-frequency analysis 43: 2197
The role of local grouping and global orientation contrast in perception of orientation-modulated textures 43: 2315
Weighted linear cue combination with possibly correlated error 43: 2451

THRESHOLD. *see* CONTRAST SENSITIVITY; DETECTION THRESHOLD; INCREMENT THRESHOLD

TRANSPARENCY

Monocular transparency generates quantitative depth 43: 2615
Reading a population code: a multi-scale neural model for representing binocular disparity 43: 445
Segregation from direction differences in dynamic random-dot stimuli 43: 171
Speed tuning of direction repulsion describes an inverted U-function 43: 1847

TRANSPLANTATION

The immunological properties of adult hippocampal progenitor cells 43: 947
Retinal transplantation of neural progenitor cells derived from the brain of GFP transgenic mice 43: 1699
Transplantation of ocular stem cells: the role of injury in incorporation and differentiation of grafted cells in the retina 43: 937

TRITANOPIA. *see* DICHROMACY

VELOCITY. *see* MOTION PERCEPTION, SPEED SENSITIVITY

VERGENCE. *see* EYE MOVEMENTS, VERGENCE

VERNIER ACUITY. *see* HYPERACUITY

VESTIBULO-OCULAR EYE MOVEMENTS. *see* EYE MOVEMENTS, VESTIBULO-OCULAR

VISUAL CYCLE. *see* RETINOID CYCLE

VISUAL FIELD
Effect of sleep deprivation and driving duration on the useful visual field in younger and older subjects during simulator driving 43: 1465
Global feature-based attention for motion and color 43: 629
Orientation opponency in human vision revealed by energy-frequency analysis 43: 2197
The role of presaccadic compression of visual space in spatial remapping across saccadic eye movements 43: 1969
Temporal characteristics of binocular rivalry: visual field asymmetries 43: 2207
Visual field defects in albino ferrets (*Mustela putorius furo*) 43: 793

VISUAL FIELD, FILLING-IN
Filling-in of retinal scotomas 43: 971
Spatio-temporal dynamics of depth propagation on uniform region 43: 2493
Visual field anisotropy revealed by perceptual filling-in 43: 2029
The watercolor effect: a new principle of grouping and figure-ground organization 43: 43

VISUAL FIELD, SUPPRESSION
Collinear contextual suppression 43: 2915
Increasing depth of binocular rivalry suppression along two visual pathways 43: 2003
Intra- and interocular colour-specific activation during dichoptic suppression 43: 1111
Subjective contours and binocular rivalry suppression 43: 1533
Timing of contextual modulation in the shine-through effect 43: 2039

VISUAL SEARCH
Different visual search strategies in stationary and moving radial patterns 43: 1201
Distractor heterogeneity, attention, and color in visual search 43: 1541
Divided attention and visual search for simple versus complex features 43: 2213
Effects of pictorially-defined surfaces on visual search 43: 1869
Oculomotor strategies for the direction of gaze tested with a real-world activity 43: 333
Sequential memory-guided saccades and target selection: a neural model of the frontal eye fields 43: 2669
Utilisation of spatial frequency information in face search 43: 2505
Visual search is facilitated by scene and sequence familiarity in rhesus monkeys 43: 1455

VISUOMOTOR CONTROL
Coordinating one hand with two eyes: optimizing for field of view in a pointing task 43: 409
Effects of training on memory-guided saccade performance 43: 2061
Experience-dependent visual cue recalibration based on discrepancies between visual and haptic percepts 43: 2603
Gaze modulation of visual aftereffects 43: 639
Head-free reading of horizontally and vertically arranged texts (2002) (erratum) 43: 1595
Mental extrapolation of target position is strongest with weak motion signals and motor responses 43: 2623
Sustained deviation of gaze direction can affect "inverted vection" induced by the foreground motion 43: 745

VISUOMOTOR INTEGRATION
Self-organizing neural network model of motion processing in the visual cortex during smooth pursuit 43: 2155

WAVELENGTH DISCRIMINATION. *see* COLOR DISCRIMINATION

VISION RESEARCH

INSTRUCTIONS TO AUTHORS

General

Vision Research is a journal devoted to the functional aspects of human, vertebrate and invertebrate vision and publishes experimental and observational studies, reviews, and theoretical papers firmly based upon the current facts of visual science.

Electronic submission: *Vision Research* manuscripts may be submitted using the journal's online submission and review web site, http://www.ees.elsevier.com/vr/. To use this submission route, please go to the Web site and upload your article and its associated artwork. A PDF is generated and the reviewing process is carried out using that PDF. All correspondence between editor and author is performed on this system, and paper copies are not required at the original submission stage.

Upon submission, authors will be asked to suggest a Senior Editor and appropriate referees for their manuscript. Authors can select from among the following six Senior Editors:

Wolfgang Baehr
David Burr
Casper Erkelens
Daniel Kersten
Adam Reeves
Steven K. Shevell

Questions regarding submission should be sent to the *Vision Research* Editorial Office:

525 B Street, Suite 1900
San Diego, CA 92101-4495
Tel.: (619) 699-6385
Fax: (619) 699-6801
E-mail: vr@elsevier.com

There are no submission fees or page charges. Each manuscript should be accompanied by a letter outlining the basic findings of the paper and their significance.

Authors are urged to be as concise as their material will allow, both in text and in illustrations and to take particular care to ensure that the paper is in final form once submitted. Papers of monograph length will not be considered, nor will a series of numbered papers. *Brief Communications*: Authors may submit *Brief Communications* of not more than 4000 words and not more than 4 figures/tables, describing exciting and timely findings likely to have significant impact on the field.

All manuscripts should be accompanied by a clear statement that the work has not been published elsewhere and is not under review with another journal, and that if published in *Vision Research* it will not be reprinted elsewhere in any language in the same form without the consent of the publisher, who holds the copyright. Authors should keep copies of all material submitted. Manuscripts will not be returned, and top copies of the artwork will be returned only if this is specifically indicated.

All authors must sign the 'Transfer of Copyright' agreement before the article can be published. This transfer agreement enables Elsevier Ltd., to protect the copyrighted material for the authors, but does not relinquish the author's proprietary rights. The copyright transfer covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations, and includes the right to adapt the article for use in conjunction with computer systems and programs, including reproduction or publication in machine-readable form and incorporation in retrieval systems. Authors are responsible for obtaining from the copyright holder permission to reproduce any figures for which copyright exists.

Full papers and Brief Communications will be judged by two qualified reviewers. If in response to a published article a letter to the Editor is received, this letter will be sent out for review and at the same time be forwarded to the author(s) tackled. If the letter is accepted, the author(s) of the initial paper will be invited to write a reply within a short period of time, and the reviewers of the letter will be asked to review the reply. Authors volunteering to prepare *Minireviews* are invited to submit proposals to the appropriate Senior Editor including the following information: (1) title, (2) justification for a Minireview at this time on the topic selected, (3) a rough outline and (4) a **firm** date for submission of the completed work, should the Senior Editor accept the proposal. *Vision Research* has a restrictive *Obituary* policy. Obituaries should be submitted to the appropriate Senior Editor and the Chairman, and should not exceed a length of one printed page including photograph.

Specific

1. Papers should be written in the English language, accompanied by an abstract. The title page should include up to five key words selected from the key word list published bi-annually in the first and thirteenth issues of *Vision Research.* If a key word which does not appear in the list is needed, it should be underlined. Animal classification should also be given to serve as a guideline for abstracting and indexing.
2. The abstract must be no longer than 100 words and should supplement the title informing the reader of the essential points of the paper.
3. Authors are encouraged to use 95% confidence limits. For purely descriptive studies, rather than those which aim to compare means, the standard deviation is an appropriate measure.
4. The manuscript should be single-sided, double-spaced *typewritten* with generous margins. All materials will be discarded **one month** after publication, unless the publisher is requested to return original material to the author.
5. Rejected manuscripts and figures will not be returned to authors, unless specifically required. Rejected manuscripts will not be reconsidered for publication, so they cannot be resubmitted as a revision. Submission as a new paper is possible if manuscript and experiments have been extended substantially.
6. Authors should return a revised manuscript within 6 months, otherwise it will be treated as a new submission. All material will be discarded after 1 year.

Electronic format requirements for accepted articles

7. *General points*
   We accept most wordprocessing formats, but Word, WordPerfect or LaTeX is preferred. The final version should be uploaded to the online submission site. The electronic version must match the hardcopy exactly. Always keep a backup copy of the electronic file for reference and safety. Label storage media with your name, journal title and software used. Save your files using the default extension of the program used. No changes to the accepted version are permissible without the explicit approval of the Editor.
8. *Wordprocessor documents*
   It is important that the file be saved in the native format of the wordprocessor used. The text should be in single-column format. Keep the layout of the text as simple as possible. Most formatting codes will be removed and replaced on processing the article. In particular, do not use the wordprocessor's options to justify text or to hyphenate words. However, do use bold face, italics, subscripts, superscripts etc. Do not embed 'graphically designed' equations or tables, but prepare these using the wordprocessor's facility. When preparing tables, if you are using a table grid, use only one grid for each individual table and not a grid for each row. If no grid is used, use tabs, not spaces, to align columns. The electronic text should be prepared in a way very similar to that of conventional manuscripts (see also the Author Gateway's Quickguide: http://authors.elsevier.com). Do not import the figures into the text file but, instead, indicate their approximate locations directly in the electronic text and on the manuscript. See also the section on Preparation of electronic illustrations. To avoid unnecessary errors you are strongly advised to use the 'spellchecker' function of your wordprocessor.
9. *LaTeX documents*
   If the LaTeX file is suitable, proofs will be produced without rekeying the text. The article should preferably be written using Elsevier's document class 'elsart', or alternatively the standard document class 'article'.
   The Elsevier LaTeX package (including detailed instructions for LaTeX preparation) can be obtained from the Author Gateway's Quickguide: http://authors.elsevier.com. It consists of the files: elsart.cls (use this file if you are using LaTeX2e, the current version of LaTeX), elsart.sty and elsart12.sty (use these two files if you are using LaTeX2.09, the previous version of LaTeX), guidelines for users of elsart, a template file for quick start, and the instruction booklet "Preparing articles with LaTeX".
10. Reprints can be provided at a reasonable cost if ordered when the page proofs are returned. A reprint order form will accompany the proofs. Copies of the particular issue in which the article appears may also be ordered on this form, at a generous discount offer.
11. Proofs will be sent to the author (first-named author if no corresponding author is identified on multi-authored papers) by PDF wherever possible and should be returned within 48 hours of receipt, preferably by e-mail. **Corrections should be restricted to typesetting errors; any other amendments made may be charged to the author.** Any queries should be answered in full. Elsevier will do everything possible to get your article corrected and published as quickly and accurately as possible. Therefore, it is important to ensure that all of your corrections are returned to us in one all-inclusive e-mail or fax. Subsequent additional corrections will not be possible, so please ensure that your first communication is complete. Should you choose to mail your corrections, please return them to: Log-in Department, Elsevier, Stover Court, Bampfylde Street, Exeter, Devon EX1 2AH, UK.
12. When human subjects are used, manuscripts must be accompanied by a statement that the experiments were undertaken with the understanding and written consent of each subject. Authors should be aware of the Code of Ethics of the World Medical Association (Declaration of Helsinki), which has been printed in the *British Medical Journal* (18 July 1964). When experimental animals are used, the Methods section must clearly indicate that adequate measures were taken to minimize pain or discomfort. Experiments should be carried out in accordance with the European Communities Council Directive of 24 November 1986 (86/609/EEC) or with the Guidelines laid down by the NIH in the US regarding the care and use of animals for experimental procedures. Editors reserve the right to reject papers if there is doubt whether appropriate procedures have been used.
13. *References*
   (a) These should be cited in the text by giving the last name of the author (or authors) followed by the year of publication in parentheses, e.g. Gray (1998), Gray and Regan (1998) or (Gray & Regan, 1998). If there are three or more authors, citations should read Brandstätter, Koulen and Wässle (1997), first citation; Brandstätter et al. (1997), second citation. If there is more than one work by an author (or authors) in a given year, then they should be labelled alphabetically within each year (e.g. Gray, 1998a,b).
   (b) The full reference list should be typed on a separate page and placed at the end of the article. They should not be given as footnotes. References should include the names of all the authors and their initials, the year of publication, the full title of the article or book, name of the journal, the volume number and the pages. For books, the city of publication and the publisher should be given. The following may serve as illustrations:

   Gray, R., & Regan, D. (1998). Spatial frequency discrimination and detection characteristics for gratings defined by orientation texture. *Vision Research, 38*, 2601–2617.

   Brandstätter, J. H., Koulen, P., & Wässle, H. (1997). Kainate receptors in the rat retina. *Investigative Ophthalmology and Visual Science, 38* (Suppl.), 689 (Abstract).

   Kamermans, M., & Spekreijse, H. (1995). Spectral behaviour of cone-driven horizontal cells in teleost retina. In: N. N. Osborne, & G. J. Chader (Eds.), *Progress in retinal and eye research* (pp. 313–360). Oxford: Pergamon Press.

   (c) Unpublished work, work in press or conference proceedings should be cited only exceptionally, and preprints *must* accompany the paper if they are essential to its argument.

Preparation of illustrations

Preparation of electronic illustrations

Submitting your artwork in an electronic format helps us to produce your work to the best possible standards, ensuring accuracy, clarity and a high level of detail.

General points

- Always supply high-quality printouts of your artwork, in case conversion of the electronic artwork is problematic.
- Make sure you use uniform lettering and sizing of your original artwork.
- Save text in illustrations as "graphics" or enclose the font.
- Only use the following fonts in your illustrations: Arial, Courier, Helvetica, Times and Symbol.
- Number the illustrations according to their sequence in the text.
- Use a logical naming convention for your artwork files and supply a separate listing of the files and the software used.
- Provide all illustrations as separate files and as hardcopy printouts on separate sheets.

- Provide captions to illustrations separately.
- Produce images near to the desired size of the printed version.

A detailed guide on electronic artwork is available on our website: http://authors.elsevier.com/artwork
You are urged to visit this site; some excerpts from the detailed information are given here.

Formats

Regardless of the application use, when your electronic artwork is finalised, please "save as" or convert the images to one of the following formats (Note the resolution requirements for line drawings, halftones, and line/halftone combinations given below.):

EPS:	Vector drawings. Embed the font or save the text as "graphics".
TIFF:	Colour or greyscale photographs (halftones): always use a minimum of 300 dpi.
TIFF:	Bitmapped line drawings: use a minimum of 1000 dpi.
TIFF:	Combinations bitmapped line/half-tone (colour or greyscale): a minimum of 500 dpi is required.
DOC, XLS or PPT:	If your electronic artwork is created in any of these Microsoft Office applications please supply "as is".

Please do not:

- Supply embedded graphics in your wordprocessor (spreadsheet, presentation) document;
- Supply files that are optimised for screen use (like GIF, BMP, PICT, WPG); the resolution is too low;
- Supply files that are too low in resolution;
- Submit graphics that are disproportionately large for the content.

Non-electronic illustrations
Provide all illustrations as high-quality printouts, suitable for reproduction (which may include reduction) without retouching. Number illustrations consecutively in the order in which they are referred to in the text. They should accompany the manuscript, but should not be included within the text. Clearly mark all illustrations on the back (or—in case of line drawings—on the lower front side) with the figure number and the author's name and, in cases of ambiguity, the correct orientation.

Mark the appropriate position of a figure in the article.

Captions
Ensure that each illustration has a caption. Supply captions on a separate sheet, not attached to the figure. A caption should comprise a brief title (**not** on the figure itself) and a description of the illustration. Keep text in the illustrations themselves to a minimum but explain all symbols and abbreviations used.

Line drawings
Supply high-quality printouts on white paper produced with black ink. The lettering and symbols, as well as other details, should have proportionate dimensions, so as not to become illegible or unclear after possible reduction; in general, the figures should be designed for a reduction factor of two to three. The degree of reduction will be determined by the Publisher. Illustrations will not be enlarged. Consider the page format of the journal when designing the illustrations.
Photocopies are not suitable for reproduction. Do not use any type of shading on computer-generated illustrations.

Photographs (halftones)
Please supply original photographs for reproduction, printed on glossy paper, very sharp and with good contrast. Remove non-essential areas of a photograph. Do not mount photographs unless they form part of a composite figure. Where necessary, insert a scale bar in the illustration (not below it), as opposed to giving a magnification factor in the legend.
Note that photocopies of photographs are not acceptable.

Colour illustrations
Submit colour illustrations as original photographs, high-quality computer prints or transparencies, close to the size expected in publication, or as 35 mm slides. Polaroid colour prints are *not* suitable. Further information concerning colour illustrations and costs is available from Author Support (authorsupport@elsevier.com)
Submit colour illustrations as original photographs, high-quality computer prints or transparencies, close to the size expected in publication, or as 35 mm slides. Polaroid colour prints are *not* suitable. If, together with your accepted article, you submit usable colour figures then Elsevier will ensure, at no additional charge, that these figures will appear in colour on the web (e.g., ScienceDirect and other sites) regardless of whether or not these illustrations are reproduced in colour in the printed version. For colour reproduction in print, you will receive information regarding the costs from Elsevier after receipt of your accepted article. For further information on the preparation of electronic artwork, please see http://authors.elsevier.com/artwork

Please note: Because of technical complications which can arise by converting colour figures to 'grey scale' (for the printed version should you not opt for colour in print) please submit in addition usable black and white prints corresponding to all the colour illustrations.

Preparation of supplementary data
Elsevier now accepts electronic supplementary material to support and enhance your scientific research. Supplementary files offer the author additional possibilities to publish supporting applications, movies, animation sequences, high-resolution images, background datasets, sound clips and more. Supplementary files supplied will be published online alongside the electronic version of your article in Elsevier web products, including ScienceDirect: http://www.sciencedirect.com. In order to ensure that your submitted material is directly usable, please ensure that data is provided in one of our recommended file formats. Authors should submit the material in electronic format together with the article and supply a concise and descriptive caption for each file. For more detailed instructions please visit our Author Gateway at http://authors.elsevier.com
When supplementary files are supplied, an additional 'supplementary' figure list should also be submitted. Any supplementary material that is not directly referred to from within the text of your manuscript should be referred to via use of a footnote to the article title. In addition, it is also recommended that a short description is provided for each supplementary file supplied. When published online, the descriptive texts will appear as captions alongside links to the relevant supplementary files, an example layout of online supplementary material can be viewed at **http://authors.elsevier.com/ArtworkInstructions.html?dc=AI49**.

Please note that any supplementary material supplied is subject to the normal peer review process.